# U–4751 & R–3300 NEW HANOVER & PENDER COUNTIES
## STATE PROJECT 40191.1.2
## EXTENSION OF SR 1409 TO THE WILMINGTON BYPASS AND CONSTRUCTION OF HAMPSTEAD BYPASS FROM WILMINGTON BYPASS TO US 17 NORTH OF HAMPSTEAD

# ALTERNATE EH

(SHEET 1 OF 6)













TRAFFIC DIAGRAM
MT-1 DG or MT-1 DR or MT-1 G or MT-1 R

TRAFFIC DIAGRAM
MT-1 FT or MT-1 S

-EH-
Pls Sta 209+40.37
θR = 2°46' 25.0"
Ls = 070.00
LT = 035.01
ST = 70.02

Pls Sta 207+00.00
Δ = 52°56' 55.0" (RT)
D = 1°44' 06.8"
L = 1,056.45
T = 564.50
R = 3,450.07
SE = 06

Pls Sta 242+12.78
θR = 2°46' 25.0"
Ls = 070.00
LT = 035.01
ST = 70.02

-YB-
Pls Sta 302+72.89
Δ = 8°41' 58.5" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 025

Pls Sta 314+26.26
Δ = 17°27' 53.9" (LT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 03

Pls Sta 330+69.76
Δ = 8°41' 58.5" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 03

Pls Sta 130+69.26
θR = 5°56' 50.4"
Ls = 020.00
LT = 010.00
ST = 20.00

-Y8DGPA-
Pls Sta 14+15.5
θR = 5°09' 23.0"
Ls = 090.00
LT = 044.99
ST = 70.08

Pls Sta 28+94.80
Δ = 98°06' 06.2" (RT)
D = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 08

-Y8DGPB-
Pls Sta 9+13.54
θR = 7°39' 04.2"
Ls = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 08

-Y8DGPC-
Pls Sta 10+44.62
θR = 5°09' 23.0"
Ls = 090.00
LT = 044.99
ST = 70.08

-Y8DGPD-
Pls Sta 14+43.32
Δ = 52°24' 09.2" (RT)
D = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 08

Pls Sta 3+08.79
θR = 1°39' 04.2"
Ls = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 08

-Y8DGPE-
Pls Sta 19+74.37
θR = 1°50' 08.4"
Ls = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 08

Pls Sta 30+13.00
Δ = 7°40' 08.4"
D = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 05

Pls Sta 34+80.49
θR = 1°50' 08.4"
Ls = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 08

-Y8DGPF-
Pls Sta 10+68.68
θR = 1°50' 08.4"
Ls = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 08

Pls Sta 30+68.54
Δ = 7°09' 54.7" (RT)
D = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 04

Pls Sta 35+74.88
θR = 1°50' 08.4"
Ls = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 08

-Y8DGPG-
Pls Sta 33+05.35
θR = 5°09' 23.0"
Ls = 090.00
LT = 044.99
ST = 70.08

Pls Sta 49+87.13
Δ = 93°26' 53.9" (LT)
D = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 06

-Y8DGPH-
Pls Sta 55+57.52
θR = 5°09' 23.0"
Ls = 090.00
LT = 044.99
ST = 70.08

Pls Sta 58+04.14
θR = 1°57' 05.0"
Ls = 090.00
LT = 045.00
ST = 70.09

-Y8DGPI-
Pls Sta 67+45.41
Δ = 12°06' 03.8" (RT)
D = 2°46' 28.7"
L = 1,401.06
R = 2,070.00
SE = 04

Pls Sta 76+40.69
θR = 1°57' 05.0"
Ls = 090.00
LT = 045.00
ST = 70.09

-Y8DGPJ-
Pls Sta 4+83.74
θR = 0°55' 47.2"
Ls = 090.00
LT = 044.99
ST = 83.54

-Y8DGPK-
Pls Sta 10+68.68
θR = 1°50' 08.4"
Ls = 090.00
LT = 045.00
ST = 83.54

-Y8DGPL-
Pls Sta 61+52.62
θR = 2°06' 30.9" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

Pls Sta 67+32.21
Δ = 3°20' 54.4" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

-Y8DGPM-
Pls Sta 1+97.73
Δ = 5°22' 50.2" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

Pls Sta 7+77.32
Δ = 3°20' 54.4" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

-Y8DGPN-
Pls Sta 1+97.73
Δ = 5°22' 50.2" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

Pls Sta 7+77.32
Δ = 3°20' 54.4" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

-Y8DGPO-
Pls Sta 1+97.73
Δ = 5°22' 50.2" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

Pls Sta 7+77.32
Δ = 3°20' 54.4" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

-Y8DGPP-
Pls Sta 1+33.57
θR = 7°33' 54.0"
Ls = 100.00
LT = 049.99
ST = 66.70

Pls Sta 2+07.28
Δ = 57°32' 25.0" (RT)
D = 7°33' 54.0"
L = 575.98
R = 760.00
SE = 06

Pls Sta 5+90.92
θR = 7°33' 54.0"
Ls = 100.00
LT = 049.99
ST = 66.70

Pls Sta 6+40.18
θR = 7°33' 54.0"
Ls = 100.00
LT = 049.99
ST = 66.70

Pls Sta 7+98.64
θR = 5°24' 49.0"
Ls = 100.00
LT = 049.99
ST = 66.72

Pls Sta 8+47.90
Δ = 57°32' 25.0" (LT)
D = 7°33' 54.0"
L = 575.98
R = 760.00
SE = 06

Pls Sta 10+23.03
Δ = 07°57' 26.2" (LT)
D = 5°24' 49.0"
L = 420.00
R = 1,060.00
SE = 06

Pls Sta 14+09.92
θR = 5°37' 37.2"
Ls = 100.00
LT = 050.00
ST = 68.40

Pls Sta 14+63.18
θR = 7°08' 24.2"
Ls = 100.00
LT = 049.99
ST = 69.70

Pls Sta 15+49.64
θR = 7°08' 24.2"
Ls = 100.00
LT = 049.99
ST = 69.70

Pls Sta 15+99.24
Δ = 52° 52' 48.0" (RT)
D = 5°24' 49.0"
L = 1,056.00
R = 1,060.00
SE = 04

Pls Sta 16+55.24
θR = 7°08' 24.2"
Ls = 100.00
LT = 049.99
ST = 69.70

Pls Sta 17+45.02
θR = 7°08' 24.2"
Ls = 100.00
LT = 049.99
ST = 69.70

Pls Sta 17+93.72
θR = 5°37' 37.2"
Ls = 100.00
LT = 050.00
ST = 68.40

-Y8DGPQ-
Pls Sta 1+97.73
Δ = 5°22' 50.2" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

Pls Sta 7+77.32
Δ = 3°20' 54.4" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

-Y8DGPR-
Pls Sta 1+97.73
Δ = 5°22' 50.2" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

Pls Sta 7+77.32
Δ = 3°20' 54.4" (RT)
D = 0°29' 58.8"
L = 1,179.59
R = 11,466.55
SE = 08

LEGEND
- FILL
- TRANSITION
- CUT
- CORRIDOR
- STREAMS
- PONDS
- WETLAND BOUNDARY
- STRUCTURES
- CONSTRUCTION EASEMENT
- CONTROL OF ACCESS
- LIMITED CONTROL OF ACCESS
- PARTIAL CONTROL OF ACCESS
- RIGHT-OF-WAY
- TRAFFIC SIGNAL

SCALE 200' 0 200'

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PLANS PREPARED BY:


MULKEY ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1918 (PH)
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM



P2000_nbp_path EH_01_CVR_08-15-13.dgn 8/8/2013 2:15:09 PM

U–4751 & R–3300 NEW HANOVER & PENDER COUNTIES
STATE PROJECT 40191.1.2
EXTENSION OF SR 1409 TO THE WILMINGTON BYPASS AND CONSTRUCTION OF HAMPSTEAD BYPASS FROM WILMINGTON BYPASS TO US 17 NORTH OF HAMPSTEAD

# ALTERNATE EH

(SHEET 2 OF 6)







-Y9DGDET-

Pt Sta 89+40.08
Δ = 7°00'00.0" (LT)
D = 1°00.303'
L = 1400.0'
T = 700.3'
R = 5,700.00'
SE = 02

Pt Sta 96+10.75
Δ = 9°04'15.0" (RT)
D = 1°00.857'
L = 1867.9'
R = 5700.00'
SE = 02

Pt Sta 114+42.40
Δ = 7°00'00.0" (RT)
D = 1°00.303'
L = 1400.0'
T = 700.3'
R = 5,700.00'
SE = 02

Pt Sta 46+35.85
Δ = 7°00'00.0" (LT)
D = 1°00.303'
L = 1765.9'
R = 5700.00'
SE = 02

-EH-

Pt Sta 269+47.39
Δ = 6°30'27.9" (RT)
D = 0°51.274"
L = 1140.0'
T = 771.59'
R = 11,170.00'
SE = NC

Pt Sta 298+17.70
Δ = 1°05'13.9"
D = 0°11.141"
L = 1,170.00'
ST = 664.87'

Pt Sta 320+25.60
Δ = 45°49'44.5" (LT)
D = 1°00.153"
L = 2,620.06'
R = 5,570.00'
SE = 04

Pt Sta 339+43.70
Δ = 1°05'13.9"
D = 0°11.141"
L = 1,170.00'
ST = 664.87'

Pt Sta 350+97.0
Δ = 0°48'08.9"
LE = 550.00'
L = 1,080.00'
ST = 662.37'

Pt Sta 362+06.28
Δ = 44°59'50.9" (RT)
D = 1°00.153"
L = 2,620.06'
R = 5,570.00'
SE = 03

Pt Sta 387+68.76
Δ = 0°48'08.9"
LE = 550.00'
L = 1,080.00'
LT = 1333.5'
ST = 662.37'

Pt Sta 398+65.0
Δ = 29°55'45.5" (LT)
D = 2°27.012"
L = 2,650.07'
R = 2,050.09'
R = NC

Pt Sta 49+62.20
Δ = 1°05'13.9"
LE = 550.00'
LT = 1333.5'
ST = 662.37'

Pt Sta 457+95.0
Δ = 90°00'00.0" (RT)
D = 1°00.153"
L = 1,570.80'
R = 5,570.00'
SE = 04

Pt Sta 433+62.0
Δ = 0°48'08.9"
LE = 550.00'
LT = 1333.5'
ST = 662.37'




LEGEND
- FILL
- TRANSITION
- CUT
- CORRIDOR
- STREAMS
- PONDS
- WETLAND BOUNDARY
- STRUCTURES
- CONSTRUCTION EASEMENT
- CONTROL OF ACCESS
- LIMITED CONTROL OF ACCESS
- PARTIAL CONTROL OF ACCESS
- RIGHT-OF-WAY
- TRAFFIC SIGNAL

NAD 83

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PLANS PREPARED BY:


MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1918
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM






LEGEND
- FILL
- TRANSITION
- CUT
- CORRIDOR
- STREAMS
- PONDS
- WETLAND BOUNDARY
- STRUCTURES
- CONSTRUCTION EASEMENT
- CONTROL OF ACCESS
- LIMITED CONTROL OF ACCESS
- PARTIAL CONTROL OF ACCESS
- RIGHT-OF-WAY
- TRAFFIC SIGNAL

NAD 83

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PLANS PREPARED BY:

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1918
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM



P2000_rdy_part EH_02_CW_08-15-13.dgn 8/8/2013 3:43:28 PM

U–4751 & R–3300 NEW HANOVER & PENDER COUNTIES
STATE PROJECT 40191.1.2
EXTENSION OF SR 1409 TO THE WILMINGTON BYPASS AND CONSTRUCTION OF
HAMPSTEAD BYPASS FROM WILMINGTON BYPASS TO US 17 NORTH OF HAMPSTEAD

# ALTERNATE EH

(SHEET 3 OF 6)







TYPICAL SECTION
HAMPSTEAD BYPASS (-EH-)




TYPICAL SECTION
HARRISON CREEK RD. (-Y11-)

-EH-

Pt Sta 443+43
Rt = 40.00'
Lt = 100.00'
D = 11°14'
ST = 668'

Pt Sta 454+25.98 (RT)
Δ = 7°29'13.9"
D = 7°29'13.9"
T = 1,067.03'
L = 2,134.05'
R = 764.08'
SE = 04

Pt Sta 465+41.06
Rt = 100.00'
Lt = 100.00'
D = 11°14'
ST = 668'

Pt Sta 530+95.82
Rt = 200.00'
Lt = 200.00'
D = 5°43'29.6"
ST = 900'

Pt Sta 544+17.70 (RT)
Δ = 39°49'43.6"
D = 39°49'43.6"
T = 1,867.74'
L = 3,473.39'
R = 143.80'
SE = 06

Pt Sta 556+39.56
Rt = 200.00'
Lt = 200.00'
D = 5°43'29.6"
ST = 900'

Pt Sta 561+85.98
Rt = 200.00'
Lt = 200.00'
D = 5°43'29.6"
ST = 900'

Pt Sta 582+60.65
Δ = 67°36'20.5" (LT)
D = 67°36'20.5"
T = 1,067.03'
L = 2,134.05'
R = 1,089.89'
R = 3,400.00'
SE = 06

-Y12-
Pt Sta 2+14.63
Δ = 54°52'07.8" (LT)
D = 7°00'27.6"
T = 1,067.03'
L = 960.00'
R = 1,909.00'
SE = 04





SCALE 200' 0 200'

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PLANS PREPARED BY:

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1918
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PLANS PREPARED BY:

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1918
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM

P2000_clip_part EH_03_CW_08-15-13.dgn 8/8/2013 3:13:28 PM

U–4751 & R–3300 NEW HANOVER & PENDER COUNTIES
STATE PROJECT 40191.1.2
EXTENSION OF SR 1409 TO THE WILMINGTON BYPASS AND CONSTRUCTION OF
HAMPSTEAD BYPASS FROM WILMINGTON BYPASS TO US 17 NORTH OF HAMPSTEAD

# ALTERNATE EH

(SHEET 4 OF 6)




TYPICAL SECTION
RAMPS (-RP-)




TYPICAL SECTION
LOOPS (-LP-)




TYPICAL SECTION
HAMPSTEAD BYPASS (-BH-)




TYPICAL SECTION
HAMPSTEAD BYPASS (-BH-)




TYPICAL SECTION
NC 210 (-Y13-)




TYPICAL SECTION
-Y13- DETOUR

SCALE
200' 0 200'

LEGEND
- FILL
- TRANSITION
- CUT
- CORRIDOR
- STREAMS
- PONDS
- WETLAND BOUNDARY
- STRUCTURES
- CONSTRUCTION EASEMENT
- CONTROL OF ACCESS
- LIMITED CONTROL OF ACCESS
- PARTIAL CONTROL OF ACCESS
- RIGHT–OF–WAY
- TRAFFIC SIGNAL

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PLANS PREPARED BY:


MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1918 (TEL)
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM








PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PLANS PREPARED BY:


MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1918 (TEL)
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM



P2000_rdy_part EH_04_CW_08.15.13.dgn 8/9/2013 9:39:44 AM


RAMPS
TYPICAL SECTION
RAMPS (-RP-)
LOOPS
TYPICAL SECTION
LOOPS (-LP-)
DETOUR
TYPICAL SECTION
-Y15- DETOUR
US 17
TYPICAL SECTION
US 17 BUSINESS (-RCWY15-)
HAMPSTEAD BYPASS
TYPICAL SECTION
HAMPSTEAD BYPASS (-EH-)
-Y15- HOOVER RD.
TYPICAL SECTION
HOOVER RD. (-Y15-)
-Y15DET-
-Y15-
-EH-
-ORCWY2A-
-ORCWY2B-
-ORCWY2C-
-ORCWY2D-
-ORCWY16-
-ORCWY64-
LEGEND
FILL
TRANSITION
CUT
CORRIDOR
STREAMS
PONDS
WETLAND BOUNDARY
STRUCTURES
CONSTRUCTION EASEMENT
CONTROL OF ACCESS
LIMITED CONTROL OF ACCESS
PARTIAL CONTROL OF ACCESS
RIGHT-OF-WAY
TRAFFIC SIGNAL
SCALE
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION
PLANS PREPARED BY:
MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1918
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM
NAD 83
SHEET 6 OF 6
MATCHLINE
MATCHLINE – INSET
GODFREY CREEK
GODFREY CREEK RD.
-Y15- HOOVER RD (SR 1549)
HAMPSTEAD BYPASS
-Y15DET- DETOUR
ORCWY2A
ORCWY2B
ORCWY2C
ORCWY2D
ORCWY16
ORCWY64
ST. JOHNS CHURCH RD (SR 1592)
OLD US 17
US 17 BUSINESS
WILLIAMS AVE (SR 1409)
GRANDVIEW DR
TREATWOOD DR
SOUTH TOPSAIL ELEMENTARY
TRAFFIC DIAGRAM
MO = DO or MO = EH or MO = G or MO = B
MO = N or MO = O
U–4751 & R–3300 NEW HANOVER & PENDER COUNTIES
STATE PROJECT 40191.1.2
EXTENSION OF SR 1409 TO THE WILMINGTON BYPASS AND CONSTRUCTION OF
HAMPSTEAD BYPASS FROM WILMINGTON BYPASS TO US 17 NORTH OF HAMPSTEAD
ALTERNATE EH
(SHEET 5 OF 6)

U–4751 & R–3300 NEW HANOVER & PENDER COUNTIES
STATE PROJECT 40191.1.2
EXTENSION OF SR 1409 TO THE WILMINGTON BYPASS AND CONSTRUCTION OF HAMPSTEAD BYPASS FROM WILMINGTON BYPASS TO US 17 NORTH OF HAMPSTEAD

# ALTERNATE EH

(SHEET 6 OF 6)




-EH-

| | | | | | |
|---|---|---|---|---|---|
| Pos Sta 800+52.58<br>Rb = 7°05'15.9"<br>Ls = 300.00'<br>LT = 153.54'<br>ST = 666.0' | Pos Sta 833+80.20<br>Rb = 3° 36.9"<br>Ls = 330.00'<br>LT = 322.4'<br>ST = 1613' | Pt Sta 845+96.29<br>Δ = 40°09'53.9" (RT)<br>D = 5°43.09"<br>R = 1001.50'<br>L = 702.00'<br>T = 366.00'<br>SE = 08 | Pos Sta 853+12.69<br>Rb = 4° 36.9"<br>Ls = 330.00'<br>LT = 322.4'<br>ST = 1613' | Pos Sta 859+27.87<br>Rb = 3°05'53.4"<br>Ls = 330.00'<br>LT = 324.5'<br>ST = 1662' | Pt Sta 867+89.23<br>Δ = 40°46'23.6" (LT)<br>D = 7°09'35.8"<br>R = 800.50'<br>L = 569.78'<br>T = 296.00'<br>SE = 08 |
| Pos Sta 875+71.39<br>Rb = 5°05'53.4"<br>Ls = 330.00'<br>LT = 324.5'<br>ST = 1067.5' | Pos Sta 90+18.55<br>Rb = 3°46'29.9"<br>Ls = 270.00'<br>LT = 180.0'<br>ST = 900.0' | Pt Sta 944+45.61<br>Δ = 9°03'03.9" (LT)<br>D = 1°49.06'<br>R = 5170.0'<br>L = 816.00'<br>T = 409.00'<br>SE = 08 | Pos Sta 59+98.82<br>Rb = 3°46'29.9"<br>Ls = 270.00'<br>LT = 180.0'<br>ST = 900.0' | Pt Sta 530+99.78<br>Δ = 5°14'40.18"<br>D = 1°07'23.4"<br>R = 5102.71'<br>L = 467.00'<br>T = 233.64'<br>SE = NC | |




LEGEND
- FILL
- TRANSITION
- CUT
- CORRIDOR
- STREAMS
- PONDS
- WETLAND BOUNDARY
- STRUCTURES
- CONSTRUCTION EASEMENT
- CONTROL OF ACCESS
- LIMITED CONTROL OF ACCESS
- PARTIAL CONTROL OF ACCESS
- RIGHT–OF–WAY
- TRAFFIC SIGNAL
- RCW FORAGING HABITAT BOUNDARY

300' 0 300' SCALE

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PLANS PREPARED BY:


MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, NC 27636
(919) 851-1918
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM



LEGEND
- FILL
- TRANSITION
- CUT
- CORRIDOR
- STREAMS
- PONDS
- WETLAND BOUNDARY
- STRUCTURES
- CONSTRUCTION EASEMENT
- CONTROL OF ACCESS
- LIMITED CONTROL OF ACCESS
- PARTIAL CONTROL OF ACCESS
- RIGHT–OF–WAY
- TRAFFIC SIGNAL
- RCW FORAGING HABITAT BOUNDARY

300' 0 300' SCALE

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PLANS PREPARED BY:

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, NC 27636
(919) 851-1918
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM


R2000_clip_part-EH_06_CW_08-15-13.dgn 8/9/2013 9:32:17 AM