5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	21
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEET 4 FOR -L- PLAN

BM #1 -BL- STA. 24+79.11 8" SPIKE IN BASE OF 30" RED OAK LOCATED 69.28' RIGHT ELEV. 3038.18'

3046.64

STA. 356+00.00 -L-
BEGIN GRADE
EL. 3,015.83

(+)1.2902%

STA. 354+00.00 -L-
TIE TO EXISTING GRADE

OVERLAY

-L-

3,060 3,050 3,040 3,030 3,020 3,010 3,000 2,990 2,980 2,970

350 351 352 353 354 355 356 357 358 359 360

NOTE: SEES SHEETS 4 & 5 FOR -L- PLAN

3046.64

PI = 362+10.00
EL = 3,060.30'
VC = 150'
K = 316

(+)7.2902% (+)6.8160%

STA. 365+50.00 -L- BEG. DITCH GRADE (LT)
ELEV. 3,082.03

(+)6.5000% (+)6.6200%

PI = 366+00.000
EL = 3,085.28

STA. 366+50.00 -L- END DITCH GRADE (LT)
ELEV. 3,088.59

PI = 373+00.00
EL = 3,125.50

(+)6.6200% (-)1.8000%

3138.00

PI = 373+50.00
EL = 3,124.60

STA. 372+50.00 -L- BEG. DITCH GRADE (LT)
ELEV. 3,128.60

-L-

3,130 3,120 3,110 3,100 3,090 3,080 3,070 3,060 3,050 3,040

361 362 363 364 365 366 367 368 369 370 371 372 373

29-SEP-2010 15:08
I:\projects\R-2237c_rdy_pf1.dgn

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	22
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEETS 5 & 6 FOR -L- PLAN

BM #2 -BL- STA 43+75.73
IRON PIN AND CAP (LABELED BR3A)
73.60' RIGHT ELEV. 3167.86'

PI = 374+60.00
EL = 3,145.50'
VC = 150'
K = 127

PI = 376+50.00
EL = 3,156.20'
VC = 150'
K = 89

PI = 380+70.00
EL = 3,186.90'
VC = 150'
K = 222

3,136.00

(+)16.8160%

(+)5.6316%

PI = 373+50.000
EL = 3,124.60

(-)16.8000%

STA 374+00.00 -L- END
DITCH GRADE (LT)
ELEV. 3,153.05

(+)7.3095%

(-)1.5000%

(+)11.8000%

(+)5.4000%

(+)7.9851%

3,216.96

STA 381+00.00 -L- END
DITCH GRADE (LT)
ELEV. 3,185.00

PI = 380+50.00
EL = 3,177.30

PI = 380+00.00
EL = 3,171.50

STA 379+50.00 -L- BEG.
DITCH GRADE (LT)
ELEV. 3,174.00

-L-

NOTE: SEE SHEETS 6 & 7 FOR -L- PLAN

PI = 387+40.00
EL = 3,240.40'
VC = 1,180'
K = 1581

3,216.96

(+)7.9851%

(+)11.2385%

(-)5.2600%

(-)16.5000%

(-)2.6000%

PI = 389+00.00
EL = 3,244.50

STA 388+50.00 -L- BEG.
DITCH GRADE (LT)
ELEV. 3,247.60

PI = 390+00.00
EL = 3,238.30

STA 390+50.00 -L- END
DITCH GRADE (LT)
ELEV. 3,237.00

STA 392+50.00 -L- BEG.
DITCH GRADE (RT)
ELEV. 3,271.00

(+)10.4100%

STA 393+50.00 -L- END
DITCH GRADE (RT)
ELEV. 3,281.41

3,376.01

-L-

29-SEP-2010 15:08
f:\projects\roadprofiles\r-2237c_rdy_pf1.dgn
(mmcdonald)

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	23
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEETS 7 & 8 FOR -L- PLAN

BM #3 -BL- STA. 65+27.29 8" SPIKE SET IN BASE OF A 10" LOCUST TREE 166.59' RIGHT ELEV. 3323.55'

PI = 398+30.00
EL = 3,319.30'
VC = 1,000'
K = 3217

(+)17.2385%

(+)6.9277%

3,306.11

3,386.50

-L-

3,390 3,380 3,370 3,360 3,350 3,340 3,330 3,320 3,310 3,300

397 398 399 400 401 402 403 404 405 406 407 408

NOTE: SEE SHEETS 8 & 9 FOR -L- PLAN

PI = 410+05.00
EL = 3,400.70'
VC = 150'
K = 136

(+)6.9277%

(+)13.0214%

3,386.50

3,476.99

-L-

BM #4 -BL- STA. 84+14.89 8" SPIKE SET IN BASE OF A 8" LOCUST TREE 145.54' RIGHT ELEV. 3457.18'

3,470 3,460 3,450 3,440 3,430 3,420 3,410 3,400 3,390 3,380

408 409 410 411 412 413 414 415 416 417 418 419 420

29-SEP-2010 15:09
\\rdoo\proj\R-2237c\roadway\plans\r-2237c_rdy_pfl.dgn

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	24
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEETS 9 & 10 FOR -L- PLAN



NOTE: SEE SHEET 10 FOR -L- PLAN

BM #5 -BL- STA.103+73.94 8" SPIKE SET IN ROOT OF A 18" WHITE OAK 184.16' RIGHT ELEV. 3548.93



29-SEP-2010 15:09
\\rdoo\projects\r-2237c_rdy_pfl.dgn
\\rdoo\projects\r-2237c_rdy_pfl.dgn

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	25
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEETS 10 & 11 FOR -L- PLAN

NOTE: SEE SHEET 11 FOR -L1- PLAN

(BK) STA. 450+30.00 -L-
EL. 3,642.47=
(AH) STA. 450+30.00 -L1-
EL. 3,642.47

BM #6 -BL- STA. 121+28.22 TOP OF FIRE HYDRANT.
SOUTHEAST OF GREENPARK INN
271.28' RIGHT ELEV. 3669.81

PI = 446+80.00
EL = 3,627.30'
VC = 700'
K = 961

PI = 452+30.00
EL = 3,651.14'
VC = 400'
K = 116

PI = 457+45.00
EL = 3,655.78'
VC = 400'
K = 186

STA. 446+00.00 -L- BEG.
DITCH GRADE (LT)
ELEV. 3624.80

STA. 446+50.00 -L- END
DITCH GRADE (LT)
ELEV. 3626.83

STA. 449+25.00 -L- END
DITCH GRADE (RT)
ELEV. 3622.80

3619.08

(+)3.6064%

(+) 4.0600%

(+)4.3345%

(+) 5.0667%

(+) 2.1667%

(+)1.3333%

(+) 3.0000%

(+)4.3345%

(+)10.9010%

(-)11.2482%

3654.70

PI = 445+50.00
EL = 3,612.50

PI = 448+50.00
EL = 3,619.00

PI = 445+00.00
EL = 3,611.00

STA. 444+70.00 -L- BEG.
DITCH GRADE (RT)
ELEV. 3610.60

-L-

-L1-

NOTE: SEE SHEETS 11 & 12 FOR -L1- PLAN

NOTE: SEE SHEET 12 FOR -L- PLAN

(BK) STA. 469+02.71 -L1-
EL. 3,647.54=
(AH) STA. 469+10.94 -L-
EL. 3,647.54

PI = 461+60.00
EL = 3,650.60'
VC = 150'
K = 162

PI = 468+10.00
EL = 3,648.52'
VC = 170'
K = 232

PI = 470+00.00
EL = 3,646.60'
VC = 150'
K = 143

3654.70

(-)11.2482%

(-)10.3206%

(-)11.0526%

(-)11.0526%

(-)12.1000%

3646.53

-L1-

-L-

29-SEP-2010 15:09
\\rdoot\pdata\proj\r-2237c\r-2237c_rdy_pf1.dgn
\\rdoot\pdata\proj\r-2237c\r-2237c_rdy_pf1.dgn

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	26
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEETS 12 & 13 FOR -L- PLAN

BM #7 -BL- STA. 141+44.9 TOP OF FIRE HYDRANT. AT INT. OF COUNTRY CLUB RD. & FAIRWAY LANE 30.18' RIGHT ELEV. 3626.35

STA. 479+00.00 -L- BEG. DITCH GRADE (RT) ELEV. 3679.00

STA. 481+50.00 -L- END DITCH GRADE (RT) ELEV. 3678.00

STA. 476+50.00 -L- END DITCH GRADE (RT) ELEV. 3665.00

PI = 480+80.00
EL = 3,675.90'
VC = 500'
K = 57

STA. 480+76.00 -L- BEG. DITCH GRADE (RT) ELEV. 3668.00

PI = 475+00.00
EL = 3,657.80'
VC = 450'
K = 224

PI = 472+00.00
EL = 3,642.40'
VC = 150'
K = 21

3645.53

(-)2.1000%

(+)5.1333%

(+)6.1600%

(+)6.2800%

(+)9.5200%

(+)12.0400%

(+)3.1207%

(-)1.9800%

(-)1.1818%

(+)2.3750%

(-)1.6200%

(-)1.5648%

3660.86

PI = 476+00.000
EL = 3,660.24

PI = 479+50.00
EL = 3,669.10

PI = 481+00.00
EL = 3,668.57

PI = 475+50.00
EL = 3,654.22

PI = 475+00.00
EL = 3,651.08

STA. 479+63.00 -L- END DITCH GRADE (RT) ELEV. 3668.50

STA. 474+50.00 -L- BEG. DITCH GRADE (RT) ELEV. 3648.00

-L-

471 472 473 474 475 476 477 478 479 480 481 482 483

3,690 3,680 3,670 3,660 3,650 3,640 3,630 3,620 3,610

NOTE: SEE SHEETS 13 & 14 FOR -L- PLAN

BM #8 -BL- STA. 163+48.76 TOP OF BOLT IN CONC. BASE OF AREA LIGHT (MOST NORTHWEST BOLT) 44.59' RIGHT ELEV. 3622.11

PI = 484+50.00
EL = 3,655.00'
VC = 240'
K = 177

3660.66

(-)5.6486%

PI = 487+60.00
EL = 3,641.70'
VC = 150'
K = 41

(-)1.4290%

(-)0.6522%

PI = 489+90.00
EL = 3,640.20'
VC = 310'
K = 90

STA. 491+00.00 -L- BEG. DITCH GRADE (LT) ELEV. 3636.34

PI = 491+50.00
EL = 3,634.80

PI = 492+00.00
EL = 3,632.42

STA. 492+15 -L- END DITCH GRADE (LT) ELEV. 3632.00

(-)3.0800%

(-)4.7600%

(-)2.8000%

(-)4.0861%

3631.23

-L-

484 485 486 487 488 489 490 491 492 493 494 495 496

3,670 3,660 3,650 3,640 3,630 3,620 3,610 3,600 3,590

5/28/99

29-SEP-2010 15:09
\\rdoot\pwgroup\Proj\R-2237c\Design\Roadway\Plans\r-2237c_rdy_pfl.dgn
$(USERNAME)

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	27
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEETS 14 & 16 FOR -L- PLAN

3,620 3,610 3,600 3,590 3,580 3,570 3,560 3,550 3,540

497 498 499 500 501 502 503 504 505 506 507 508 509

3613.27

(-)4.0861%

3559.76

-L-

NOTE: SEE SHEETS 15 & 16 FOR -L- PLAN

BM #9 -BL- STA.184+75.62 8" SPIKE SET IN BASE OF POWER POLE W/ LIGHT (BREMCO #2001826) (PIZZA HUT) 126.70' LEFT ELEV.3528.64

3,570 3,560 3,550 3,540 3,530 3,520 3,510 3,500 3,490 3,480

510 511 512 513 514 515 516 517 518 519 520 521 522

3559.76

(-)4.0861%

PI = 510+80.00
EL = 3,554.80'
VC = 800'
K = 1033

(-)4.8602%

(-)2.9600%

STA.516+50.00 -L- BEG. DITCH GRADE (RT)
ELEV.3525.00

STA.517+00.00 -L- END DITCH GRADE (RT)
ELEV.3520.41

PI = 520+10.00
EL = 3,509.60'
VC = 150'
K = 43

(-)1.3421%

3506.38

-L-

29-SEP-2010 15:09
r:\projects\R-2237c\roadway\plans\r-2237c_rdy_pfl.dgn
USER: mtharrington

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	28
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEETS 16 & 17 FOR -L- PLAN

CULVERT HYDRAULIC DATA

DESIGN DISCHARGE	= 790	CFS
DESIGN FREQUENCY	= 50	YRS
DESIGN HW ELEVATION	= 3502.2	FT
BASE DISCHARGE	= 976	CFS
BASE FREQUENCY	= 100	YRS
BASE HW ELEVATION	= 3503.3	FT
OVERTOPPING DISCHARGE	= 1323	CFS
OVERTOPPING FREQUENCY	= 200+	YRS
OVERTOPPING ELEVATION	= 3505.6	FT

PI = 531+50.00
EL = 3,494.30'
VC = 1,600'
K = 358

3,506.38

(-)1.342%

(-) 3.000%

(-)1.064521%

(+)3.123%

3,509.02

℄ 523+33.26
28 B.F.RCBC
INV ELEV. 3495.47'

STA 527+50.00 -L- BEG. DITCH GRADE (RT)
ELEV. 3,500.00

STA 528+31.00 -L- END DITCH GRADE (RT)
ELEV. 3,498.40

PI = 528+00.000
EL = 3,498.60

-L-

NOTE: SEE SHEETS 17 & 18 FOR -L- PLAN

PI = 547+35.00
EL = 3,543.80'
VC = 910'
K = 89

3,509.02

(+)3.123%

(-)1.108811%

3,529.16

BM #10 -BL- STA. 215+74.22 8" SPIKE SET IN BASE OF POWER POLE #051178 AT ENTRANCE TO FOOD LION 99.24' RIGHT ELEV. 3533.45'

-L-

29-SEP-2010 15:09
\\rdoo6pw\projects\r-2237c_rdy_pfl.dgn
dsmith
Default

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	29
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEETS 18 & 19 FOR -L- PLAN

3,529.16

(-)7.0881%

PI = 557+00.00
EL = 3,475.40'
VC = 600'
K = 81

(+)0.3030%

3,476.54

-L-

3,540 3,530 3,520 3,510 3,500 3,490 3,480 3,470 3,460 3,450

549 550 551 552 553 554 555 556 557 558 559 560 561

NOTE: SEE SHEETS 19 & 20 FOR -L- PLAN

BM #11 -BL- STA. 233+48.90 TOP OF FIRE HYDRANT, WEST OF ENTRANCE TO SHOPPES ON THE PARKWAY 107.32' LEFT ELEV. 3478.87'

PI = 563+60.00
EL = 3,477.40'
VC = 720'
K = 498

STA. 569+00.00 -L-
END GRADE
EL. 3,470.60'

PI = 568+25.00
EL = 3,472.09'
VC = 150'
K = 178

3,476.54

(+)0.3030%

(-)1.1425%

(-)1.9834%

-L-

3,510 3,500 3,490 3,480 3,470 3,460 3,450 3,440 3,430 3,420

562 563 564 565 566 567 568 569

29-SEP-2010 15:09
\\ssdata\projects\r-2237c\r-2237c_rdy_pfl.dgn

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	30
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEET 6 FOR -Y1- PLAN

STA. 10+26.01 -Y1-
BEGIN GRADE
EL. 3,240.21

PI = 11+00.00
EL = 3,243.16'
VC = 50'
K = 5

PI = 10+49.00
EL = 3,239.79'
VC = 30'
K = 4

STA. 11+94.28 -Y1-
END GRADE
EL. 3,259.13

(-)1.82122%
(+)5.00000%
(+)10.03511%

-Y1-

NOTE: SEE SHEET 9 FOR -Y2- PLAN

STA. 10+24.00 -Y2-
BEGIN GRADE
EL. 3,430.20

PI = 10+56.50
EL = 3,427.93'
VC = 65'
K = 5

PI = 12+55.00
EL = 3,388.26'
VC = 50'
K = 10

STA. 12+80.00 -Y2-
END GRADE
EL. 3,364.54

(-)7.00000%
(-)19.98124%
(-)14.68730%

-Y2-

NOTE: SEE SHEET 11 FOR -Y3- & -Y4- PLAN

STA. 12+00.00 -Y3-
BEGIN GRADE
EL. 3,653.95

PI = 12+75.00
EL = 3,650.95'
VC = 100'
K = 33

PI = 10+73.00
EL = 3,646.58'
VC = 100'
K = 18

STA. 14+90.00 -Y3-
END GRADE
EL. 3,648.82

STA. 10+22.03 -Y4-
BEGIN GRADE
EL. 3,647.93

STA. 11+25.00 -Y4-
END GRADE
EL. 3,648.14

(-)4.00000%
(-)1.09907%
(+)2.64372%
(+)12.99661%

-Y3-

-Y4-

NOTE: SEE SHEET 12 FOR -Y6- PLAN

STA. 10+50.00 -Y6-
BEGIN GRADE
EL. 3,652.02

STA. 12+00.16 -Y6-
END GRADE
EL. 3,644.59

PI = 10+75.00
EL = 3,649.17'
VC = 50'
K = 6

(-)11.38611%
(-)13.66201%

-Y6-

29-SEP-2010 15:09
\\rdoot\proj\R-2237C\roadway\plans\r-2237c_rdy_pf1.dgn
USER: mwilson

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	31
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEET 13 FOR -Y7- & -Y8- PLAN



NOTE: SEE SHEET 14 FOR -Y9-, -Y9A- & -Y10- PLAN

NOTE: SEE SHEET 15 FOR -Y11- PLAN



29-SEP-2010 15:09
I:\roddata\PROJECTS\r-2237c\r-rdy_pf1.dgn
$$USER$$

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	32
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEET 16 FOR -Y12- & -Y12A- PLAN



NOTE: SEE SHEET 17 FOR -Y13- PLAN

NOTE: SEE SHEET 17 FOR -Y14- PLAN

NOTE: SEE SHEET 18 FOR -Y15- PLAN



29-SEP-2010 15:09
\\rdoot\rdpw\rdpw_site\rdpw_2237c_rdy_pf1.dgn
USER:(rdy)
PSCNT:1

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	33
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEET 19 FOR -Y17- PLAN

STA. 15+65.63 -Y17-
END GRADE
EL. 3,501.29

PI = 15+15.00
EL = 3,500.28'
VC = 100'
K = 19

PI = 11+55.00
EL = 3,485.59'
VC = 89'
K = 30

PI = 12+65.00
EL = 3,481.82'
VC = 100'
K = 9

(-)0.4857%

(-)3.4273%

(+)7.3840%

(+)11.9949%

STA. 10+50.00 -Y17-
BEGIN GRADE
EL. 3,486.10

-Y17-

NOTE: SEE SHEET 9 FOR -DRIVE1- PLAN

STA. 10+34.00 -DRIVE1-
BEGIN GRADE
EL. 3,491.06

PI = 10+34.00
EL = 3,490.88'
VC = 20'
K = 1

(-)11.8000%

STA. 11+90.00 -DRIVE1-
END GRADE
EL. 3,458.97

(-)20.6457%

PI = 11+80.00
EL = 3,460.78'
VC = 20'
K = 8

(-)7.1837%

-DRIVE1-

NOTE: SEE SHEET 9 FOR -DRIVE2- PLAN

STA. 10+46.46 -DRIVE2-
BEGIN GRADE
EL. 3,525.39

PI = 10+65.00
EL = 3,524.83'
VC = 30'
K = 3

PI = 11+55.00
EL = 3,512.64'
VC = 30'
K = 6

(-)3.0000%

(-)7.8500%

STA. 11+70.00 -DRIVE2-
END GRADE
EL. 3,511.36

-DRIVE2-

NOTE: SEE SHEET 15 FOR -DRIVE3- PLAN

STA. 10+46.46 -DRIVE3-
END GRADE
EL. 3,586.54

PI = 11+00.00
EL = 3,580.98'
VC = 30'
K = 8

PI = 11+35.00
EL = 3,584.55'
VC = 40'
K = 13

(+)6.3000%

(+)10.1902%

(+)17.0000%

STA. 10+70.00 -DRIVE3-
BEGIN GRADE
EL. 3,579.09

-DRIVE3-

NOTE: SEE SHEET 17 FOR -DRIVE4- PLAN

STA. 11+10.51 -DRIVE4-
END GRADE
EL. 3,504.02

PI = 10+65.00
EL = 3,499.52'
VC = 30'
K = 9

PI = 10+95.00
EL = 3,503.09'
VC = 30'
K = 5

(+)5.5000%

(+)11.9145%

(+)18.0000%

STA. 10+50.00 -DRIVE4-
BEGIN GRADE
EL. 3,498.24

-DRIVE4-

29-SEP-2010 15:09
I:\roadway\projects\r-2237c_rdy_prf1.dgn
USER: mcdaniel
DESIGN: 0.0 FEET

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	34
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

NOTE: SEE SHEET 4 FOR -DRIVE5-, -DRIVE6-, & -DRIVE7- PLAN



NOTE: SEE SHEET 5 FOR -DRIVE8- PLAN

NOTE: SEE SHEET 4 FOR -DRIVE9- PLAN

NOTE: SEE SHEET 12 FOR -DRIVE10- PLAN



29-SEP-2010 15:09
\\rdoot\proj\r2237c\roadway\plans\r2237c_rdy_pfl.dgn
USER: mwilson

5/28/99

PROJECT REFERENCE NO.	SHEET NO.
R-2237C	35
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

STA.10+43.69 -DRIVE11A-
BEGIN GRADE
EL.3,652.77

PI = 11+10.00
EL = 3,646.38'
VC = 20'
K = 3

PI = 10+55.00
EL = 3,652.66'
VC = 20'
K = 2

(-)11.0000%
(-)11.4251%
(-)3.5000%
(+)0.3000%

STA.11+20.00 -DRIVE11A-
END GRADE
EL.3,646.02

STA.13+00.00 -DRIVE11B-
BEGIN GRADE
EL.3,639.50

PI = 13+80.00
EL = 3,642.21'
VC = 40'
K = 13

PI = 13+15.00
EL = 3,639.54'
VC = 20'
K = 5

(+)4.1024%
(+)1.0000%

STA.14+03.11 -DRIVE11B-
END GRADE
EL.3,642.44

-DRIVE11-

STA.10+28.62 -DRIVE12-
BEGIN GRADE
EL.3,650.02

PI = 10+60.00
EL = 3,649.58'
VC = 40'
K = 3

PI = 10+38.62
EL = 3,650.22'

(+)2.0000%
(-)3.0000%
(-)18.4208%
(-)3.0000%

PI = 11+50.00
EL = 3,635.70'
VC = 40'
K = 3

STA.11+80.00 -DRIVE12-
END GRADE
EL.3,634.80

-DRIVE12-

STA.10+00.00 -PARKLOT-
BEGIN GRADE
3474.95

PI = 10+60.00
EL = 3,474.26'
VC = 100'

STA.11+22.81 -PARKLOT-
END GRADE
3475.70

(-)1.4902%
(+)2.2917%

-PARKING LOT-

29-SEP-2010 15:09
I:\roddata\PROJECTS\r-2237c_rdwy_pfl.dgn