DEPARTMENT OF THE ARMY
WILMINGTON DISTRICT, CORPS OF ENGINEERS
69 DARLINGTON AVENUE
WILMINGTON, NORTH CAROLINA 28403-1343

REPLY TO
ATTENTION OF:

RECEIVED
FEB 9 2009
N.C. TURNPIKE AUTHORITY

February 4, 2008

Regulatory Division

Action ID SAW-2006-20445-232; TIP No: U-4763B

Mr. Steven D. DeWitt, P.E. Chief Engineer
North Carolina Turnpike Authority
1578 Mail Service Center
Raleigh, North Carolina 27699-1578

Dear Mr. DeWitt:

Enclosed is a Department of the Army permit to authorize the discharge of fill material into waters of the United States, for construction of Triangle Parkway toll facility (TIP U-4763B), from NC 540 to I-40, in northwestern Wake County and southern Durham County, North Carolina.

Any deviation in the authorized work will likely require modification of this permit. If a change in the authorized work is necessary, you should promptly submit revised plans to the Corps showing the proposed changes. You may not undertake the proposed changes until the Corps notifies you that your permit has been modified.

Carefully read your permit. The general and special conditions are important. Your failure to comply with these conditions could result in a violation of Federal law. Certain significant conditions require that:

a. You must complete construction before December 31, 2014.

b. You must allow representatives from this office to make periodic visits to your worksite as deemed necessary to assure compliance with permit plans and conditions.

You must notify this office in advance as to when you intend to commence and complete work.

You should address all questions regarding this authorization to Eric Alsmeyer of my Raleigh Regulatory Field Office regulatory staff at (919) 554-4844, extension 23.

Sincerely,

for Jefferson M. Ryscavage
Colonel, U.S. Army
District Commander

Enclosures

Copy Furnished (with enclosures):

Chief, Source Data Unit
NOAA/National Ocean Service
ATTN: Sharon Tear N/CS261
1315 East-West Hwy., Rm 7316
Silver Spring, Maryland 20910-3282

Copies Furnished (with special conditions and plans):

Mr. Ronald J. Mikulak, Chief
Wetlands Regulatory Section
61 Forsyth Street
Atlanta, Georgia 30303

Mr. Pete Benjamin
U.S. Fish and Wildlife Service
Fish and Wildlife Enhancement
Post Office Box 33726
Raleigh, North Carolina 27636-3726

Mr. Ron Sechler
National Marine Fisheries Service
Pivers Island
Beaufort, North Carolina 28516

Mr. Doug Huggett
Division of Coastal Management
N.C. Department of Environment
and Natural Resources
400 Commerce Avenue
Morehead City, North Carolina 28557

Mr. David Rackley
National Marine Fisheries Service
219 Fort Johnson Road
Charleston, South Carolina 29412-9110

RECEIVED
FEB 0 3 2009
REGULATORY
WILM.FLD.OFC.

DEPARTMENT OF THE ARMY PERMIT

Permittee: NORTH CAROLINA TURNPIKE AUTHORITY

Permit No: 200620445

Issuing Office: USAED, WILMINGTON

NOTE: The term "you" and its derivatives, as used in this permit, means the permittee or any future transferee. The term "this office" refers to the appropriate district or division office of the Corps of Engineers having jurisdiction over the permitted activity or the appropriate official of the office acting under the authority of the commanding officer.

You are authorized to perform work in the accordance with the terms and conditions specified below.

Project Description: Place fill material impacting 1.96 acres of wetlands, including 0.06 acre isolated (non-404) wetlands, and 8,039 linear feet of stream, for construction of Triangle Parkway toll facility (T.I.P. No. U-4763B), crossing Burdens Creek, Kit Creek and their unnamed tributaries.

Project Location: From NC 540 to I-40, in northwestern Wake County and southern Durham County, North Carolina.

Permit Conditions:

General Conditions:

1. The time Limit for completing the work authorized ends on December 31, 2014 If you find that you need more time to complete the authorized activity, submit your request for a time extension to this office for consideration at least one month before the above date is reached.

2. You must maintain the activity authorized by this permit in good condition and in conformance with the terms and conditions of this permit. You are not relieved of this requirement if you abandon the permitted activity, although you may make a good faith transfer to a third party in compliance with General Conditions 4 below. Should you wish to cease to maintain the authorized activity or should you desire to abandon it without a good faith transfer, you must obtain a modification of this permit from this office, which may require restoration of the area.

3. If you discover any previously unknown historic or archeological remains while accomplishing the activity authorized by this permit, you must immediately notify this office of what you have found. We will initiate the Federal and state coordination required to determine if the remains warrant a recovery effort or if the site eligible for listing in the National Register of Historic Places.

4. If you sell the property associate with this permit, you must obtain the signature of the new owner in the space provided and forward a copy of the permit to this office to validate the transfer of this authorization.

5. If a conditioned water quality certification has been issued for your project, you must comply with the conditions specified in the certification as special conditions to this permit. For your convenience, a copy of the certification is attached if it contains such conditions.

6. You must allow representatives from this office to inspect the authorized activity at any time deemed necessary to ensure that it is being or has been accomplished in accordance with the terms and conditions of your permit.

Special Conditions:

*SEE ATTACHED SPECIAL CONDITIONS

Further Information:

1. Congressional Authorities: You have been authorized to undertake the activity described above pursuant to:

( ) Section 10 of the Rivers and Harbors Act of 1899 (33 U.S. C. 403).

(X) Section 404 of the clean Water Act (33 U.S.C. 1344).

( ) Section 103 of the Marine Protection, Research and Sanctuaries Act of 1972 (33 U.S.C. 1413).

2. Limits of this authorization.

a. This permit does not obviate the need to obtain other Federal, state, or local authorizations required by law.

b. This permit does not grant any property rights or exclusive privileges.

c. This permit does not authorize any injury to the property or rights of others.

d. This permit does not authorize interference with any existing or proposed Federal project.

3. Limits of Federal Liability. In issuing this permit, the Federal Government does not assume any liability for the following:

a. Damages to the permitted project or uses thereof as a result of other permitted or unpermitted activities or from natural causes.

b. Damages to the permitted project or uses thereof as a result of current or future activities undertaken by or on behalf of the United states in the public interest.

c. Damages to persons, property, or to other permitted or unpermitted activities or structures caused by the activity authorized by this permit.

d. Design or construction deficiencies associated with the permitted work.

*U.S. GOVERNMENT PRINTING OFFICE: 1986 – 717-425

e. Damage claims associated with any future modification, suspension, or revocation of this permit.

4. Reliance on Applicant's Data: The determination of this office that issuance of this permit is not contrary to the public interest was mad in reliance on the information you provided.

5. Reevaluation of Permit Decision. This office may reevaluate its decision on this permit at any time the circumstances warrant. Circumstances that could require a reevaluation include, but are not limited to, the following:

a. You fail to comply with the terms and conditions of this permit.

b. The information provided by you in support of your permit application proves to have been false, incomplete, or inaccurate (see 4 above).

c. Significant new information surfaces which this office did not consider in reaching the original public interest decision.

Such a reevaluation may result in a determination that it is appropriate to use the suspension, modification, and revocation procedures contained in 33 CFR 325.7 or enforcement procedures such as those contained in 33CFR 326.4 and 326.5. The referenced enforcement procedures provide for the issuance of an administrative order requiring you to comply with the terms and conditions of your permit and for the initiation of legal action where appropriate. You will be required to pay for any corrective measures ordered by this office, and if you fail to comply with such directive, this office may in certain situations (such as those specified in 33 CFR 209.170) accomplish the corrective measure by contract or otherwise and bill you for the cost.

6. Extensions. General condition 1 establishes a time limit for the completion of the activity authorized by this permit. Unless there are circumstances requiring either a prompt completion of the authorized activity or a reevaluation of the public interest decision, the Corps will normally give favorable consideration to a request for an extension of this time limit.

Your signature below, as permittee, indicates that you accept and agree to comply with the terms and conditions of this permit.

1.26.2009

(PERMITTEE) NORTH CAROLINA TURNPIKE AUTHORITY *(DATE)*

This permit becomes effective when the Federal official, designated to act for the Secretary of the Army, has signed below.

5 FEB 2009

(DISTRICT Commander) JEFFERSON M. RYSCAVAGE, COLONEL *(DATE)*

When the structures or work authorized by this permit are still in existence at the time the property is transferred, the terms and conditions of this permit will continue to be binding on the new owner(s) of the property. To validate the transfer of this permit and the associated liabilities associated with compliance with its terms and conditions, have the transferee sign and date below.

(Transferee) *(DATE)*

*U.S. GOVERNMENT PRINTING OFFICE: 1986 – 717-425

SPECIAL CONDITIONS (AID. 200620445; NC Turnpike Authority; Triangle Parkway/TIP U-4763B)

Work Limits

a) All work authorized by this permit must be performed in strict compliance with the attached plans, which are a part of this permit. Any modification to these plans must be approved by the US Army Corps of Engineers (USACE) prior to implementation.

b) Except as authorized by this permit or any USACE approved modification to this permit, no excavation, fill or mechanized land-clearing activities shall take place at any time in the construction or maintenance of this project, within waters or wetlands. This permit does not authorize temporary placement or double handling of excavated or fill material within waters or wetlands outside the permitted area. This prohibition applies to all borrow and fill activities connected with this project.

c) Except as specified in the plans attached to this permit, no excavation, fill or mechanized land-clearing activities shall take place at any time in the construction or maintenance of this project, in such a manner as to impair normal flows and circulation patterns within waters or wetlands or to reduce the reach of waters or wetlands.

Related Laws

d) All mechanized equipment will be regularly inspected and maintained to prevent contamination of waters and wetlands from fuels, lubricants, hydraulic fluids, or other toxic materials. In the event of a spill of petroleum products or any other hazardous waste, the permittee shall immediately report it to the N.C. Division of Water Quality at (919) 733-5083, Ext. 526 or (800) 662-7956 and provisions of the North Carolina Oil Pollution and Hazardous Substances Control Act will be followed.

Project Maintenance

e) The permittee shall advise the Corps in writing prior to beginning the work authorized by this permit and again upon completion of the work authorized by this permit.

f) Unless otherwise authorized by this permit, all fill material placed in waters or wetlands shall be generated from an upland source and will be clean and free of any pollutants except in trace quantities. Metal products, organic materials (including debris from land clearing activities), or unsightly debris will not be used.

g) The permittee shall require its contractors and/or agents to comply with the terms and conditions of this permit in the construction and maintenance of this project, and shall provide each of its contractors and/or agents associated with the construction or maintenance of this project with a copy of this permit. A copy of this permit, including all conditions, shall be available at the project site during construction and maintenance of this project

h) The permittee shall employ all sedimentation and erosion control measures necessary to prevent an increase in sedimentation or turbidity within waters and wetlands outside the permit area. This shall include, but is not limited to, the immediate installation of silt fencing or similar appropriate devices around all areas subject to soil disturbance or the movement of earthen fill, and the immediate stabilization of all disturbed areas. Additionally, the project must remain in full compliance with all aspects of the Sedimentation Pollution Control Act of 1973 (North Carolina General Statutes Chapter 113A Article 4).

i) The permittee, upon receipt of a notice of revocation of this permit or upon its expiration before completion of the work will, without expense to the United States and in such time and manner as the Secretary of the Army or his authorized representative may direct, restore the water or wetland to its pre-project condition.

Enforcement

j) Violations of these conditions or violations of Section 404 of the Clean Water Act or Section 10 of the Rivers and Harbors Act must be reported in writing to the Wilmington District U.S. Army Corps of Engineers within 24 hours of the permittee's discovery of the violation.

Design/Build Process

k) When final design plans are completed through the Design/Build Process for this project, any necessary permit modifications shall be submitted to the District Engineer and the North Carolina Division of Water Quality (NCDWQ). If necessary, a public notice will be circulated for review. Final designs shall reflect all appropriate avoidance, minimization and mitigation for impacts within streams and wetlands. Construction within streams and wetlands on portions of the project for which wetland or stream impacts have increased due to final design shall begin only after approval by the District Engineer of the modified impacts.

Culverts

l) All authorized culverts will be installed to allow the passage of low stream flows and the continued movement of fish and other aquatic life as well as to prevent headcutting of the streambed. For all box culverts and for pipes greater than 48 inches in diameter, the bottom of the pipe will be buried at least one foot below the bed of the stream unless burial would be impractical and the Corps of Engineers has waived this requirement. For culverts 48 inches in diameter or smaller, the bottom of the pipe must be buried below the bed of the stream to a depth equal to or greater than 20 percent of the diameter of the culvert. Design and placement of culverts and other structures including temporary erosion control measures shall not be conducted in a manner that may result in disequilibrium of wetlands or streambeds or banks, adjacent to, upstream or downstream of the structures. In order to allow for the continued

movement of bed load and aquatic organisms, existing stream channel widths and depths will be maintained at the inlet and outlet ends of culverts. Riprap armoring of streams at culvert inlets and outlets shall be minimized above the ordinary high water elevation in favor of bioengineering techniques such as bank sloping, erosion control matting and revegetation with deep-rooted, woody plants.

Preconstruction Meeting

m) The permittee shall schedule a preconstruction meeting between its representatives, the contractor's representatives, and the Corps of Engineers, Raleigh Regulatory Field Office, Regulatory Project Manager, prior to any work within jurisdictional waters and wetlands to ensure that there is a mutual understanding of all of the terms and conditions contained within this Department of the Army Permit. The permittee shall provide the USACE, Raleigh Regulatory Field Office, with a copy of the final plans at least two weeks prior to the preconstruction meeting along with a description of any changes that have been made to the project's design, construction methodology or construction timeframe. The permittee shall schedule the preconstruction meeting for a time when the USACE and North Carolina Division of Water Quality (NCDWQ) Project Managers can attend. The permittee shall invite the Corps and NCDWQ Project Managers a minimum of thirty (30) days in advance of the scheduled meeting in order to provide those individuals with ample opportunity to schedule and participate in the required meeting.

Borrow And Waste

n) To ensure that all borrow and waste activities occur on high ground and do not result in the degradation of adjacent wetlands and streams, except as authorized by this permit, the permittee shall require its contractors and/or agents to identify all areas to be used to borrow material, or to dispose of dredged, fill, or waste material. The permittee shall provide the USACE with appropriate maps indicating the locations of proposed borrow or waste sites as soon as the permittee has that information. The permittee will coordinate with the USACE before approving any borrow or waste sites that are within 400 feet of any streams or wetlands. All jurisdictional wetland lines on borrow and waste sites shall be verified by the Corps of Engineers and shown on the approved reclamation plans. The permittee shall ensure that all such areas comply with Condition b) of this permit, and shall require and maintain documentation of the location and characteristics of all borrow and disposal sites associated with this project. This information will include data regarding soils, vegetation and hydrology sufficient to clearly demonstrate compliance with the Condition b). All information will be available to the USACE upon request. The permittee shall require its contractors to complete and execute reclamation plans for each waste and borrow site and provide written documentation that the reclamation plans have been implemented and all work is completed. This documentation will be provided to the Corps of Engineers within 30 days of the completion of the reclamation work.

SPECIAL CONDITIONS (AID. 200620445; NC Turnpike Authority; Triangle Parkway/TIP U-4763B)

EEP Mitigation

o) NCTA will mitigate for 3,797 linear feet of unavoidable permanent impacts to warm water streams with more than minimal function, and the 1.71 acres of impacts to wetlands, through payment to the Ecosystem Enhancement Program (EEP), in the amount determined by EEP sufficient to perform a total of 7,594 linear feet of restoration equivalent warm water stream channel, and 3.11 acres of restoration equivalent riparian wetlands (1.40 acres at 2:1, 0.31 acre at 1:1),, in the Cape Fear River basin (Cataloging Unit 0303002). Construction within jurisdictional areas on the property shall begin only after the NCTA has made full payment to EEP and provided a copy of the payment documentation to the Corps, and EEP has provided written confirmation to the Corps that it agrees to accept responsibility for the mitigation work required, in compliance with the MOU between the North Carolina Department of Environment and Natural Resources and the United States Army Corps of Engineers, Wilmington District, dated November 4, 1998.

Rcvd 12/16/08
98

Michael F. Easley, Governor
William G. Ross Jr., Secretary
North Carolina Department of Environment and Natural Resources

Coleen Sullins, Director
Division of Water Quality

20062045

November 25, 2008

Steven D. DeWitt, P.E., Chief Engineer
North Carolina Turnpike Authoity
1578 Mail Service Center
Raleigh, North Carolina, 27699-1578

Subject: 401 Water Quality Certification Pursuant to Section 401 of the Federal Clean Water Act and ISOLATED WETLANDS PERMIT Pursuant to IWGP100000 with ADDITIONAL CONDITIONS for Proposed Triangle Parkway in Wake and Durham Counties, Federal Aid Project No. NHS-54(7), State Project No. 39942.1.TA1, TIP No. U-4763B.
DWQ Project No. 20080540.

Dear Mr. DeWitt:

Attached hereto is a copy of Water Quality Certification No. 3756 issued to The North Carolina Transit Authority dated November 25, 2008.

If we can be of further assistance, do not hesitate to contact us.

Sincerely,

Coleen Sullins,
Director

Attachments

cc: Eric Alsmeyer, US Army Corps of Engineers, Raleigh Field Office
Jennifer Harris, NC Turnpike Authority
Dr. Gregory J. Thorpe, NCDOT PDEA
Chris Murray, Division 5 Environmental Officer
Shannon Sweitzer, NC Turnpike Authority
Kathy Matthews, Environmental Protection Agency
Travis Wilson, NC Wildlife Resources Commission
Beth Harmon, Ecosystem Enhancement Program
Stephen Roberts, RK&K Consulting Engineers
File Copy

RECEIVED
DEC 1 2008
N.C. TURNPIKE AUTHORITY

Transportation Permitting Unit
1650 Mail Service Center, Raleigh, North Carolina 27699-1650
2321 Crabtree Boulevard, Suite 250, Raleigh, North Carolina 27604
Phone: 919-733-1786 / FAX 919-733-6893 / Internet: http://h2o.enr.state.nc.us/ncwetlands

An Equal Opportunity/Affirmative Action Employer – 50% Recycled/10% Post Consumer Paper

One North Carolina Naturally

William G. Ross Jr., Secretary
North Carolina Department of Environment and Natural Resources

Coleen Sullins, Director
Division of Water Quality

401 Water Quality Certification Pursuant to Section 401 of the Federal Clean Water Act and ISOLATED WETLANDS PERMIT Pursuant to IWGP100000 with ADDITIONAL CONDITIONS

THIS CERTIFICATION is issued in conformity with the requirements of Section 401 Public Laws 92-500 and 95-217 of the United States and subject to the North Carolina Division of Water Quality (DWQ) Regulations in 15 NCAC 2H .0500. This certification authorizes the NC Turnpike Authority to impact 1.973 acres of jurisdictional wetlands and 8079 linear feet of jurisdictional streams in Wake and Durham Counties. The project shall be constructed pursuant to the application dated received March 19, 2008, and additional information received August 6, 2008. The authorized impacts are as described below:

Stream Impacts in the Cape Fear River Basin

Site	Permanent Fill in Intermittent Stream (linear ft)	Temporary Impacts to Intermittent Stream (linear ft)	Permanent Fill in Perennial Stream (linear ft)	Temporary Impacts to Perennial Stream (linear ft)	Total Stream Impact (linear ft)	Stream Impacts Requiring Mitigation (linear ft)
1	0	0	118	77	195	118
2	0	0	326	23	349	326
4	215	11	0	0	226	0
5	175	0	323	119	617	323
6	0	0	1232	77	1309	1232
7	0	0	0	10	10	0
8	209	0	0	0	209	0
9	697	0	557	0	1254	557
10	186	0	0	0	186	0
11	1781	0	743	38	2562	743
12	0	0	163	60	223	163
14	0	0	0	80	80	0
15	0	0	99	178	277	99
16	113	51	0	0	164	0
17	0	0	236	0	236	236
18	143	39	0	0	182	0
Total	**3519**	**101**	**3797**	**662**	**8079**	**3797**

Total Stream Impact for Project: 8,079 linear feet

Wetland Impacts in the Cape Fear River Basin

Site	Permanent Fill (ac)	Temporary Fill (ac)	Excavation (ac)	Mechanized Clearing (ac)	Total Wetland Impact (ac)	Wetland Impacts Requiring Mitigation (ac)
2	0	0	0.02	0.003	0.023	0.023
3	0	0	0.06 (Isolated)	0	0.06 (Isolated)	0.06 (Isolated)
6	1.12	0	0	0	1.12	1.12
12	0.1	0	0.02	0.06	0.19	0.19
13	0.31	0	0	0	0.31	0.31
14	0.08	0.19	0	0	0.27	0.08
Total	**1.61**	**0.19**	**0.1**	**0.063**	**1.913 (404) 0.06 (Isolated)**	**1.723 (404) 0.06 (Isolated)**

Total Wetland Impact for Project: 1.973 acres.

Transportation Permitting Unit
1650 Mail Service Center, Raleigh, North Carolina 27699-1650
2321 Crabtree Boulevard, Suite 250, Raleigh, North Carolina 27604
Phone: 919-733-1786 / FAX 919-733-6893 / Internet: http://h2o.enr.state.nc.us/ncwetlands

One North Carolina Naturally

An Equal Opportunity/Affirmative Action Employer – 50% Recycled/10% Post Consumer Paper

The application provides adequate assurance that the discharge of fill material into the waters of the Cape Fear River Basin in conjunction with the proposed development will not result in a violation of applicable Water Quality Standards and discharge guidelines. Therefore, the State of North Carolina certifies that this activity will not violate the applicable portions of Sections 301, 302, 303, 306, 307 of PL 92-500 and PL 95-217 if conducted in accordance with the application and conditions hereinafter set forth.

This approval is only valid for the purpose and design that you submitted in your application dated received March 19, 2008 and additional information dated received November 13, 2008. Should your project change, you are required to notify the DWQ and submit a new application. If the property is sold, the new owner must be given a copy of this Certification and approval letter, and is thereby responsible for complying with all the conditions. If any additional wetland impacts, or stream impacts, for this project (now or in the future) exceed one acre or 150 linear feet, respectively, additional compensatory mitigation may be required as described in 15A NCAC 2H .0506 (h) (6) and (7). For this approval to remain valid, you are required to comply with all the conditions listed below. In addition, you should obtain all other federal, state or local permits before proceeding with your project including (but not limited to) Sediment and Erosion control, Coastal Stormwater, Non-discharge and Water Supply watershed regulations. This Certification shall expire on the same day as the expiration date of the corresponding Corps of Engineers Permit.

Conditions of Certification:

1. Compensatory mitigation for 3,797 linear feet of impact to perennial streams is required. We understand that you have chosen to perform compensatory mitigation for impacts to streams through the North Carolina Ecosystem Enhancement Program (EEP), and that the EEP has agreed to implement the mitigation for the project. EEP has indicated in a letter dated November 24, 2008 that they will assume responsibility for satisfying the federal Clean Water Act compensatory mitigation requirements for the above-referenced project, in accordance with the MOU between the NCDENR and US Corps of Engineers, Wilmington District, dated November 4, 1998.

2. Compensatory mitigation for impacts to 1.783 acres of wetlands is required. We understand that you have chosen to perform compensatory mitigation for impacts to 1.723 acres of 404 wetlands through the North Carolina Ecosystem Enhancement Program (EEP), and that the EEP has agreed to implement the mitigation for the project. EEP has indicated in a letter dated November 24, 2008 that they will assume responsibility for satisfying the federal Clean Water Act compensatory mitigation requirements for the above-referenced project, in accordance with the MOU between the NCDENR and US Corps of Engineers, Wilmington District, dated November 4, 1998. The applicant shall secure the mitigation for the remaining 0.06 acres of Isolated wetlands, and submit written proof to DWQ, before construction of the project begins.

3. Due to the possibility that compaction and/or other site alterations might prevent the temporary wetland impact area from re-attaining jurisdictional wetland status, the permittee shall provide an update on the wetland areas at Site 14, within three years after the temporary impact is finished. This update will consist of photographs and a brief report on the progress of this temporarily impacted area in re-attaining wetland jurisdictional status. If the wetland area temporarily impacted by this project has not re-attained jurisdictional wetland status, NC DWQ shall determine if compensatory wetland mitigation will be required.

4. A copy of the final construction drawings shall be furnished to NCDWQ Central Office prior to the pre-construction meeting. The permittee shall provide written verification that the final construction drawings comply with the permit drawings contained in the application dated March 19, 2008. Any deviations from the approved drawings are not authorized unless approved by the NC Division of Water Quality. Also, the Division of Water Quality shall be notified a minimum of 30 days prior to the preconstruction conference.

5. The post-construction removal of any temporary bridge structures must return the project site to its preconstruction contours and elevations. The impacted areas shall be revegetated with appropriate native species.

Transportation Permitting Unit
1650 Mail Service Center, Raleigh, North Carolina 27699-1650
2321 Crabtree Boulevard, Suite 250, Raleigh, North Carolina 27604
Phone: 919-733-1786 / FAX 919-733-6893 / Internet: http://h2o.enr.state.nc.us/ncwetlands

An Equal Opportunity/Affirmative Action Employer – 50% Recycled/10% Post Consumer Paper

6. Strict adherence to the most recent version of NCDOT's Best Management Practices For Bridge Demolition and Removal approved by the US Army Corps of Engineers is a condition of the 401 Water Quality Certification.

7. Bridge deck drains shall not discharge directly into streams or surface waters. Stormwater shall be directed across the bridge and pre-treated through site-appropriate means (grassed swales, pre-formed scour holes, vegetated buffers, etc.) before entering the stream. Please refer to the most current version of *Stormwater Best Management Practices.*

8. If multiple pipes or barrels are required, they shall be designed to mimic natural stream cross section as closely as possible including pipes or barrels at flood plain elevation and/or sills where appropriate. Widening the stream channel should be avoided. Stream channel widening at the inlet or outlet end of structures typically decreases water velocity causing sediment deposition that requires increased maintenance and disrupts aquatic life passage.

9. Placement of culverts and other structures in waters, streams, and wetlands shall be placed below the elevation of the streambed by one foot for all culverts with a diameter greater than 48 inches, and 20 percent of the culvert diameter for culverts having a diameter less than 48 inches, to allow low flow passage of water and aquatic life. Design and placement of culverts and other structures including temporary erosion control measures shall not be conducted in a manner that may result in dis-equilibrium of wetlands or streambeds or banks, adjacent to or upstream and down stream of the above structures. The applicant is required to provide evidence that the equilibrium is being maintained if requested in writing by DWQ. If this condition is unable to be met due to bedrock or other limiting features encountered during construction, please contact the NC DWQ for guidance on how to proceed and to determine whether or not a permit modification will be required.

10. Riprap shall not be placed in the active thalweg channel or placed in the streambed in a manner that precludes aquatic life passage. Bioengineering boulders or structures should be properly designed, sized and installed.

11. For any streams being impacted due to site dewatering activties, the site shall be graded to its preconstruction contours and revegetated with appropriate native species.

12. If concrete is used during construction, a dry work area shall be maintained to prevent direct contact between curing concrete and stream water. Water that inadvertently contacts uncured concrete shall not be discharged to surface waters due to the potential for elevated pH and possible aquatic life and fish kills.

13. During the construction of the project, no staging of equipment of any kind is permitted in waters of the U.S., or protected riparian buffers.

14. The dimension, pattern and profile of the stream above and below the crossing shall not be modified. Disturbed floodplains and streams shall be restored to natural geomorphic conditions.

15. The use of riprap above the Normal High Water Mark shall be minimized. Any riprap placed for stream stabilization shall be placed in stream channels in such a manner that it does not impede aquatic life passage.

16. All work in or adjacent to stream waters shall be conducted in a dry work area. Approved BMP measures from the most current version of NCDOT Construction and Maintenance Activities manual such as sandbags, rock berms, cofferdams and other diversion structures shall be used to prevent excavation in flowing water.

17. Heavy equipment shall be operated from the banks rather than in the stream channel in order to minimize sedimentation and reduce the introduction of other pollutants into the stream.

18. All mechanized equipment operated near surface waters must be regularly inspected and maintained to prevent contamination of stream waters from fuels, lubricants, hydraulic fluids, or other toxic materials.

19. No rock, sand or other materials shall be dredged from the stream channel except where authorized by this certification.

Transportation Permitting Unit
1650 Mail Service Center, Raleigh, North Carolina 27699-1650
2321 Crabtree Boulevard, Suite 250, Raleigh, North Carolina 27604
Phone: 919-733-1786 / FAX 919-733-6893 / Internet: http://h2o.enr.state.nc.us/ncwetlands

An Equal Opportunity/Affirmative Action Employer – 50% Recycled/10% Post Consumer Paper

20. Discharging hydroseed mixtures and washing out hydroseeders and other equipment in or adjacent to surface waters is prohibited.

21. A copy of this Water Quality Certification shall be maintained on site at the construction site at all times. In addition, the Water Quality Certification and all subsequent modifications, if any, shall be maintained with the permittee and the on-site project manager.

22. The permittee and its authorized agents shall conduct its activities in a manner consistent with State water quality standards (including any requirements resulting from compliance with §303(d) of the Clean Water Act) and any other appropriate requirements of State and Federal law. If DWQ determines that such standards or laws are not being met (including the failure to sustain a designated or achieved use) or that State or federal law is being violated, or that further conditions are necessary to assure compliance, DWQ may reevaluate and modify this certification.

23. All fill slopes located in jurisdictional wetlands shall be placed at slopes no flatter than 3:1, unless otherwise authorized by this certification.

24. The outside buffer, wetland or water boundary located within the construction corridor approved by this authorization shall be clearly marked by highly visible fencing prior to any land disturbing activities. Impacts to areas within the fencing are prohibited unless otherwise authorized by this certification.

25. The issuance of this certification does not exempt the Permittee from complying with any and all statutes, rules, regulations, or ordinances that may be imposed by other government agencies (i.e. local, state, and federal) having jurisdiction, including but not limited to applicable buffer rules, stormwater management rules, soil erosion and sedimentation control requirements, etc.

26. The Permittee shall report any violations of this certification to the Division of Water Quality within 24 hours of discovery.

27. Upon completion of the project (including any impacts at associated borrow or waste site), the project manager shall complete and return the enclosed "Certification of Completion Form" to notify DWQ when all work included in the 401 Certification has been completed.

28. Native woody riparian vegetation (i.e., trees and shrubs native to your geographic region) must be reestablished within the construction limits of the project by the end of the growing season following completion of construction.

29. There shall be no excavation from, or waste disposal into, jurisdictional wetlands or waters associated with this permit without appropriate modification. Should waste or borrow sites, or access roads to waste or borrow sites, be located in wetlands or streams, compensatory mitigation will be required since that is a direct impact from road construction activities.

30. Sediment and erosion control measures shall not be placed in wetlands or waters unless otherwise approved by this Certification.

31. The onsite project manager shall schedule monthly review meetings once construction on impact areas begins. These meetings will be scheduled with DWQ and other interested resource agencies (USCOE, WRC, USFWS, NCDOT, etc). At the agencies' discretion, these meetings may be less frequent as project nears completion.

Transportation Permitting Unit
1650 Mail Service Center, Raleigh, North Carolina 27699-1650
2321 Crabtree Boulevard, Suite 250, Raleigh, North Carolina 27604
Phone: 919-733-1786 / FAX 919-733-6893 / Internet: http://h2o.enr.state.nc.us/ncwetlands

An Equal Opportunity/Affirmative Action Employer – 50% Recycled/10% Post Consumer Paper

32. Erosion and sediment control practices must be in full compliance with all specifications governing the proper design, installation and operation and maintenance of such Best Management Practices in order to protect surface waters standards:

a. The erosion and sediment control measures for the project must be designed, installed, operated, and maintained in accordance with the most recent version of the *North Carolina Sediment and Erosion Control Planning and Design Manual.*
b. The design, installation, operation, and maintenance of the sediment and erosion control measures must be such that they equal, or exceed, the requirements specified in the most recent version of the *North Carolina Sediment and Erosion Control Manual.* The devices shall be maintained on all construction sites, borrow sites, and waste pile (spoil) projects, including contractor-owned or leased borrow pits associated with the project.
c. For borrow pit sites, the erosion and sediment control measures must be designed, installed, operated, and maintained in accordance with the most recent version of the *North Carolina Surface Mining Manual.*
d. The reclamation measures and implementation must comply with the reclamation in accordance with the requirements of the Sedimentation Pollution Control Act.

Violations of any condition herein set forth may result in revocation of this Certification and may result in criminal and/or civil penalties. This Certification shall become null and void unless the above conditions are made conditions of the Federal 404 and/or Coastal Area Management Act Permit. This Certification shall expire upon the expiration of the 404 or CAMA permit.

If this Certification is unacceptable to you have the right to an adjudicatory hearing upon written request within sixty (60) days following receipt of this Certification. This request must be in the form of a written petition conforming to Chapter 150B of the North Carolina General Statutes and filed with the Office of Administrative Hearings, 6714 Mail Service Center, Raleigh, N.C. 27699-6714. If modifications are made to an original Certification, you have the right to an adjudicatory hearing on the modifications upon written request within sixty (60) days following receipt of the Certification. Unless such demands are made, this Certification shall be final and binding.

This the 25th day of November 2008

DIVISION OF WATER QUALITY

Coleen Sullins
Director

WQC No. 3756

NORTH CAROLINA





(NOT TO SCALE)

RECEIVED
MAR 19 2008
RALEIGH REGULATORY FIELD OFFICE

VICINITY MAP

2006-20145

N.C. TURNPIKE AUTHORITY
WAKE AND DURHAM COUNTIES
PROJECT: U-4763B (TRIANGLE PARKWAY)
EXTENSION OF NC 147 BETWEEN
NC 540 IN WAKE COUNTY AND
I-40 IN DURHAM COUNTY

SHEET 1 OF 105 11/27/2007



TOPO MAP

SCALE: 1" : 5000'

N.C. TURNPIKE AUTHORITY
WAKE AND DURHAM COUNTIES
PROJECT: U-4763B(TRIANGLE PARKWAY)
EXTENSION OF NC 147 BETWEEN
NC 540 IN WAKE COUNTY AND
I-40 IN DURHAM COUNTY

SHEET 2 OF 105

11/27/2007

PROPERTY OWNERS

NAMES AND ADDRESSES

PARCEL NO.	NAMES	ADDRESSES
27	Biogen RTP Reality LLC	PO Box 14627 RTP, NC 27709
26	Nathaniel Mayo Heirs	6601 Kit Creek Rd. Morrisville, NC 27560
31	Biogen RTP Reality LLC	PO Box 14627 RTP, NC 27709
30	Biogen RTP Reality LLC	PO Box 14627 RTP, NC 27709
49	Biogen RTP Reality LLC	PO Box 14627 RTP, NC 27709
53	Gre Keystone Technology Park Two LLC	Suite 115 1100 Cresent St Cary, NC 27511
43	Eisai, Inc	PO Box 14505 RTP, NC 27709
44	RTF	PO Box 12255 RTP, NC 27709
36	RTF	PO Box 12255 RTP, NC 27709
72	RTF	PO Box 12255 RTP, NC 27709

N.C. TURNPIKE AUTHORITY
WAKE AND DURHAM COUNTIES
PROJECT: U-4763B(TRIANGLE PARKWAY)
EXTENSION OF NC 147 BETWEEN
NC 540 IN WAKE COUNTY AND
I-40 IN DURHAM COUNTY

WETLAND PERMIT IMPACT SUMMARY

Site No.	Station (From/To)	Structure Size / Type	WETLAND IMPACTS: Permanent Fill In Wetlands (ac)	WETLAND IMPACTS: Temp. Fill In Wetlands (ac)	WETLAND IMPACTS: Excavation in Wetlands (ac)	WETLAND IMPACTS: Mechanized Clearing in Wetlands (ac)	WETLAND IMPACTS: Hand Clearing in Wetlands (ac)	SURFACE WATER IMPACTS: Permanent SW impacts (ac)	SURFACE WATER IMPACTS: Temp. SW impacts (ac)	SURFACE WATER IMPACTS: Existing Channel Impacts Permanent (ft)	SURFACE WATER IMPACTS: Existing Channel Impacts Temp. (ft)	SURFACE WATER IMPACTS: Natural Stream Design (ft)
		CULVERT										
1	Station 11+28 -Y5DR1-	RCBC (1@ 9' X 7' RCBC)						0.01	0.003	118	77	
2	Station 99+37 -L-	CULVERT	0	0	0.02	0.003	0	0.04	0.007	326	23	
		(1@ 9' X 7' RCBC)										
3	107+51 TO 108+98 -L-	Mainline Roadway	0	0	0.06	0	0					
		(Unnamed Tributary)										
4	118+32 TO 120+30 -L-	Mainline Roadway						0.04	0.002	215	11	
		(Unnamed Tributary)										
5	Station 124+97 -L-	CULVERT						0.08	0.010	498	119	
		(2@ 9' X 8' RCBC)										
6	Station 142+53 -L-	CULVERT	0.71	0	0	0	0	0.14	0.01	1232	77	
		(2@ 7' X 7' RCBC)										
6	Station 26+50 -Y1RPC-	CULVERT	0.41	0	0	0	0					
		(2@ 8' X 7' RCBC)										
TOTALS: SHEET 1			1.120		0.077	0.003		0.310	0.032	2389	307	

N.C. TURNPIKE AUTHORITY
WAKE AND DURHAM COUNTIES
PROJECT: U-4763B (TRIANGLE PARKWAY)
EXTENSION OF NC 147 BETWEEN
NC 540 IN WAKE COUNTY AND
I-40 IN DURHAM COUNTY

WETLAND PERMIT IMPACT SUMMARY

Site No.	Station (From/To)	Structure Size / Type	WETLAND IMPACTS: Permanent Fill In Wetlands (ac)	Temp. Fill In Wetlands (ac)	Excavation in Wetlands (ac)	Mechanized Clearing in Wetlands (ac)	Hand Clearing in Wetlands (ac)	SURFACE WATER IMPACTS: Permanent SW impacts (ac)	Temp. SW impacts (ac)	Existing Channel Impacts Permanent (ft)	Existing Channel Impacts Temp. (ft)	Natural Stream Design (ft)
7	Station 241+26 -Y1-	EXTENSION OF 54" RCP						0	0.001	0	10	
8	Station 14+64 -SR2-	66" RCP						0.03	0	209	0	
9	17+36 TO 28+09 -SR2-	Mainline Roadway (Unnamed Tributary)						0.11	0	1254	0	
10	21+90 TO 22+45 -SR2-	Mainline Roadway (Unnamed Tributary)						0.02	0	186	0	
11	170+00 TO 191+50 -L-	Mainline Roadway (Unnamed Tributary)						0.243	0.010	2524	38	
12	201+19 TO 202+99 -L-	Mainline Roadway (Unnamed Tributary)	0.10	0	0.04	0.05	0	0.010	0	84	0	
13	207+35 TO 211+47 -L-	Mainline Roadway (Wetlands)	0.31	0	0	0	0					
14	217+69 TO 218+98 -L-	Bridge Pier and Fill (Wetlands)	0.09	0.20	0	0	0	0	0.005	0	37	
TOTALS: SHEET 2			0.500	0.200	0.040	0.050		0.413	0.016	4257	85	
TOTALS: CUMULATIVE			1.620	0.200	0.117	0.053		0.723	0.048	6646	392	

WETLAND PERMIT IMPACT SUMMARY

Site No.	Station (From/To)	Structure Size / Type	WETLAND IMPACTS: Permanent Fill In Wetlands (ac)	Temp. Fill In Wetlands (ac)	Excavation in Wetlands (ac)	Mechanized Clearing in Wetlands (ac)	Hand Clearing in Wetlands (ac)	SURFACE WATER IMPACTS: Permanent SW impacts (ac)	Temp. SW impacts (ac)	Existing Channel Impacts Permanent (ft)	Existing Channel Impacts Temp. (ft)	Natural Stream Design (ft)
15	Station 20+04 -Y3-	CULVERT						0.02	0.01	99	15	
		RCBC(2@7' X 1-1' RCBC)										
	Station 19+85 -Y3DET-	Temporary Detour						0	0.04	0	163	
		CSP(2@84" wHeadwall)										
16	Station 246+56 -L-	Mainline Roadway						0.01	0.006	113	51	
		(Unnamed Tributary)										
17	Station 15+27 -Y4RPC-	CULVERT						0.04	0	236	0	
		RCBC(2@8' X 6' RCBC)										
18	20+36 TO 20+74 -Y4RPC-	Mainline Roadway						0.01	0.01	143	39	
		(Unnamed Tributary)										
TOTALS: SHEET 3			0	0	0	0		0.080	0.066	591	268	
TOTALS: CUMULATIVE			1.620	0.200	0.117	0.053		0.803	0.114	7237	660	

RECEIVED
MAR 19 2008
2006 20445
RALEIGH REGULATORY FIELD OFFICE



TABLE INFO

Site	Stream	Wetland	Sheet	Site	Stream	Wetland	Sheet
1	at Kit Creek Road	-	14	10	MSCBA	-	34
2	MSA	MWA	14	11	NSD, NSF	-	36, 38, 40
3	-	MWB	14	12	NSD	NWE	40
4	MSBA	-	18	13	-	NWD	43
5	MSB, MSBB	-	22	14	-	NWC, NWH	43, 45
6	MSC, MSCC	MWD, MWF	24, 26	15	NSL	-	9, 47
7	MSCA	-	26	16	NSLA	-	50
8	MSCC	-	24	17	NSL	-	50
9	MSCB	-	34	18	NSLF	-	50, 54

SITE MAP
NOT TO SCALE

N.C. TURNPIKE AUTHORITY
WAKE AND DURHAM COUNTIES
PROJECT: U-4763B(TRIANGLE PARKWAY)
EXTENSION OF NC 147 BETWEEN
NC 540 IN WAKE COUNTY AND
I-40 IN DURHAM COUNTY

TIP: U-4763B

CONTRACT:

See Sheet 1-A For Index of Sheets
See Sheet 1-B For Conventional Symbols



VICINITY MAP
(NOT TO SCALE)

NORTH CAROLINA TURNPIKE AUTHORITY

WAKE /DURHAM COUNTIES

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	U-4763B	1	
WBS NO.	F.A. PROJ. NO.	DESCRIPTION	
39942.1.TA1	NHF-54(7)	P.E.	

Sheet 8 of 105

LOCATION: TRIANGLE PARKWAY – EXTENSION OF NC 147 BETWEEN NC 540 IN WAKE COUNTY AND I-40 IN DURHAM COUNTY

TYPE OF WORK: GRADING, PAVING, DRAINAGE, FENCING, CULVERTS, STRUCTURES, SIGNING, SIGNALS AND TOLL FACILITIES



STREAM & WETLAND IMPACTS

THIS PROJECT IS A CONTROLLED ACCESS PROJECT WITH ACCESS LIMITED TO INTERCHANGES.

CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD III.

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33187
Raleigh, NC 27636
(919) 851-1818
(919) 851-1838 (FAX)
WWW.MULKEYINC.COM

GRAPHIC SCALE

25' 0 50'
PLANS
25' 0 50'
PROFILE (HORIZONTAL)
5' 0 10'
PROFILE (VERTICAL)

DESIGN DATA

ADT 2010 = 37,000
ADT 2030 = 111,200
DHV = 10%
D = 55%
T = 9% *
V = 70 mph
* (Duals = 6% + TTST = 3%)
Functional Class.: Freeway

PROJECT LENGTH

LENGTH ROADWAY TIP PROJECT U-4763B = 2.698 MILES
LENGTH STRUCTURES TIP PROJECT U-4763B = 0.107 MILES
TOTAL LENGTH TIP PROJECT U-4763B = 2.805 MILES

Prepared in the Office of:
Mulkey Engineers & Consultants
FOR THE NORTH CAROLINA TURNPIKE AUTHORITY

2006 STANDARD SPECIFICATIONS

RIGHT OF WAY DATE: (PRODUCTION)

LETTING DATE: (PRODUCTION)

WILLIS S. HOOD, P.E.
MULKEY E & C PROJECT MANAGER

JOHNNY BANKS
MULKEY E & C PROJECT DESIGN ENGINEER

HYDRAULICS ENGINEER

PE
SIGNATURE:

ROADWAY DESIGN

PE
SIGNATURE:

NORTH CAROLINA TURNPIKE AUTHORITY

NORTH CAROLINA Turnpike Authority

P.E.
STATE HIGHWAY DESIGN ENGINEER

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127 Raleigh, N.C. 27636
(919) 851-1515
(919) 851-1516 (FAX)
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	2-K
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

Sheet 9 of 105

DETAIL A
LATERAL 'V' DITCH
(Not to Scale)



STA. 22+15 TO STA. 24+50 -Y5- RT
STA. 32+00 TO STA. 32+91 -Y5- RT
STA. 161+50 TO STA. 166+50 -L- LT
STA. 140+00 TO STA. 145+00 -L- RT
STA. 27+01 TO STA. 28+39 -Y1RPC- RT
STA. 24+44 TO STA. 26+24 -Y3DET- LT
STA. 65+60 TO STA. 66+80 -Y2- LT
STA. 262+00 TO STA. 265+10 -Y1- LT

DETAIL B
LATERAL 'V' DITCH
(Not to Scale)



STA. 161+50 -L- TO STA. 166+50 -L- RT
STA. 182+00 -L- TO STA. 186+00 -L- RT
STA. 55+70 -Y2- TO STA. 56+85 -Y2- RT
STA. 17+18 -Y3DET- TO STA. 18+88 -Y3DET- LT

DETAIL C
LATERAL BASE DITCH
(Not to Scale)



STA. 32+91 -Y5- TO STA. 35+00 RT -Y5- RT B=2' D=1.0'
STA. 30+00 -Y5- TO STA. 32+00 -Y5- RT B=2' D=1.0'
STA. 28+50 -Y5- TO STA. 30+00 -Y5- RT B=2' D=1.0'
STA. 28+43 -SR2- TO STA. 31+79 -SR2- LT B=2' D=1.0'
STA. 17+45 -Y1RPC- TO STA. 19+47 -Y1RPC- LT B=2' D=1.0'
STA. 26+00 -Y1RPC- TO STA. 26+99 -Y1RPC- RT B=2' D=1.0'
STA. 201+65 -L- TO STA. 202+75 -L- RT B=4' D=1.0'
STA. 28+80 -SR2- TO STA. 32+10 -SR2- RT RT B=2' D=1.5'
STA. 220+30 -L- TO STA. 222+50 -L- LT B=2' D=1.5'
STA. 265+10 -Y1- TO STA. 267+25 -Y1- LT B=2' D=1.0'

DETAIL D
LATERAL BASE DITCH
(Not to Scale)



STA. 16+80 -Y1RPC- TO STA. 17+45 -Y1RPC- LT B=2'
STA. 164+50 -L- TO STA. 169+50 -L- LT B=2'
STA. 173+00 -L- TO STA. 188+43 -L- LT B=4'
STA. 188+43 -L- TO STA. 190+00 -L- LT B=4'
STA. 170+50 -L- TO STA. 178+00 -L- RT B=4'
STA. 186+00 -L- TO STA. 191+50 -L- RT B=2'
STA. 13+75 -Y4RPC- TO STA. 16+00 -Y4RPC- LT B=2'
STA. 75+47 -Y8FLY- TO STA. 75+87 -Y8FLY- LT B=2'
STA. 21+94 -SR2- TO STA. 28+43 -SR2- LT B=2'
STA. 240+13 -Y1- TO STA. 240+90 -Y1- LT B=2' b=3'
STA. 267+25 -Y1- TO STA. 269+60 -Y1- LT B=2'
STA. 12+50 -Y1RPD- TO STA. 12+70 -Y1RPD- LT B=2'

DETAIL E
SPECIAL LATERAL 'V' DITCH
(Not to Scale)



STA. 205+50 TO STA. 207+75 -L- LT
STA. 178+50 TO STA. 182+00 -L- RT
STA. 269+70 TO STA. 272+00 -Y1- LT (By Others)
STA. 27+00 TO STA. 22+24 -Y2RPA- LT
STA. 14+00 TO STA. 14+25 -Y5A- RT

DETAIL F
SPECIAL LATERAL 'V' DITCH
(Not to Scale)



STA. 117+50 TO STA. 120+26 -L- LT

DETAIL G
SPECIAL CUT DITCH
(Not to Scale)



STA. 237+65 -L- TO STA. 238+33 -L- RT
STA. 240+50 -L- TO STA. 238+33 -L- RT
STA. 16+02 -Y1RPD- TO STA. 17+54 -Y1RPD- RT
STA. 69+50 -Y8FLY- RT TO STA. 98+50 -L- RT
STA. 15+20 TO STA. 21+50 RT -YCFLY- RT
STA. 17+33 TO STA. 21+50 LT -YCFLY- LT
STA. 61+50 LT TO STA. 64+50 -Y8FLY- LT
STA. 23+50 TO STA. 26+00 -Y1RPD- LT
STA. 22+00 TO STA. 23+50 -Y1RPD- LT
STA. 19+47 TO STA. 22+00 -Y1RPC- LT
STA. 22+50 TO STA. 25+00 -Y1RPC- RT
STA. 26+00 TO STA. 27+00 -Y2RPB- RT
STA. 13+50 TO STA. 14+50 -Y4RPD- RT
STA. 68+50 TO STA. 69+50 -Y8FLY- LT
STA. 25+87 TO STA. 26+62 -YCFLY- RT
STA. 24+00 TO STA. 25+59 -YCFLY- RT
STA. 15+01 TO STA. 17+18 -Y3DET- LT
STA. 221+00 TO STA. 224+00 -Y1- LT
STA. 17+52 TO STA. 19+00 -Y5- RT
STA. 19+00 TO STA. 20+22 -Y5- RT
STA. 212+00 TO STA. 212+50 -L- LT
STA. 212+50 TO STA. 213+00 -L- LT
STA. 226+50 TO STA. 227+50 -Y1-LT
STA. 227+50 TO STA. 228+50 -Y1- LT

DETAIL H
SPECIAL CUT DITCH
(Not to Scale)



STA. 18+88 TO STA. 19+35 -Y3DET- LT
STA. 64+50 TO STA. 65+00 -Y8FLY- LT
STA. 65+00 TO STA. 66+00 -Y8FLY- LT

DETAIL I
SPECIAL CUT BASE DITCH
(Not to Scale)



STA. 14+50-Y4RPD- TO STA. 15+50-Y4RPD- RT
STA. 23+50 -Y1RPC- TO STA. 25+85 -Y1RPC- LT
STA. 193+00 -L- TO STA. 194+00 -L- LT
STA. 76+20 -Y8FLY- TO STA. 78+50 -Y8FLY- LT
STA. 222+50 -L- TO STA. 226+00 -L- LT

DETAIL J
SPECIAL CUT BASE DITCH
(Not to Scale)



STA. 16+00 TO STA. 17+50 -Y4RPC- LT B=2.0'
STA. 25+00 TO STA. 26+00 -Y2RPB- RT B=4.0'
STA. 25+50 -Y1RPC- TO STA. 26+00 -Y1RPC- RT B=2.0'
STA. 15+00 TO STA. 21+94 -SR2- LT B=4.0'
STA. 16+00 TO STA. 17+50 -Y4RPC- LT B=2.0'

DETAIL K
SPECIAL LATERAL BASE DITCH
(Not to Scale)



STA. 25+00 TO STA. 26+50 -Y2RPA- RT
STA. 35+00 TO STA. 37+00 -Y5- RT
STA. 14+00 TO STA. 14+25 -Y5A- RT

DETAIL L
SPECIAL LATERAL BASE DITCH
(Not to Scale)



STA. 22+24 TO STA. 21+21 -Y2RPA- LT
STA. 14+40 TO STA. 14+95 -SR2- LT
STA. 24+25 TO STA. 25+00 -Y2RPA- RT

DETAIL M
STANDARD BASE DITCH
(Not to Scale)



STA. 12+77 RT. TO STA. 14+51 -Y1RPD- RT

DETAIL N
STANDARD 'V' DITCH
(Not to Scale)



STA. 14+80 RT. TO STA. 15+85 -SR1- RT

DETAIL O
HEAD DITCH
(Not to Scale)



STA. 14+50 -Y4RPD- RT B=2' LINING: CLASS B RIP RAP
STA. 114+00 -L- RT B=0' LINING: CLASS B RIP RAP
STA. 23+50 -Y1RPD- LT B=2' LINING: CLASS B RIP RAP
STA. 27+10 -Y1RPC- RT B=2' LINING: CLASS B RIP RAP
STA. 227+50 -Y1- LT B=2' LINING: GRASS

DETAIL P
TAIL DITCH
(Not to Scale)



STA. 13+25 -Y4RPD- B=2' LINING:CLASS B RIP RAP
STA. 113+00 -L- LT B=2' LINING: CLASS B RIP RAP
STA. 139+33 -L- LT B=4', D=1.5' LINING: CLASS B RIP RAP
STA. 26+50 -Y1RPC- LT B=2' LINING: CLASS B RIP RAP
STA. 24+44 -Y3DET- LT B=2' LINING: CLASS B RIP RAP
STA. 270+13 -Y1- RT B=3' LINING: CLASS I RIP RAP (By Others)
STA. 141+50 -L- LT B=4', D=2.0' LINING: CLASS B RIP RAP

DETAIL Q
TOE PROTECTION
(Not to Scale)



STA. 255+00 TO STA. 259+25 -Y1- RT LINING: PSRM
STA. 261+75 TO STA. 264+50 -Y1- RT LINING: PSRM
STA. 50+62 TO STA. 52+50 -Y2- LT LINING: PSRM
STA. 202+00 TO STA. 202+85 -L- LT LINING: CLASS B RIP RAP
STA. 17+90 TO STA. 19+40 -Y4RPC- RT LINING: CLASS B RIP RAP
STA. 10+70 TO STA. 12+65 -Y5- RT LINING: PSRM
STA. 42+50 TO STA. 43+50 -Y2RPA- RT LINING: CLASS B RIP RAP

DETAIL R
BERM DITCH
(Not to Scale)



STA. 48+50 -Y2- TO STA. 49+00 -Y2- RT
STA. 49+00 -Y2- TO STA. 49+50 -Y2- RT
STA. 238+33 -L- TO STA. 240+00 -L- RT
STA. 229+50 -L- TO STA. 230+00 -L- RT
STA. 230+00 -L- TO STA. 230+50 -L- RT
STA. 107+00 -L- TO STA. 107+50 -L- RT
STA. 107+50 -L- TO STA. 108+00 -L- RT
STA. 109+00 -L- TO STA. 109+50 -L- RT
STA. 109+50 -L- TO STA. 110+00 -L- RT
STA. 111+00 -L- TO STA. 114+00 -L- RT
STA. 180+00 -L- TO STA. 180+52 -L- LT
STA. 180+52 -L- TO STA. 181+03 -L- LT
STA. 187+06 -L- TO STA. 187+58 -L- LT
STA. 187+58 -L- TO STA. 188+10 -L- LT
STA. 190+35 -L- TO STA. 190+87 -L- LT
STA. 190+87 -L- TO STA. 191+38 -L- LT
STA. 15+33 -YCFLY- TO STA. 18+00 -YCFLY- RT

DETAIL S
BERM BASE DITCH
(Not to Scale)



STA. 114+00 -L- TO STA. 116+00 -L- RT

DETAIL T
MEDIAN DITCH
(Not to Scale)



STA. 126+00 -L- TO STA. 126+69 -L- M
STA. 126+69 -L- TO STA. 127+50 -L- M
STA. 228+50 -Y1- TO STA. 227+60 -Y1- M

DETAIL U
DISSIPATER PAD
(Not to Scale)



STA. 18+50 -Y4RPC- LT. +/- LINING: CLASS B RIP RAP

DETAIL V
RIP RAP AT EMBANKMENT
(Not to Scale)



STA. 99+50 TO STA. 99+65 -L- RT EST. 14 TONS
STA. 99+70 TO STA. 99+80 -L- RT EST. 14 TONS
STA. 20+00 TO STA. 20+30 -SR2- LT EST. 45 TONS
STA. 28+31 TO STA. 28+70 -SR2- LT EST. 35 TONS
STA. 149+56 TO STA. 149+86 -L- LT EST. 47 TONS
STA. 175+35 TO STA. 176+40 -L- RT EST. 110 TONS
STA. 178+92 TO STA. 179+29 -L- LT EST. 60 TONS
STA. 181+94 TO STA. 183+77 -L- LT EST. 150 TONS
STA. 183+00 TO STA. 183+77 -L- RT EST. 95 TONS
STA. 220+30 TO STA. 220+40 -L- LT EST. 32 TONS
STA. 19+35 TO STA. 19+53 -Y3DET- LT EST. 75 TONS
STA. 13+85 TO STA. 14+17 -SR2- RT EST. 12 TONS

DETAIL W
PREFORMED SCOUR HOLE
(NOT TO SCALE)



STATION	B FT.	D FT.	W FT.	d FT.	CLASS B RIP RAP TONS	DDE FT³	FILTER FABRIC FT²	PSRM FT²
11+73 Y3DR3	3	2	4	1.0	4	90	65	215
205+00 L	3	2	4	1.0	4	90	65	215
212+50 L	3	2	4	1.0	4	90	65	215
217+60 L	3	2	4	1.0	4	90	65	215

DETAIL X
TOE PROTECTION
(Not to Scale)



STA. 18+77 TO STA. 21+74 -Y3DET- RT
STA. 23+44 TO STA. 26+11 -Y3DET- RT

DETAIL Y
RIP RAP AT EMBANKMENT
(Not to Scale)



STA. 200+00 TO STA. 204+00 -L- RT ELEV.=270.94
STA. 204+00 TO STA. 208+00 -L- RT ELEV.=269.49
STA. 208+00 TO STA. 212+00 -L- RT ELEV.=268.11
STA. 212+00 TO STA. 214+00 -L- RT ELEV.=268.04

DETAIL Z
TOE PROTECTION
(Not to Scale)



STA. 217+00 TO STA. 218+00 -L- LT
STA. 17+00 TO STA. 17+50 -Y5- RT
STA. 242+30 TO STA. 245+00 -Y1- RT

DETAIL AA
CHANNEL IMPROVEMENTS



STA. 99+37 -L-

DETAIL BB
CHANNEL IMPROVEMENTS



STA. 124+97 -L- LT & RT

DETAIL CC
CHANNEL IMPROVEMENTS



STA. 142+53 -L- LT

DETAIL DD
CHANNEL IMPROVEMENTS



STA. 229+85 -Y1-

DETAIL FF
CHANNEL IMPROVEMENTS



STA. 19+83 -Y3DET-

DETAIL GG
CHANNEL IMPROVEMENTS



STA. 11+28 -Y5DR1-

DETAIL HH



STA. 15+26 -Y4RPC-

DETAIL II
FALSE SUMP
(Not to Scale)



Ditch Grade	L	Ditch Grade	L
0.0% To 2.0%	20'	Over 4.0% To 6.0%	40'
Over 2.0% To 4.0%	30'	Over 6.0%	50'

STA. 99+76 M -L-
STA. 107+26 M -L-
STA. 109+36 M -L-
STA. 113+74 M -L-
STA. 118+24 M -L-
STA. 124+24 M -L-
STA. 128+76 M -L-
STA. 133+76 M -L-
STA. 139+45 M -L-
STA. 141+76 M -L-
STA. 143+76 M -L-
STA. 149+76 M -L-
STA. 166+74 M -L-
STA. 171+74 M -L-
STA. 175+24 M -L-
STA. 176+44 M -L-
STA. 178+24 M -L-
STA. 180+24 M -L-
STA. 183+74 M -L-
STA. 188+24 M -L-
STA. 191+74 M -L-
STA. 195+09 M -L-
STA. 198+74 M -L-
STA. 201+74 M -L-
STA. 203+74 M -L-
STA. 205+24 M -L-
STA. 209+74 M -L-
STA. 212+74 M -L-
STA. 215+74 M -L-
STA. 244+91 M -L-
STA. 245+81 M -L-
STA. 247+26 M -L-
STA. 39+65 M -Y2-

DETAIL JJ
SPECIAL FALSE SUMP
(Not to Scale)



Ditch Grade	L	Ditch Grade	L
0.0% To 2.0%	20'	Over 4.0% To 6.0%	40'
Over 2.0% To 4.0%	30'	Over 6.0%	50'

STA. 159+83 M -L-
STA. 217+84 M -L-
STA. 222+74 M -L-
STA. 229+76 M -L-
STA. 233+26 M -L-
STA. 237+49 M -L-
STA. 238+74 M -L-
STA. 240+24 M -L-
STA. 241+24 M -L-
STA. 242+24 M -L-

DETAIL KK
CONCRETE SWALE
(Not to Scale)



STA. 195+50 TO STA. 201+50 LT -L-

8x15x43 AM R:\Hydraulics\Design\Headlines\U4763_RDY_TYP_reddgn
3/18/2008

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1515
(919) 851-1516 (FAX)
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	2-L
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

Sheet 10 OF 105



PLAN VIEW



SECTION B-B

DETAIL LL

BASIN NUMBER	STATION	CULVERT SIZE	RIP RAP BASIN A	B	C	D	E	F	G	H
1	73+20+04 RT	2 @ 7'3" RCBC	3.0	2.25	10	4.25	*	1.0	55	28

ALL DIMENSIONS APPROXIMATE IN FEET
*NO DIMENSION BECAUSE DISSIPATOR IS IN A DEFINED CHANNEL

NOTE: DISSIPATOR ROCKS SHOULD BE NATIVE STONE OR SHOT ROCK, ANGULAR AND OBLONG WITH AN APPROXIMATE d50 SIZE OF 1.5.



SECTION A-A

NATURAL ROCK ENERGY DISSIPATOR
(NOT TO SCALE)



STA. 114+24 RT -L-
STA. 229+76 LT -L-
STA. 229+76 RT -L-
STA. 17+58 RT -SR1-
STA. 28+57 RT -SR2-



STA. 107+26 RT -L-
STA. 109+26 RT -L-
STA. 232+26 RT -L-
STA. 15+41 LT -Y4RPD-

STREAM & WETLAND IMPACTS

ENGLISH

DENOTES TEMPORARY FILL IN SURFACE WATER

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	2-DET1

R/W SHEET NO.

ROADWAY DESIGN ENGINEER | HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 11 OF 105

MULKEY ENGINEERS & CONSULTANTS

REVISIONS

8/05/2008 8:05:55 AM n:\hydraulics\permit\U4763_Hyd_prm_2SH2-DET1_wet.dgn





STREAM & WETLAND IMPACTS

REVISIONS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	2-DET1
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 12 OF 105

MULKEY
ENGINEERS & CONSULTANTS

ENGLISH

SITE 15

NSL

NSL

TAGECRIS BIOTHERAPEUTICS INC (81)

TRIANGLE SERVICE CENTER, INC. (78)

TRIANGLE SERVICE CENTER, INC. (75)

TRIANGLE RESEARCH FOUNDATION OF NC (72)

DIANE J. POUNDERS (74)

DENOTES TEMPORARY FILL IN SURFACE WATER

75 TONS CLASS 'I' RIPRAP W/80 SY FILTER FABRIC

CHANNEL IMPROVEMENT SEE DETAIL FF

RIP RAP @ EMBANKMENT SEE DETAIL V

CLASS B RIP RAP EST 3 TONS EST 10 SY FF

2 - 84" CSP'S W/TEMP. HEADWALL W/METHOD 'B' INSTALLATION

LATERAL V DITCH SEE DETAIL B

SPECIAL CUT DITCH SEE DETAIL G

SPECIAL CUT DITCH SEE DETAIL G

HEAD DITCH SEE DETAIL O

CLASS B RIP RAP EST 25 TONS EST 10 SY FF

TAIL DITCH SEE DETAIL P

CLASS B RIP RAP EST 5 TONS EST 14 SY FF.

LATERAL V DITCH SEE DETAIL A

COLLAR AND EXTEND

RETAIN

TEMPORARY RIPRAP SLOPE PROTECTION SEE DETAIL X

75' BEAUTIFICATION EASEMENT (BK 1746 PG 311)

S 71° 54' 08.3" E

S 59° 50' 51.6" E

MATCHLINE TO SHEET 2-DET2 -Y3DET- STATION 26+00

-Y3DET- STA 15+81.00 BEGIN GRADE ELEV.= 294.26 1@ EXIST. LEDA

BEGIN CONSTRUCTION -Y3DET- STA 15+97.19

BLEND TO EXISTING

PROPOSED GRADE

EXISTING GROUND

(+) 0.46087

(+) 2.36034%

(-) 1.07436%

(+) 6.52001%

PI = 21+00.00
SL = 3065'
VC = 900'
K = 557
DS = 80mph

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.19+35

DRAINAGE AREA	= 1.2	AC
DESIGN FREQUENCY	= 5	YRS
DESIGN DISCHARGE	= 4.3	CFS
DESIGN HW ELEVATION	= 287.80	FT
100 YEAR DISCHARGE	= 6	CFS
100 YEAR HW ELEVATION	= 288.07	FT
OVERTOPPING FREQUENCY	=	YRS
OVERTOPPING DISCHARGE	=	CFS
OVERTOPPING ELEVATION	=	FT

CULVERT HYDRAULIC DATA

DESIGN DISCHARGE	= 200	CFS
DESIGN FREQUENCY	= 5	YRS
DESIGN HW ELEVATION	= 276.1	FT
BASE DISCHARGE	=	CFS
BASE FREQUENCY	=	YRS
BASE HW ELEVATION	=	FT
OVERTOPPING DISCHARGE	= 1500	CFS
OVERTOPPING FREQUENCY	= 50+	YRS
OVERTOPPING ELEVATION	= 286.5	FT

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.23+42

DRAINAGE AREA	= 0.28	AC
DESIGN FREQUENCY	= 5	YRS
DESIGN DISCHARGE	= 1.8	CFS
DESIGN HW ELEVATION	= 282.61	FT
100 YEAR DISCHARGE	= 3.2	CFS
100 YEAR HW ELEVATION	= 282.82	FT
OVERTOPPING FREQUENCY	=	YRS
OVERTOPPING DISCHARGE	=	CFS
OVERTOPPING ELEVATION	=	FT

18" CSP INV.=282.14

18" CSP INV.=278.49

24" CSP INV.=267.16

-Y3DET-

BEGIN SPECIAL CUT -Y3DET- STA 15+58.38 EL.= 296.58

END SPECIAL CUT -Y3DET- STA 16+68.17 EL.= 285.68

BEGIN SPECIAL CUT -Y3DET- STA 16+68.17 EL.= 285.68

END SPECIAL CUT -Y3DET- STA 18+00.00 EL.= 280.00

BEGIN SPECIAL CUT -Y3DET- STA 22+44.44 EL.= 290.09

340 330 320 310 300 290 280 270 260

14+00 15+00 16+00 17+00 18+00 19+00 20+00 21+00 22+00 23+00 24+00 25+00 26+00

k2k44 AM c:\hydraulics\permit\U4763\hyds_prt_PS2-DET1.wet.dgn
3/9/2009

SITE 15 –Y3DET– STA 19+83

ENGLISH

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33137
Raleigh, NC 27636
(919) 851-1312
(919) 851-1313 (FAX)
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 13 OF 105



PROFILE ALONG STRUCTURE

STREAM & WETLAND IMPACTS

MULKEY

INCOMPLETE PLANS
PRELIMINARY PLANS

SHEET 17 OF 105

ENGLISH

SITE 1

SITE 2

SITE 3

MATCHLINE TO SHEET 20 -Y5- STATION 15+00

MATCHLINE TO SHEET 21 -Y5- STATION 34+00

MATCHLINE TO SHEET 5 -L- STATION 105+00

MATCHLINE TO SHEET 17 -YRPA- STATION 50+50

MSA

MWA

MSAB

MWB

RESEARCH TRIANGLE FOUNDATION

BEACH CREST FUND 10 A LLC

BOOZER REALTY LLC

STAM, PAUL & DOROTHY

BALLENTINE, ARTHUR RAY

MAYO, NATHANIEL HEIRS

PAVEMENT REMOVAL

SEE SHEET 30 FOR -L1PA1- PROFILE
SEE SHEET 31 FOR -L1PA1- PROFILE
SEE SHEET 39 FOR YRPA PROFILE
SEE SHEET 38 FOR -Y4- PROFILE
SEE SHEET 41 FOR Y3 PROFILE
SEE SHEET 42 FOR Y5OR9 PROFILE

STREAM & WETLAND IMPACTS

REVISIONS

MULKEY

PROJECT REFERENCE NO. U-4438 | SHEET NO. 4

INCOMPLETE PLANS
PRELIMINARY PLANS

SHEET 12 OF 105

ENGLISH

SITE 1

SITE 2

SITE 3

MATCHLINE TO SHEET 20 -Y5- STATION 15+00

MATCHLINE TO SHEET 5 -L- STATION 109+00

MATCHLINE TO SHEET 11 -YRPA- STATION 50+50

MATCHLINE TO SHEET 21 -Y5- STATION 34+00

MWA

MSAB

RESEARCH TRIANGLE FOUNDATION

BOOZE REALTY-ELK

PAVEMENT REMOVAL

SEE SHEET 39 FOR -Y8TU- PROFILE
SEE SHEET 37 FOR -Y2TU- PROFILE
SEE SHEET 39 FOR YRPA PROFILE
SEE SHEET 35 FOR -L- PROFILE
SEE SHEET 41 FOR Y5 PROFILE
SEE SHEET 42 FOR Y5DRI PROFILE

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 16 OF 105

NC GRID
NAD 83/95

ENGLISH

- DENOTES EXCAVATION IN WETLAND
- DENOTES MECHANIZED CLEARING
- DENOTES FILL IN SURFACE WATER
- DENOTES TEMPORARY FILL IN SURFACE WATER

MATCHLINE TO SHEET 20
-Y5- STATION 19+00

SITE 1

CHANNEL IMPROVEMENT SEE DETAIL GG

PDE

REMOVE

RETAIN

Adj. MH

36" RCP

30" RCP

24" RCP

DUCT

REM. CB

CB

POST

LT

PROPOSED 9'x6' RCBC

MSA

WOODS

95+00

100+00

105+00

75+00

BEGIN SBG
15+00 LT -Y5-

15" RCP

18" RCP

2GI

RETAIN

EXISTING RCP

REMOVE

BST

LATERAL Y DITCH
SEE DETAIL A

SITE 2

25+00

CHANNEL IMPROVEMENT SEE DETAIL AA

EXISTING R/W

LATERAL BASE DITCH
SEE DETAIL D

CLASS B RIP RAP
EXT 2 TONS
EST 7 SY FF

SPECIAL CUT BASE DITCH
SEE DETAIL I

15" CSP
W/ELBOWS
& ROD
& LUG

COLLAR

NOTE: PROVIDE 4" CIRCULAR DECK DRAINS 12' O.C.
12' ACROSS BRIDGE ON RT SIDE ONLY.
USE 12" U.V. RESISTANT PVC TRUNKLINE AS COLLECTOR PIPES

3GI

MSA

FS
SEE DETAIL II

SPECIAL CUT DITCH
SEE DETAIL G

PROPOSED 9'x6' RCBC

DRAWDOWN LIMITS

RIP RAP @ EMBANKMENT
SEE DETAIL V

CHANNEL IMPROVEMENT
SEE DETAIL AA

MWA

(27)
BIOGEN REALTY LLC

(26)
MAYO, NATHANIEL HEIRS

SITE 3

BEGIN SBG
STA. 108+06 LT -L-

24"

2GI

FS
SEE DETAIL NN

W/ELBOWS
& ROD
& LUG

BERM DITCH
SEE DETAIL R

LIMIT OF CONSTRUCTION

MWB

MATCHLINE TO SHEET 5
-L- STATION 109+00

5/18/2008
8:04:37 AM n:\hydraulics\permit\U4763_hyd_pmt_PSH04a_wet.dgn

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERING & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 17 OF 105

NC GRID
NAD 83/95

ENGLISH

- DENOTES EXCAVATION IN WETLAND
- DENOTES MECHANIZED CLEARING
- DENOTES FILL IN SURFACE WATER
- DENOTES TEMPORARY FILL IN SURFACE WATER

MATCHLINE TO SHEET 20 -Y5- STATION 19+00

MATCHLINE TO SHEET 5 -L- STATION 109+00

SITE 1

SITE 2

SITE 3

MSA

MWA

MWB

CHANNEL IMPROVEMENT SEE DETAIL GG

REMOVE

PDE

PROPOSED 9'x6' RCBC

RETAIN

Adj. Wid

ZERO DUCT

GRIN SBG -L- STA. 98+60.00 LT -Y5-

15" RCP

18" RCP

2GI

3GI

FS SEE DETAIL II

LATERAL V DITCH SEE DETAIL A

LATERAL BASE DITCH SEE DETAIL D

CLASS B RIP RAP EXT 2 TONS EST 7 SY FF

15" CSP WELDOWS & ROD & LUG

COLLAR

NOTE: PROVIDE 4" CIRCULAR DECK DRAINS 12' O/C 12' ACROSS BRIDGE ON RT SIDE ONLY USE 12" U.V. RESISTANT PVC TRUNKLINE AS COLLECTOR PIPES

SPECIAL CUT BASE DITCH SEE DETAIL I

BEGIN SBG STA. 108+06 LT -L-

SPECIAL CUT DITCH SEE DETAIL G

DRAWDOWN LIMITS

RIP RAP @ EMBANKMENT SEE DETAIL V

CHANNEL IMPROVEMENT SEE DETAIL AA

SEE DETAIL NN

BERM DITCH SEE DETAIL K

LIMIT OF CONSTRUCTION

BIOGEN REALTY LLC

MAYO, NATHANIEL HEIRS

WOODS

5/9/2008 11:51:47 AM n:\hydraulics\permit\u4763_hyd_plsht4a_wet.dgn

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	155

Sheet 18 of 105



3/18/2008
11:03:25 AM
c:\projects\permit\U4763_HYD_Prm_L-RT_xpl.DGN

SITE 1 -Y5DR1- STA 11+28

ENGLISH

MULKEY
ENGINEERS & CONSULTANTS
NC Firm C-3107
SC Firm 2687
(919) 851-1212
(919) 851-1918 FAX
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 19 OF 105



PROFILE ALONG STRUCTURE

SITE 2 -L- STA 99+37

ENGLISH

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 20 OF 105



PROFILE ALONG STRUCTURE

STREAM & WETLAND IMPACTS

MULKEY ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	5
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 21 OF 105

NC GRID NAD 83/95

REVISIONS

MATCHLINE TO SHEET 4 -L- STATION 109+00

MATCHLINE TO SHEET 6 -L- STATION 123+00

110+00 115+00 10+00 120+00

(27) BIOGEN REALTY LLC

(31) BIOGEN REALTY LLC

(26) MAYO, NATHANIEL HEIRS

(28) KCR INVESTORS LLC

WOODS

SITE 4

MSBA

CLASS B RIP RAP EST 5 TONS EST 14 SY FF

24" CSP wELBOWS & ROD & LUG

END SBG STA. 113+00 LT -L-

TAIL DITCH SEE DETAIL P

SPECIAL LATERAL V DITCH SEE DETAIL F

FS SEE DETAIL II

FS SEE DETAIL NN

FS SEE DETAIL MM

BERM DITCH SEE DETAIL R

BERM DITCH SEE DETAIL S

HEAD DITCH SEE DETAIL O

FILL DIRT DLC

-YIRPC-

-YIRPD-

-L-

ENGLISH

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY FILL IN SURFACE WATER

SEE SHEET 32 FOR -L- PROFILE
SEE SHEET 45 FOR -YIRPC- PROFILE
SEE SHEET 46 FOR -YIRPD- PROFILE

ii0450 AM r:\hydraulics\permit\U4763_Hyd_prf_PSH05_wet.dgn
3/18/2008

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33157
Raleigh, NC 27636
(919) 851-1918
(919) 851-7536 (FAX)
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	5
RW SHEET NO.	

ROADWAY DESIGN ENGINEER

HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 22 OF 105

NC GRID NAD 83/95

REVISIONS

MATCHLINE TO SHEET 4 -L- STATION 109+00

MATCHLINE TO SHEET 6 -L- STATION 123+00

BIOGEN REALTY LLC (27)

BIOGEN REALTY LLC (31)

MAYO, NATHANIEL HEIRS (26)

KOR INVESTORS LLC (28)

SITE 4

CLASS B RIP RAP
EST 5 TONS
EST 14 SY FF

24" CSP wELBOWS & ROD & LUG

END SEG STA. 113+00 LT.

TAIL DITCH SEE DETAIL P

CLASS B RIP RAP
EST 5 TONS
EST 14 SY FF

SPECIAL LATERAL V DITCH SEE DETAIL P

BERM DITCH SEE DETAIL R

HEAD DITCH SEE DETAIL O

BERM DITCH SEE DETAIL S

SEE DETAIL II

SEE DETAIL NN

SEE DETAIL MM

-YIRPC-

-MRPD-

WOODS

ENGLISH

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY FILL IN SURFACE WATER

SEE SHEET 32 FOR -L- PROFILE
SEE SHEET 45 FOR -YIRPC- PROFILE
SEE SHEET 46 FOR -MRPD- PROFILE

3/18/2008 8:56:02 AM n:\hydraulics\parallel\U4763_hyd_dnr_PSH05_wet.dgn

STREAM & WETLAND IMPACTS

REVISIONS

MULKEY

PROJECT REFERENCE NO. U-4738 | SHEET NO. 6

INCOMPLETE PLANS

PRELIMINARY PLANS

SHEET NO. 105

ENGLISH

MATCHLINE TO SHEET 22 -Y1- STATION 227+50

MATCHLINE TO SHEET 5 -L- STATION 123+00

MATCHLINE TO SHEET 7 -L- STATION 181+00

SITE 5

SITE 6

SITE 7

SITE 8

SITE 9

MSB

MSBB

MSC

MWF

MWD

MSCB

MSCC

MSCA

MPA

MPB

WAKE COUNTY
DURHAM COUNTY

SEE SHEETS 32,33,& 34 FOR -L- PROFILE
SEE SHEET 45 FOR -Y1- PROFILE
SEE SHEET 46 FOR -Y2PC- PROFILE
SEE SHEET 47 FOR -Y2PD- PROFILE
SEE SHEET 48 FOR -Y3- PROFILE
SEE SHEET 49 FOR -Y4- PROFILE

STREAM & WETLAND IMPACTS

MULKEY

PROJECT REFERENCE NO. U-4738 | SHEET NO. 6

INCOMPLETE PLANS — PRELIMINARY PLANS

SHEET 6 OF 105

ENGLISH

MATCHLINE TO SHEET 22 -Y1- STATION 227+50

MATCHLINE TO SHEET 5 -L- STATION 123+00

MATCHLINE TO SHEET 7 -L- STATION 149+00

SITE 6 MSC

SITE 8 MSCC

SITE 9 MSCB

SITE 10 MSB

MSBB

MWF

MWD

MSCA

SITE 7

MPA

MPB

WAKE COUNTY
DURHAM COUNTY

BIOGEN REALTY LLC

DAVIS PARK ASSOC. LIMITED PARTNERSHIP

BIOGEN IDEC REALTY LLC

ORE KEYSTONE TECHNOLOGY PARK THREE LLC

ORE KEYSTONE TECHNOLOGY PARK TWO LLC

KEYSTONE TECH PARK OWNER ASSOC. & KEYSTONE BARBADOS PARK

KEYSTONE OFFICE 600-2400 LLC

SEE SHEETS 32,33 & 34 FOR -L- PROFILE
SEE SHEET 43 FOR -Y1- PROFILE
SEE SHEET 45 FOR -Y1RPD- PROFILE
SEE SHEET 46 FOR -Y1PD- PROFILE
SEE SHEET 47 FOR -SR 1- PROFILE
SEE SHEET 48 FOR -SR 2- PROFILE

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1918 PHONE
WWW.MULKEYENGR.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 25 OF 105

NC GRID
NAD 83/95

ENGLISH

- DENOTES TEMPORARY IMPACTS IN SURFACE WATER
- DENOTES FILL IN WETLAND
- DENOTES FILL IN SURFACE WATER

SITE 5
MSB

SITE 6
MSC

MWF

MSBB

MPA

MATCHLINE TO SHEET 5 -L- STATION 123+00

MATCHLINE TO SHEET 7 -L- STATION 135+00

15+00 | 20+00 | 25+00 | 130+00 | 135+00

BIOGEN RTP REALTY LLC (49)

KCR INVESTORS LLC (28)

BIOGEN REALTY LLC (30)

DAVIS PARK ASSOC. LIMITED PARTNERSHIP (50)

WAKE COUNTY
DURHAM COUNTY

-YIRPC-
-YIRPD-

CHANNEL IMPROVEMENT SEE DETAIL BB
CLASS B RIP RAP EST 3 TONS EST 10 SY FF
LATERAL BASE DITCH SEE DETAIL C
SPECIAL CUT DITCH SEE DETAIL G
LATERAL BASE DITCH SEE DETAIL D
CLASS B RIP RAP EST 1 TONS EST 5 SY FF
BEGIN SBG STA. 14+55 LT -YIRPC-
15" CSP W/ELBOWS & ROD & LUG
END SBG STA. 18+18 LT -YIRPC-
PROPOSED 2 @ 9'x8' RCBC
MEDIAN DITCH SEE DETAIL T
SPECIAL CUT DITCH SEE DETAIL G
SEE DETAIL II
BEGIN SBG STA. 11+00 RT -YIRPD-
18" CSP W/ELBOWS & ROD & LUG
END SBG STA. 15+00 RT -YIRPD-
STANDARD BASE DITCH SEE DETAIL M
CHANNEL IMPROVEMENT SEE DETAIL BB
CLASS B RIP RAP EST 2 TONS EST 7 SY FF
CLASS B RIP RAP EST 3 TONS EST 10 SY FF
LATERAL BASE DITCH SEE DETAIL D
STEPS
RIPRAP
WOODS
CHANNEL IMPROVEMENT SEE DETAIL DD
TAIL DITCH DITCH SEE DETAIL P
SPECIAL CUT BASE DITCH SEE DETAIL I
BEGIN SBG STA. 24+56 LT -YIRPC-
CLASS B RIP RAP EST 2 TONS EST 7 SY FF
15" CSP W/ELBOWS & ROD & LUG
BEGIN SBG STA. 28+00 LT -YIRPC-
MEDIAN DITCH SEE DETAIL T
PROPOSED 2 @ 8'x7' RCBC
TAKEN FROM U-3826 SITE 7
CLASS B RIP RAP EST 3 TONS EST 10 SY FF
HEAD DITCH SEE DETAIL O
LATERAL V DITCH SEE DETAIL A
LATERAL BASE DITCH SEE DETAIL J
SPECIAL CUT BASE DITCH SEE DETAIL I
SPECIAL CUT DITCH SEE DETAIL G
BEGIN SBG STA. 134+00 LT -L-
BEGIN SBG STA. 138+12 RT -L-
CLASS IV WETLAND MITIGATION
GRADE CUT DITCH TO DRAIN
HEAD DITCH DITCH SEE DETAIL O
CLASS B RIP RAP EST 1 TONS EST 5 SY FF

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33727
Raleigh, NC 27636
(919) 851-1815
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	-
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 26 OF 105

NC GRID
NAD 83/95

ENGLISH

DENOTES TEMPORARY IMPACTS IN SURFACE WATER
DENOTES FILL IN WETLAND
DENOTES FILL IN SURFACE WATER

SITE 5
MSB
SITE 6
MSC
MSBB
MWF
MPA

CHANNEL IMPROVEMENT SEE DETAIL BB
LATERAL BASE DITCH SEE DETAIL D
CLASS B RIP RAP EST 3 TONS EST. 10 SY FF
LATERAL BASE DITCH SEE DETAIL C
SPECIAL CUT DITCH SEE DETAIL G
SPECIAL CUT BASE DITCH SEE DETAIL I
CHANNEL IMPROVEMENT SEE DETAIL DD
TAIL DITCH DITCH SEE DETAIL P
CLASS B & EST 3 TONS EST 10 SY FF
MEDIAN DITCH SEE DETAIL T
BEGIN SBG STA. 28+00 LT -YIRPC-
15" CSP W/ELBOWS & RODS & JUG
PROPOSED 2 @ 8'-0" X 8'-0" RCBC
TAKEN FROM U-3826 SITE 7
HEAD DITCH SEE DETAIL O
LATERAL V. DITCH SEE DETAIL A
BEGIN SBG STA. 24+56 LT -YIRPC-
BEGIN SBG STA. 144+55 LT -YIRPC-
END SBG STA. 18+18 LT -YIRPC-
BEGIN SBG STA. 134+00 LT -L-
BEGIN SBG STA. 138+12 RT -L-
PROPOSED 4 @ 9'-0" RCBC
MEDIAN DITCH SEE DETAIL S
MEDIAN DITCH SEE DETAIL T
BEGIN SBG STA. 11+00 RT -YIRPC-
END SBG STA. 15+00 RT -YIRPC-
STANDARD BASE DITCH SEE DETAIL M
GRADE CUT DITCH TO DRAIN
HEAD DITCH DITCH SEE DETAIL O
CLASS B RIP RAP EST 1 TONS EST 5 SY FF
LATERAL BASE DITCH SEE DETAIL Q
CLASS B RIP RAP EST 2 TONS EST 7 SY FF
CLASS B RIP RAP EST 3 TONS EST 10 SY FF
CLASS B RIP RAP EST 19 SY FF
RIP RAP
TOPSOIL
SUBSOIL
WOODS
POND
2GI
YIRPC
YIRPD

BIOGEN RTP REALTY LLC (49)
KCR INVESTORS LLC (28)
BIOGEN REALTY LLC (30)
DAVIS PARK ASSOC. LIMITED PARTNERSHIP (50)

WAKE COUNTY
DURHAM COUNTY

MATCHLINE TO SHEET 5
MATCHLINE TO SHEET 7

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS
PO BOX 1207, RALEIGH, NC 27602
PHONE: 919-847-2157 FAX: 919-847-7638
WWW.MULKEYENGINEERS.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 27 OF 105

ENGLISH

DENOTES FILL IN WETLAND

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY IMPACTS IN SURFACE WATER

MATCHLINE TO SHEET 22 -Y1- STATION 227+50

MATCHLINE TO SHEET 7 -L- STATION 149+00

SITE 8 MSCC

SITE 9 MSCB

SITE 6 MWD

MSC

MSCB

MWD

-SR 2-

-SR 1-

EISAI, INC.

NC GRID NAD 83/95

15+00

145+00

20+00

230+00

235+00

151+00

CLASS B RIP RAP EST 11 TONS EST 20 SY FF

TAIL DITCH SEE DETAIL F CLASS I RIP RAP EST 40 TONS EST 75 SY FF

CHANNEL IMPROVEMENT SEE DETAILS CC & DD

RIP RAP EMBANKMENT SEE DETAIL V

SPECIAL CUT BASE DITCH SEE DETAIL J

SPECIAL LATERAL BASE DITCH SEE DETAIL L

TRADE CUT DITCH TO DRAIN

REMOVE 44 LF OF 12" HDPE

50' OF HEAD DITCH

10' CSC 2 FT BASE W/3:1 SIDES SEE DETAIL G

SPECIAL CUT DITCH SEE DETAIL G

TAKEN FROM U-4826

TAKEN FROM U-4826 SITE 7

BEGIN RETAINING WALL -Y1- STA 233+60.41

BEGIN SBG 138+12 RT -L-

BEGIN SBG STA. 139+12 RT -L-

BEGIN SBG STA. 14+00 RT -SR1-

END SBG STA. 17+80 RT -SR1-

END RETAINING WALL -Y1- STA 234+24.21

RETAINING WALL STA 233+60.41

LATERAL V DITCH SEE DETAIL A

PROPOSED 2 @ 7'x7' RCBC

STANDARD V DITCH SEE DETAIL B

CHANNEL IMPROVEMENT SEE DETAIL CC

CUT DITCH WL G

DITCH A

401 END EXPRESSWAY GUTTER

WOODS

RTF

FS SEE DETAIL II

FS SEE DETAIL MM

3/18/2008 8:05:57 AM r:\hydraulics\permit\U4763_Hyd.prt LPS106b_wet.dgn

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	-
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 28 OF 105

ENGLISH

DENOTES FILL IN WETLAND

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY IMPACTS IN SURFACE WATER

MATCHLINE TO SHEET 22 -Y1- STATION 227+50

MATCHLINE TO SHEET 7 -L- STATION 149+00

NC GRID NAD 83/95

SITE 8

SITE 9

SITE G

EISAI, INC.

MWD

MSC

MSCC

MSCB

TAKEN FROM U-4826 SITE 7

CLASS B RIP RAP EST 11 TONS EST 28 SY FF

TAIL DITCH SEE DETAIL E

CLASS I RIB RAP EST 40 TONS EST 75 SY FF

CHANNEL IMPROVEMENT SEE DETAILS CC & DD

RIP RAP EMBANKMENT SEE DETAIL V

BEGIN RETAINING WALL -Y1- STA. 227+50

BEGIN SBG STA. 138+12 RT -L-

BEGIN SBG STA. 139+12 RT -L-

END RETAINING WALL -Y1- STA. 231+24.27

RETAINING WALL STA. 233+60.41

PROPOSED 2 @ 7'X7' RCBC

LATERAL V DITCH SEE DETAIL A

STANDARD V DITCH SEE DETAIL B

CHANNEL IMPROVEMENT SEE DETAIL CC

REMOVE 44 LF OF 12" HDPE

30' FF HEAD DITCH W/ CLASS 2 FL BASE W/ 2:1 SIDES SEE DETAIL D

SPECIAL CUT DITCH SEE DETAIL G

GRADE CUT DITCH TO DRAIN

SPECIAL LATERAL BASE DITCH SEE DETAIL L

SPECIAL CUT BASE DITCH SEE DETAIL J

CUT DITCH -L- G

DITCH -A-

RETAINING WALL #1 SEE SHEET 22

END SBG STA. 134+80 RT -SR1-

END SBG STA. 142+80 RT -SR1-

FS SEE DETAIL II

FS SEE DETAIL III

FS SEE DETAIL IIIA

2 - 24" w/ELBOWS & ROD & LUG

2 - 18" w/ELBOWS & ROD & LUG

WOODS

3/18/2008 8:51:21 AM n:\hydraulics\permit\U4763_hyd_pr_PSH06b_wet.dgn

STREAM & WETLAND IMPACTS

MULKEY ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	-
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 29 OF 105

NC GRID NAD 83/95

ENGLISH

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY IMPACTS IN SURFACE WATER

SITE 6

SITE 7

MATCHLINE TO SHEET 7 -L- STATION 149+00

235+00 240+00 245+00 15+00

-SR 1-

LATERAL V DITCH SEE DETAIL A

STANDARD V DITCH SEE DETAIL B

CHANNEL IMPROVEMENT SEE DETAIL CC

LATERAL BASE DITCH SEE DETAIL D

CLASS B RIP RAP EST 9 TONS EST 14 SY FES

CLASS B RIP RAP ON BANKS ONLY EST 17 TONS EST 29 SY FES

TOE PROTECTION W/ PERMANENT SOIL REINFORCEMENT MAT EST 117 SY SEE DITCH DETAIL Z

TAKEN FROM U-4828 SIDE B

REMOVE EX ENDWALL

MSCA

MPB

WOODS

POND

(44) RTF

(48) DAVIS DRIVE ASSOC, LLC

(47) KEYSTONE OFFICE 100-200 LLC

(54) CARY ENGINEERING DEPT.

(55) KEYSTONE TECH PARK OWNER ASSOC. & KEYSTONE WAREHOUSE PARK

(56) KEYSTONE TECH PARK OWNER ASSOC. & KEYSTONE WAREHOUSE PARK

3/6/2008 8:06:20 AM n:\hydraulics\permit\U4763_HydLdrln_PSHSEc_west.dgn

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 30 OF 105

NC GRID
NAD 83/95

ENGLISH

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY IMPACTS IN SURFACE WATER

SITE 6

SITE 7

MATCHLINE TO SHEET 7
-L- STATION 149+00

MSCA

MPB

DAVIS DRIVE ASSOC, LLC

KEYSTONE OFFICE 100-200 LLC

CARY ENGINEERING DEPT.

KEYSTONE TECH PARK OWNER ASSOC. & KEYSTONE WAREHOUSE PARK

TOE PROTECTION W/ PERMANENT SOIL REINFORCEMENT MAT EST. 187 SY SEE DITCH DETAIL Z

LATERAL V DITCH SEE DETAIL A

STANDARD V DITCH SEE DETAIL B

CHANNEL IMPROVEMENT SEE DETAIL CC

CLASS B RIP RAP EST 6 TONS EST 14 SY FES

LATERAL BASE DITCH SEE DETAIL D

CLASS I RIP RAP ONE BANK ONLY EST. 17 TONS EST. 29 SY FES

TAKEN FROM U-4826-SIDE B

BEGIN SRG STA 241+90 RT -SR1-

END SRG STA 17+80 RT -SR1-

REMOVE EX ENDWALL

RETAIN FES

RETAIN

COLLAR

STEPS

2 S BHS

3/18/2008 8:11:48 AM n:\hydraulics\permit\U4763_Hyd_prm_PSIDSc_wet.dgn

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	24

Sheet 31 of 105



2/18/2008
11:02:31 AM
T:\Projects\permit\U4763_HYD_Prm_L-LT_xpl.DGN

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	25

Sheet 32 OF 105



8/18/2008
11:02:31 AM
E:\Projects\permit\U4763_HYD_Prm_L-LT_xpl.DGN

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	26

Sheet 33 of 105


350
340
330
320
310
300
290
280
WL6
WL5
WL4
WL3
WL2
WL1
PL
PL
PL

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	29

Sheet 34 of 105

MATCH LINE SHEET 30

D.E. LETTS ENT. FOURTH

294.98

296.12

140+00.00

139+50.00

-L- LEFT

3/18/2008
11:18:17 AM
C:\Highways\projects\permit\U4763_HYD_Prm_L-LT2.xpl.DGN

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	31

Sheet 35 OF 105

MATCH LINE SHEET 32

MATCH LINE SHEET 32

292.94
292.54

141+00.00

293.12
291.24

140+50.00

-L- LEFT

3/18/2008
11:02:17 AM
T:\projects\U4763_HYD_Prm_L-LT2_xpl.DGN

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	33

Sheet 36 of 105

MATCH LINE SHEET 34

MATCH LINE SHEET 34

293.42

142+00.00

292.91

141+50.00

L- LEFT

9/18/2008
11:02:18 AM
X:\Highways\permit\U4763_HYD_Prm_L-LT2.xpl.DGN

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	35

Sheet 37 of 105



8/18/2008
11:02:19 AM
E:\Projects\permit\U4763_HYD_Prm_L-LT2_xpl.DGN

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	180

Sheet 38 of 105



3/16/2008
11:02:39 AM
c:\projects\permits\U4763_HYD_Prm_L-RT2_xpl.DGN

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	181

Sheet 39 OF 105



3/16/2008
11:02:38 AM
\\hydroplus\permits\U4763_HYD_Prm_L-RT2_xpl.DGN

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	322

Sheet 40 of 105



3/18/2008
11:03:30 AM
C:\Projects\permit\U4763_HYD_Prm_Y1RPC_xpl.DGN

8/23/99

0 5 10	PROJ. REFERENCE NO.	SHEET NO.
	U-4763	323

Sheet 41 OF 105



3/18/2008
11:39:30 AM
C:\Projects\permit\U4763_HYD_Prm_Y1RPC_xpl.DGN

SITE 5 -L- STA 124+97

ENGLISH

U-4763B

R/W SHEET NO.

ROADWAY DESIGN ENGINEER | HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 42 OF 105



PROFILE ALONG STRUCTURE

SITE 6 –L– STA 142+53

ENGLISH

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1212
(919) 851-1212 (FAX)
WWW.MULKEYINC.COM

U-4763B

R/W SHEET NO.

ROADWAY DESIGN ENGINEER | HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 43 OF 105



PROFILE ALONG STRUCTURE

SITE 6 -Y1- STA 229+85

ENGLISH

MULKEY
ENGINEERS & CONSULTANTS

U-4763B

RW SHEET NO.

ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 44 OF 105



PROFILE ALONG STRUCTURE

SITE 8 –SR2– STA 14+65

ENGLISH

MULKEY
ENGINEERS & CONSULTANTS
PO Box 83127
Raleigh, NC 27676
(919) 851-1912
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM

U-4763B

R/W SHEET NO.

ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 45 OF 105



PROFILE ALONG STRUCTURE

MULKEY

PROJECT REFERENCE NO. U-4763B | SHEET NO. 7

INCOMPLETE PLANS
PRELIMINARY PLANS
SHEET #6 OF 105

ENGLISH

STREAM & WETLAND IMPACTS

MATCHLINE TO SHEET 24
-Y2- STATION 50+00

MATCHLINE TO SHEET 6
-L- STATION 165+00

MATCHLINE TO SHEET 8
-L- STATION 176+00

MATCHLINE TO SHEET 25
-Y2- STATION 65+00

SITE 10
MSCBA

MSCB-INT

SITE 9

NSD-INT

SITE 11

NWB

DUKE POWER CO. EASEMENT

KEYSTONE OFFICE 400-200 LLC

KEYSTONE OFFICE 605-200 LLC

KEYSTONE OFFICE 300 LLC

THC ASSOCIATES LLC

DAVIS-ROCKWELL THC LLC

MCKINLEY COX, ET UX

THC ASSOC LLC

SEE SHEET 34 & 35 FOR -L- PROFILE
SEE SHEET 47 FOR -SR 1- PROFILE
SEE SHEET 48 FOR -SR 2- PROFILE
SEE SHEET 50 & 51 FOR -Y2- PROFILE
SEE SHEET 52 FOR -Y2RPA- PROFILE
SEE SHEET 53 FOR -Y2RPB- PROFILE

MULKEY

PROJECT REFERENCE NO. U-4838 | SHEET NO. 7

INCOMPLETE PLANS
DO NOT USE FOR CONSTRUCTION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 42 OF 105

ENGLISH

STREAM & WETLAND IMPACTS

MATCHLINE TO SHEET 24 -Y2- STATION 50+00

MATCHLINE TO SHEET 6 -L- STATION 169+00

MATCHLINE TO SHEET 8 -L- STATION 176+00

MATCHLINE TO SHEET 25 -Y2- STATION 65+00

SITE 10
MSCBA

MSCB-INT

SITE 9

NSD-INT

SITE 11

NWB

SEE SHEET 34 & 35 FOR -L- PROFILE
SEE SHEET 47 FOR -SA L- PROFILE
SEE SHEET 48 FOR -SA R- PROFILE
SEE SHEET 50 & 51 FOR -Y2- PROFILE
SEE SHEET 52 FOR -Y2RPA- PROFILE
SEE SHEET 53 FOR -Y2RPB- PROFILE

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 48 OF 105

SITE 10

SITE 9

ENGLISH

NC GRID NAD 83/95

DENOTES FILL IN SURFACE WATER

MSCBA

MSCB-INT

-SR 2-

-SR 1-

-L-

MATCHLINE TO SHEET 6 -L- STATION 149+00

150+00 | 25+00 | 155+00 | 160+00 | 20+00 | 25+00 | 55+00

LATERAL BASE DITCH SEE DETAIL D

LATERAL BASE DITCH SEE DETAIL C

SPECIAL LATERAL BASE DITCH SEE DETAIL C

RIP RAP EMBANKMENT SEE DETAIL V

CLASS B RIP RAP EST 2 TONS EST 7 SY FF

LATERAL 'V' DITCH SEE DETAIL B

LATERAL 'V' DITCH SEE DETAIL A

LATERAL V DITCH SEE DETAIL B

SPECIAL RIP SEE DETAIL JJ

END SBG STA. 160+05 LT -L-

BEGIN SBG STA. 161+36 RT -L-

REMOVE

2GI Conv. CB To 2GI

Point CB To JB

POWER TOWER #23

POWER TOWER #24

POWER TOWER #26

GUY

DUKE POWER CO. EASEMENT

WOODS

RTF

GRADE TO DRAIN

18" RCP

30" CAG

POST

EIP

CB

2GI

15" CSP WELBOWS

18" CSP WELBOWS

3/28/2008 11:01:10 AM n:\hydraulics\permit\U4763_Hyd_pr_PS107a_wet.dgn

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 149 OF 105

SITE 10

SITE 9

ENGLISH

NC GRID
NAD 83/95

MSCBA

MSCB-INT

SR 2

SR 1

MATCHLINE TO SHEET 6
-L- STATION 149+00

MATCHLINE TO SHEET 8
-L- STATION 161+00

DUKE POWER CO. EASEMENT

POWER TOWER

EMBANKMENT DETAIL V

LATERAL BASE DITCH SEE DETAIL D

LATERAL BASE DITCH SEE DETAIL C

SPECIAL LATERAL BASE DITCH SEE DETAIL C

RIP RAP EMBANKMENT SEE DETAIL V

DENOTES FILL IN SURFACE WATER

CLASS B RIP RAP EST 2 TONS EST 7 SY FF

LATERAL 'V' DITCH SEE DETAIL B

LATERAL BASE DITCH SEE DETAIL C

FS SEE DETAIL FOW

END SBG STA 160+05 LT

BEGIN SBG STA 161+36 RT

LATERAL 'V' DITCH SEE DETAIL B

2GI Conv. CB To 2GJ

REMOVE

GRADE TO DRAIN

WOODS

3/9/2008 8:18:45 AM n:\hydraulics\permit\U4763_Hyd_pr_PSHOTo_wet.dgn

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 50 OF 105

ENGLISH

DENOTES FILL IN SURFACE WATER

STREAM & WETLAND IMPACTS



MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 51 OF 105

STREAM & WETLAND IMPACTS

ENGLISH

DENOTES FILL IN SURFACE WATER

NSD-INT

SITE 11

MULKEY
ENGINEERING & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	8
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 52 OF 105

STREAM & WETLAND IMPACTS

ENGLISH

WOODS DENOTES FILL IN SURFACE WATER

NC GRID NAD 83/95

SITE 11

NSD-INT

NSD-PER

NSF

-Y2RPA-

-Y2RPB-

-L-

MATCHLINE TO SHEET 7 -L- STATION 176+00

MATCHLINE TO SHEET 9 -L- STATION 190+00

180+00 185+00 190+00 20+00 15+00 10+00

LATERAL BASE DITCH SEE DETAIL D

RIP RAP EMBANKMENT SEE DETAIL V

BERM DITCH SEE DETAIL R

BDO

15" CSP WELBOWS & ROD & LUG

CLASS I RIP RAP EST 26 TONS EST 50 SY FF BEGIN SBG STA 180+01 -L- LT

SPECIAL LATERAL V DITCH SEE DETAIL E

LATERAL V DITCH SEE DETAIL B

BEGIN SBG STA. 195+00 RT -L-

F5 SEE DETAIL II

UNITED STATES OF AMERICA (41)

RTF (36)

WOODS

BRUSH

GATE

CGWC

PILE

EIP

HW

RW

CA

200.00'

SEE SHEET 35 & 36 FOR -L- PROFILE
SEE SHEET 52 FOR -Y2RPA- PROFILE
SEE SHEET 53 FOR -Y2RPB- PROFILE

5/28/2008 10:55:55 AM n:\hydraulics\permit\U4763\dgn\U4763_layout.prn_PSH08_west.dgn

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	8
R/W SHEET NO.	

ROADWAY DESIGN ENGINEER | HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 53 OF 105

STREAM & WETLAND IMPACTS

ENGLISH

WOODS DENOTES FILL IN SURFACE WATER

NC GRID NAD 83/95

SITE 11

NSD-INT

NSF

NSD-PER

UNITED STATES OF AMERICA

MATCHLINE TO SHEET 7 -L- STATION 176+00

MATCHLINE TO SHEET 9 -L- STATION 190+00

LATERAL BASE DITCH SEE DETAIL D

RIP RAP EMBANKMENT SEE DETAIL V

BERM DITCH SEE DETAIL R

SPECIAL LATERAL V-DITCH SEE DETAIL B

LATERAL V-DITCH SEE DETAIL B

CLASS I RIP-RAP EST 26 TONS EST 50 SY FT BEGIN SBG STA 180+00 LT

15" CSP W/ELBOWS & ROD & LUG

FS SEE DETAIL II

BEGIN SBG STA. 185+00 RT -L-

-Y2RPA-

-Y2RPB-

-L-

200.00'

SEE SHEET 35 & 36 FOR -L- PROFILE
SEE SHEET 52 FOR -Y2RPA- PROFILE
SEE SHEET 53 FOR -Y2RPB- PROFILE

8:40 AM n:\hydraulics\varnall\U4763_hyd_prm_PSHA_wet.dgn 7/28/2008

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	9
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS — NOT FOR CONSTRUCTION

PRELIMINARY PLANS — DO NOT USE FOR CONSTRUCTION

SHEET 54 OF 105

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

NC GRID NAD 83/95

MATCHLINE -L- STA. 190+00 SEE SHEET 8

MATCHLINE -L- STA. 204+00 SEE SHEET 10

195+00

200+00

(11) UNITED STATES OF AMERICA

(39) UNITED STATES OF AMERICA

(36) RTF

(6-1) BASF CORPORATION DIVISION

SITE 11

SITE 12

LATERAL V DITCH SEE DETAIL A

LATERAL BASE DITCH SEE DETAIL C

LATERAL BASE DITCH SEE DETAIL D

LATERAL BASE DITCH SEE DETAIL E

SPECIAL CUT BASE DITCH SEE DETAIL I

SPECIAL CUT DITCH SEE DETAIL H

SPECIAL CONCRETE SWALE SEE DETAIL KK

PROP. NOISE WALL

2 TONS CL B RIPRAP W/7 SY FIL FAB

1 TONS CL B RIPRAP W/5 SY FIL FAB

570 TONS CL I RIPRAP W/120 SY FIL FAB RIPRAP ON BANKS ONLY

5 TONS CL B RIPRAP W/14 SY FIL FAB

RIPRAP EMBANKMENT SEE DETAIL Y 134 TONS CL I RIPRAP W/89 SY FIL FAB

3 TONS CL B RIPRAP W/11 SY FIL FAB

2 ELBOWS W/ROD AND LUG

FS SEE DETAIL II

CONC MON

ENGLISH

DENOTES FILL IN WETLAND

DENOTES MECHANIZED CLEARING

DENOTES EXCAVATION IN WETLAND

DENOTES TEMPORARY IMPACTS IN SURFACE WATER

DENOTES IMPACTS IN SURFACE WATER

NOTE: PROPOSED DITCH IN WETLANDS (SITE 12) LESS THAN 1' DEEP. THEREFORE, NO DRAW DOWN OF THE EXISTING WETLAND WILL OCCUR

FOR -L- PROFILE SEE SHT. 36

FOR DITCH DETAILS SEE SHT. 2-O

FOR RETAINING WALL ENVELOPE SEE SHT. 2-O

PLANS PREPARED BY :
RUMMEL • KLEPPER & KAHL, LLP
consulting engineers
900 Ridgefield Drive Suite 350
RALEIGH, NORTH CAROLINA 27609-3960
(919) 878-9560
FOR
THE NORTH CAROLINA TURNPIKE AUTHORITY

I:\U4763B 09\Design\Permit\u4763_hyd_wet_permit_09.dgn
11/10/2008 09:59:59
User: jpaulis

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	9
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS DO NOT USE FOR RIGHT OF WAY ACQUISITION
PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION

SHEET 55 OF 105

MATCHLINE -L- STA. 190+00 SEE SHEET 8

MATCHLINE -L- STA. 204+00 SEE SHEET 10

UNITED STATES OF AMERICA (11)

UNITED STATES OF AMERICA (39)

195+00

200+00

NC GRID NAD 83/95

LATERAL V DITCH SEE DETAIL A

LATERAL BASE DITCH SEE DETAIL C

LATERAL BASE DITCH SEE DETAIL D

LATERAL BASE DITCH SEE DETAIL Z

PROP. NOISE WALL

SPECIAL CUT BASE DITCH SEE DETAIL I

SPECIAL CUT DITCH SEE DETAIL H

SPECIAL CONCRETE SWALE, 310 SEE DETAIL KK

2 TONS CL B RIPRAP W/7 SY FIL FAB

2 ELBOWS W/ROD AND LUG

1 TONS CL B RIPRAP W/8 SY FIL FAB

2 TONS CL B RIPRAP W/2 SY FIL FAB

170 TONS CL I RIPRAP W/120 SY FIL FAB
RIPRAP ON BANKS ONLY

5 TONS CL B RIPRAP W/14 SY FIL FAB

RIPRAP EMBANKMENT SEE DETAIL Y
134 TONS CL I RIPRAP W/89 SY FIL FAB

3 TONS CL B RIPRAP W/11 SY FIL FAB

SEE DETAIL I

SEE DETAIL II

SITE 11

SITE 12

NOTE: PROPOSED DITCH IN WETLANDS (SITE 12) LESS THAN 1' DEEP. THEREFORE, NO DRAW DOWN OF THE EXISTING WETLAND WILL OCCUR

ENGLISH

RTF (36)

BASF CORPORATION DIVISION (64)

DENOTES FILL IN WETLAND

DENOTES MECHANIZED CLEARING

DENOTES EXCAVATION IN WETLAND

DENOTES TEMPORARY IMPACTS IN SURFACE WATER

DENOTES IMPACTS IN SURFACE WATER

FOR -L- PROFILE SEE SHT. 36
FOR DITCH DETAILS SEE SHT. 2-O
FOR RETAINING WALL ENVELOPE SEE SHT. 2-O

PLANS PREPARED BY :
RUMMEL • KLEPPER & KAHL, LLP
consulting engineers
900 Ridgefield Drive Suite 350
RALEIGH, NORTH CAROLINA 27609-3960
(919) 876-9560
FOR:
THE NORTH CAROLINA TURNPIKE AUTHORITY

C:\Projects\Permits\u4763_hyd_wet_con_permit_09.dgn
10:04:02

PROJ. REFERENCE NO.	SHEET NO.
U-4763B	X-50

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE



R:23.W4
10/08/08 16:20:54
R:\projects\u4763_rdy_rpl_1_permit.dgn
jmcarter

PROJ. REFERENCE NO. U-4763B

SHEET NO. X-51

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

203+50.00

D.P. 293.231
285.50
291.30

203+00.00

D.P. 293.728
28 .16
292.03

202+50.00

D.P. 294.225
281.37
292.77
266.65

202+00.00

D.P. 294.722
289.53
293.50
268.11

201+50.00

D.P. 295.220
293.64

0.020 0.020 6:1 6:1 0.020 0.020

WLB

10-NOV-2008 16:02:26
J:\projects\projdwg\xsec\u4763_rdy_pl_permit.dgn
jmartin

SITE 11 –L– STA 189+90

ENGLISH

MULKEY
ENGINEERING & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 58 OF 105



PROFILE ALONG STRUCTURE

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	10
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
INCOMPLETE PLANS DO NOT USE FOR RIGHT OF WAY ACQUISITION OR CONSTRUCTION	
PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
SHEET 59	OF 105

ENGLISH

DENOTES FILL IN WETLAND

NC GRID NAD 83/95

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

MATCHLINE -L- STA. 204+00 SEE SHEET 9

MATCHLINE -L- STA. 218+00 SEE SHEET 11

SITE 14

SITE 13

UNITED STATES OF AMERICA (39)

BASF CORPORATION DIVISION (64)

HIGHWOODS REALTY LIMITED PARTNERSHIP (654)

FOR -L- PROFILE SEE SHTS. 36 & 37

PLANS PREPARED BY :
RUMMEL • KLEPPER & KAHL, LLP
consulting engineers
900 Ridgefield Drive Suite 350
RALEIGH, NORTH CAROLINA 27609-3960
(919) 878-9560
FOR
THE NORTH CAROLINA TURNPIKE AUTHORITY

ID: U4763B_lg00d5 - I:\Hydraulics\Permit\u4763_hyd_set_permit_10.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	10
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR LAND ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 60 OF 105

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

ENGLISH

F/F DENOTES FILL IN WETLAND

NC GRID NAD 83/95

SITE 14

SITE 13

MATCHLINE -L- STA. 204+00 SEE SHEET 9

MATCHLINE -L- STA. 218+00 SEE SHEET 11

UNITED STATES OF AMERICA (39)

BASF CORPORATION DIVISION (64)

HIGHWOODS REALTY LIMITED PARTNERSHIP (65A)

RTF (36)

CONC MON

SPECIAL CUT DITCH SEE DETAIL H

SPECIAL CUT DITCH SEE DETAIL G

TOE PROTECTION I SEE DETAIL Z

RIPRAP EMBANKMENT SEE DETAIL Y

2 ELBOWS W/ROD AND LUG

1 TON CL B RIPRAP W/5 SY FIL FAB

3 TONS CL B RIPRAP W/21 SY FIL FAB

CLASS II RIPRAP

15" RCCS 2 ELBOWS W/ROD AND LUG

FS SEE DETAIL II

SPECIAL FS SEE DETAIL JJ

FOR -L- PROFILE SEE SHTS. 36 & 37

PLANS PREPARED BY :
RUMMEL • KLEPPER & KAHL, LLP
consulting engineers
900 Ridgefield Drive Suite 350
RALEIGH, NORTH CAROLINA 27609-3960
(919) 878-9560
FOR
THE NORTH CAROLINA
TURNPIKE AUTHORITY

D:\projects\Permit\u4763_hyd_wet_con_permit_10.dgn

SHEET 61 OF 105

0 10 20

PROJ. REFERENCE NO.	SHEET NO.
U-4763B	X-53

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

Sheet 61 of 105



10/30/08 16:22:05
P:\Raleigh\Xsec\u4763_rdy_xpl_1_permit.dgn
Innovyze

0 10 20

PROJ. REFERENCE NO.	SHEET NO.
U-4763B	X-54

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE



10-09-08 16:22:32
R:\Roadway\Vsc\u4763_rdy_pll_parmts.dgn
jmeyer

0 10 20

PROJ. REFERENCE NO.	SHEET NO.
U-4763B	X-55

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

300 280 260 240 220 200 180 160 140 120 100 80 60 40 20 0 20 40 60 80 100 120 140 160 180 200 220 240 260 280 300

320 300 280 260

6:1 6:1 0.020 0.020 6:1 6:1 0.020 0.020 2:1

283.34

D.P. 285.276

271.47

211+50.00

5.69:1 6:1 0.020 0.020 6:1 6:1 0.020 0.020 2:1 WLB WLB

283.83

D.P. 285.773

274.73

211+00.00

3:1 6:1 0.020 0.020 6:1 6:1 0.020 0.020 2:1 WLB WLB

284.33

D.P. 286.270

275.71

210+50.00

3:1 6:1 0.020 0.020 6:1 6:1 0.020 0.020 2:1 WLB WLB

284.83

D.P. 286.767

274.00

210+00.00

320 300 280 260

300 280 260 240 220 200 180 160 140 120 100 80 60 40 20 0 20 40 60 80 100 120 140 160 180 200 220 240 260 280 300

10-08-08 16:23:01
N:\Roadway\Xsec\u4763_rdy_rpl_permit.dgn

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	11
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION

SHEET 64 OF 105

ENGLISH

DENOTES FILL IN WETLAND
DENOTES TEMPORARY FILL IN WETLAND
DENOTES TEMPORARY IMPACTS IN SURFACE WATER
DENOTES IMPACTS IN SURFACE WATER

NC GRID NAD 83/95

MATCHLINE -L- STA. 218+00 SEE SHEET 10

MATCHLINE -L- STA. 232+00 SEE SHEET 12

SITE 14

(39) UNITED STATES OF AMERICA

(65A) HIGHWOODS REALTY LIMITED PARTNERSHIP

(65R) HIGHWOODS REALTY LIMITED PARTNERSHIP

(69) SIGMA XI, THE SCIENTIFIC RESEARCH SOCIETY INC

(36) RTF

220+00

225+00

230+00

TEMPORARY 48" PIPE

IMPACTS IN SURFACE WATER

RIP RAP AT EMBANKMENT SEE DETAIL V

2 TONS CL B RIPRAP W/7 SY FIL FAB

LATERAL BASE DITCH SEE DETAIL C

EX. BRIDGE FAILED

REMOVE EXISTING BRIDGE

CLASS II RIPRAP

2 ELBOWS W/ROD AND LUG

SPECIAL CUT BASE DITCH SEE DETAIL I

5 TONS CL B RIPRAP W/14 SY FIL FAB

SPECIAL FS SEE DETAIL JJ

FS SEE DETAIL II

BERM DITCH SEE DETAIL R

FOR -L- PROFILE SEE SHT. 37

PLANS PREPARED BY :
RUMMEL • KLEPPER & KAHL, LLP
consulting engineers
900 Ridgefield Drive Suite 350
RALEIGH, NORTH CAROLINA 27609-3960
(919) 878-9560
FOR
THE NORTH CAROLINA TURNPIKE AUTHORITY

10/31/2008 16:01:15
P:\Projects\Permit\u4763_hyd_wet_permit_11.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	11
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 65 OF 105

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

ENGLISH

DENOTES FILL IN WETLAND
DENOTES TEMPORARY FILL IN WETLAND
DENOTES TEMPORARY IMPACTS IN SURFACE WATER
DENOTES IMPACTS IN SURFACE WATER

NC GRID NAD 83/95

MATCHLINE -L- STA. 218+00 SEE SHEET 10

MATCHLINE -L- STA. 232+00 SEE SHEET 12

SITE 14

(39) UNITED STATES OF AMERICA

(65A) HIGHWOODS REALTY LIMITED PARTNERSHIP

(65B) HIGHWOODS REALTY LIMITED PARTNERSHIP

(36) RTF

(69) SIGMA XI, THE SCIENTIFIC RESEARCH SOCIETY INC

TEMPORARY 48" PIPE

IMPACTS IN SURFACE WATER

LATERAL BASE DITCH SEE DETAIL C

RIP RAP AT EMBANKMENT SEE DETAIL V

2 TONS CL B RIPRAP W/7 SY FIL FAB

5 TONS CL B RIPRAP W/14 SY FIL FAB

SPECIAL CUT BASE DITCH SEE DETAIL I

REMOVE EXISTING BRIDGE

EX. BRIDGE FAILED

CLASS II RIPRAP

2 ELBOWS W/ROD AND LUG

SPECIAL FS SEE DETAIL JJ

FS SEE DETAIL II

15" BCCS 2 ELBOWS

BERM DITCH SEE DETAIL R

CONC. VON

FOR -L- PROFILE SEE SHT. 37

PLANS PREPARED BY :
RUMMEL • KLEPPER & KAHL, LLP
consulting engineers
900 Ridgefield Drive Suite 350
RALEIGH, NORTH CAROLINA 27609-3960
(919) 878-9560

FOR THE NORTH CAROLINA TURNPIKE AUTHORITY

10-10-2008 16:07:46
r:\u4763-suites\Permit\u4763_hyd_wet_con_permit_11.dgn

0 10 20

PROJ. REFERENCE NO.	SHEET NO.
U-4763B	X-58

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

300 280 260 240 220 200 180 160 140 120 100 80 60 40 20 0 20 40 60 80 100 120 140 160 180 200 220 240 260 280 300

0.020 0.020 0.020 0.020

260.07
220+00.00

0.020 0.020 0.020 0.020

257.84
219+50.00

0.020 0.020 0.020 0.020

263.52
219+00.00

WLB WLB

0.020 0.020 0.020 0.020

263.56
218+50.00

WLB WLB 2:1

8.491 16:1 P

0.020 0.020 0.020 0.020

D.P. 279.252

264.45
218+00.00

2:1

8.491 16:1 P

0.020 0.020 0.020 0.020

D.P. 279.749

266.98
217+50.00

2:1

300 280 260 240 220 200 180 160 140 120 100 80 60 40 20 0 20 40 60 80 100 120 140 160 180 200 220 240 260 280 300

10/08/08 16:23:31
R:\roadway\sac\u4763_rdy_pll_permit.dgn
mwarren

0 10 20

PROJ. REFERENCE NO.	SHEET NO.
U-4763B	X-59

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

300 280 260 240 220 200 180 160 140 120 100 80 60 40 20 0 20 40 60 80 100 120 140 160 180 200 220 240 260 280 300

6:1 0.020 0.020 6:1 6:1 0.020 0.020 4:1

4:1 263.93

274.05
D.P. 279.840

223+00.00

3:1 0.020 0.020 6:1 6:1 0.020 0.020 2:1

3:1 3:1 262.97

D.P. 274.937
272.90

222+50.00

2:1 0.020 0.020 6:1 6:1 0.020 0.020 2:1

3:1 3:1 262.01

D.P. 274.835
270.23

222+00.00

0.020 0.020 0.020 0.020

3:1 3:1 261.05

266.16

221+50.00

0.020 0.020 WLB 0.020 0.020 WLB

3:1 3:1 260.57

262.50

221+00.00

0.020 0.020 0.020 0.020 WLB WLB

3:1 3:1 260.09

262.08

220+50.00

10-09-08 16:24:04
R:\Roadway\Xsc\u4763_rdy_pl_l_permit.dgn
mwarren

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

THIS SHEET LEFT INTENTIONALY BLANK

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	12
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 69 OF 105

REVISIONS

SITE 15

NC GRID NAD 83/95

NSL

MATCHLINE TO SHEET 11 -L- STATION 232+00

MATCHLINE TO SHEET 13 -L- STATION 245+50

MATCHLINE TO SHEET 28 -L- STATION 20+00

RESEARCH TRIANGLE FOUNDATION OF NC

UNITED STATES OF AMERICA

SIGMA XI, THE SCIENTIFIC RESEARCH SOCIETY, INC.

TRIANGLE SERVICE CENTER, INC.

RIP RAP ENERGY DISSIPATOR PAD SEE DETAIL L1

CLASS B RIP RAP EST-8 TONS EST 21-SY FF

PROPOSED 2 @ 7'x11' RCBC EXT.

CLASS B RIP RAP EST-4 TONS / EST 11 SY FF

NOTE: PROVIDE 4" CIRCULAR DECK DRAINS-12'-0 C. 12' FROM CREST ACROSS BRIDGE ON BOTH SIDES LT & RT. USE 12" U.V. RESISTANT PVC TRUNKLINES AS COLLECTOR PIPES

SPECIAL FS SEE DETAIL J1

BEGIN EXPWAY GUT STA 233+50 -L- RT

18" CSP w/ELBOWS & ROD & LUG

END EXPWAY GUT STA 238+35 -L- RT

SPECIAL CUT DITCH SEE DETAIL G

BERM DITCH SEE DETAIL R

4' WOVEN WIRE

JB W/MH

GRADE DETOUR TO DRAIN INTO LATERAL V DITCH

RETAIN SPECIAL CUT DITCH FROM -Y3-DETOUR

RETAIN TAIL DITCH FROM -Y3-DETOUR

RETAIN LATERAL V DITCH FROM -Y3- DETOUR

DENSE VEGETATION

SEE SHEET 37 & 38 FOR -L- PROFILE
SEE SHEET 54 FOR -Y3- PROFILE
SEE SHEET 54 & 55 FOR -Y4RPC- PROFILE
SEE SHEET 55 FOR -Y4RPD- PROFILE
SEE SHEETS 2-DET1 & 2-DET2 FOR -Y3DET- PLAN/PROFILE

ENGLISH

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY FILL IN SURFACE WATER

STREAM & WETLAND IMPACTS

J:\08\54 AM r:\hydraulics\permit\U4763_Hyd_brk_PSHL_wet.dgn
3/07/2008

MULKEY
ENGINEERS & CONSULTANTS
RALEIGH, NORTH CAROLINA 27609
PHONE (919) 851-1417
FAX (919) 851-1419
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	12
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 70 OF 105

NC GRID NAD 83/95

SITE 15

NSL

MATCHLINE TO SHEET 11 -L- STATION 232+00

MATCHLINE TO SHEET 13 -L- STATION 245+50

MATCHLINE TO SHEET 28 -L- STATION 20+00

RESEARCH TRIANGLE FOUNDATION OF NC

UNITED STATES OF AMERICA

SIGMA XI, THE SCIENTIFIC RESEARCH SOCIETY, INC.

TRIANGLE SERVICE CENTER, INC.

RIP RAP ENERGY DISSIPATOR PAD SEE DETAIL LL

PROPOSED 2 @ 7'x11' RCBC EXT.

CLASS B RIP RAP EST. 8 TONS, EST. 21 SY

NOTE: PROVIDE 4" CIRCULAR DECK DRAINS @ 40'-0" C-C 15' FROM CREST ACROSS BRIDGE ON BOTH SIDES (± 8 EA) USE 12" UV RESISTANT PVC TRUNKLINES AS COLLECTOR PIPES

SPECIAL FS SEE DETAIL JJ

REMOVE

ENG. BORWAY CUT STA 239+33 -L- RT

SPECIAL CUT DITCH SEE DETAIL G

BERM DITCH SEE DETAIL R

BEGIN EXPWAY CUT STA 233+50 -L- RT

18" CSP w/ELBOWS & ROD & LUG

SEE DETAIL NN

JB WALL

CATE

COLLAR

COLLAR AND EXTEND

RETAIN SPECIAL CUT DITCH FROM -Y3- DETOUR

RETAIN -L- FROM -Y3- DETOUR

RETAIN TAIL DITCH FROM -Y3- DETOUR

RETAIN LATERAL V DITCH FROM -Y3- DETOUR

DENSE VEGETATION

GRADE DETOUR TO DRAIN INTO LATERAL V DITCH

ENGLISH

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY FILL IN SURFACE WATER

STREAM & WETLAND IMPACTS

SEE SHEET 37 & 38 FOR -L- PROFILE
SEE SHEET 54 FOR -Y3- PROFILE
SEE SHEET 54 & 55 FOR -Y4RPC- PROFILE
SEE SHEET 55 FOR -Y4RPD- PROFILE
SEE SHEETS 2-DET1 & 2-DET2 FOR -Y3DET- PLAN/PROFILE

REVISIONS

8/20/2008 M:\AM r:\hydraulics\plans\U4763_hyd_pln_PSH2_wet.dgn

SITE 15 -Y3- STA 20+04

ENGLISH

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, NC 27636
(919) 851-1815
(919) 851-8419 FAX
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 71 OF 105



STREAM & WETLAND IMPACTS

MULKEY ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	13
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 72 OF 105

REVISIONS

ENGLISH

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY FILL IN SURFACE WATER

SITE 16

SITE 17

SITE 18

NC GRID NAD 83/95

MATCHLINE TO SHEET 12 -L- STATION 245+50

MATCHLINE TO SHEET 29 -Y4RPC- STATION 20+00

(81) TALECRIS BIOTHERAPEUTICS INC

(78) TRIANGLE SERVICE CENTER, INC.

(75) TRIANGLE SERVICE CENTER, INC.

BEGIN EXP CUT STA: 246+00

END EXP CUT STA: 249+50 -L-

CLASS B RIP RAP EST 2 TONS EST 7 SY FF

CLASS I RIP RAP ON BANKS ONLY EST 40 TONS EST 75 SY FF

CLASS I RIP RAP ON BANKS ONLY EST 26 TONS EST 50 SY FF

CLASS B RIP RAP EST 5 TONS EST 14 SY FF

RIP-RAP ENERGY DISSIPATER PAD SEE DETAIL U

CHANNEL IMPROVEMENT SEE DETAIL HH

LATERAL BASE DITCH SEE DETAIL G

SPECIAL CUT BASE DITCH SEE DETAIL J

SPECIAL CUT DITCH SEE DETAIL I

TOE PROTECTION SEE DETAIL Q

RETAIN HEAD DITCH FROM -Y3- DETOUR

COLLAR AND EXTEND

RETAIN AND EXTEND

PROPOSED 2 @ 8'x5' RCBC

15" CSP wELBOWS & ROD & LUG

24" CSP wELBOWS & ROD & LUG

18" CSP wELBOWS & ROD & LUG

REMOVE

REMOVE HW

RETAIN

RETAIN DI

SEE SHEET 38 FOR -L- PROFILE
SEE SHEET 54 & 55 FOR -Y4RPC- PROFILE
SEE SHEET 55 FOR -Y4RPD- PROFILE

3/06/2008 8:09:12 AM r:\hydraulics\vaarnal\U4763_Hyd_Dgn_PSH3_wet.dgn

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	13
R/W SHEET NO.	

ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 73 OF 105

REVISIONS

SITE 16

SITE 17

SITE 18

TALECRIS BIOTHERAPEUTICS INC

NC GRID NAD 83/95

MATCHLINE TO SHEET 12 -L- STATION 245+50

MATCHLINE TO SHEET 29 -Y4RPC- STATION 20+00

NSLA

NSLE

ENGLISH

DENOTES FILL IN SURFACE WATER

DENOTES TEMPORARY FILL IN SURFACE WATER

CHANNEL IMPROVEMENT SEE DETAIL HH

LATERAL BASE DITCH SEE DETAIL D

SPECIAL CUT BASE DITCH SEE DETAIL J

TOE PROTECTION SEE DETAIL Q

BEGIN SBG STA: 13+60 -Y4RPC-

END SBG STA: 16+00 -Y4RPC-

PROPOSED 2 @ 9'x6' RCBC

RIP RAP ENERGY DISSIPATER PAD SEE DETAIL U

CLASS B RIP RAP EST 5 TONS EST 14 SY FF

24" CSP w/ELBOWS & ROD & LUG

15" CSP w/ELBOWS & ROD & LUG

CLASS I RIP RAP ON BANKS ONLY EST 40 TONS EST 75 SY FF

BEGIN EXP CUT STA: 238+00 -L-

END EXP CUT STA: 249+50 -L-

CLASS B RIP RAP EST 7 TONS EST 7 SY FF

CLASS I RIP RAP ON BANKS ONLY EST 26 TONS EST 50 SY FF

CLASS B RIP RAP EST 6 TONS EST 14 SY FF

CLASS B RIP RAP EST 2 TONS EST 7 SY FF

RETAIN HEAD DITCH FROM -F3- DETOUR

SPECIAL CUT DITCH SEE DETAIL I

DENSE VEGETATION

COLLAR AND EXTEND

RETAIN DT

TRIANGLE SERVICE CENTER, INC.

OVERHEAD SIGN

SEE SHEET 38 FOR -L- PROFILE
SEE SHEET 54 & 55 FOR -Y4RPC- PROFILE
SEE SHEET 55 FOR -Y4RPD- PROFILE

8/2002 AM n:\hydraulics\permit\U4763_hyd_pr1_PSH3_wet.dgn

SITE 16 –L– STA 246+56

ENGLISH

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

PERMIT DRAWINGS SHEET 74 OF 105



PROFILE ALONG STRUCTURE

SITE 17 –Y4RPC– STA 15+26

ENGLISH

PERMIT DRAWINGS SHEET 75 OF 105

MULKEY
ENGINEERS & CONSULTANTS
PO Box 52197
Raleigh, NC 27612
(919) 851-1515
(FAX) 851-1514
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION



PROFILE ALONG STRUCTURE

STREAM & WETLAND IMPACTS

MULKEY ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	29
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 74 OF 105

ENGLISH

DENOTES FILL IN SURFACE WATER

(81) TALECRIS BIOTHERAPEUTICS INC
DB 4746 PG 941
DB 89 PG 193 (BLANKET EASEMENT)
DB 101 PG 856 (BLANKET EASEMENT)
DB 263 PG 444 (BLANKET EASEMENT)
PB 109 PG 101

NAD 83/95 NC GRID

75' BEAUTIFICATION EASEMENT DB 1746 PG 35

SITE 18
NSLF

20+00

25+00

MATCHLINE TO SHEET 13 -Y4RPC- STATION 20+00

CLASS I RIP RAP
EST 26 TONS
EST 50 SY FF

REMOVE

RETAIN

2GI

Adj. 2GI CONC

36"

15"

48"

34"

I-40 EBL

I-40 WBL

I-40 WBL 59' CONC

T W ALEXANDER DR

SIGN

WALL

POST

GATE

3 POSTS

BST

CONC

CB

LT

BRUSH

GUY

OVERHEAD

EXISTING R/W

(82) HIGHWOODS REALTY LIMITED PARTNERSHIP LLC

SEE SHEET 54 & 55 FOR -Y4RPC- PROFILE

REVISIONS

3/18/2008 10:10:10 AM n:\hydraulics\permit\u4763\hyd_pr_PSH29_wet.dgn

STREAM & WETLAND IMPACTS

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	29
R/W SHEET NO.	

ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 71 OF 105

ENGLISH

DENOTES FILL IN SURFACE WATER

REVISIONS

(81) TALECRIS BIOTHERAPEUTICS INC
DB 4746 PG 941
DB 189 PG 193 (BLANKET EASEMENT)
DB 1081 PG 896 (BLANKET EASEMENT)
DB 263 PG 444 (BLANKET EASEMENT)
PB 109 PG 161

SITE 18
NSLF

MATCHLINE TO SHEET 13
-Y4RPC- STATION 20+00

CLASS I RIP RAP
EST 26 TONS
EST 80 SY FG

2GI

36"

15"

RETAIN

REMOVE

I-40 EBL

I-40 WBL

59" CONC

75' BEAUTIFICATION DB 1746 PG 941 EASEMENT

N.C. GRID NAD 83/95

T W ALEXANDER DR

GUARDHEAD POST

(82) HIGHWOODS REALTY LIMITED PARTNERSHIP LLC

SEE SHEET 54 & 55 FOR -Y4RPC- PROFILE

3/28/2008 8:20:01 AM r:\hydraulics\permit\U4763_hyd_prn_PSH29_wet.dgn

MULKEY
ENGINEERS & CONSULTANTS
PO BOX 33157
RALEIGH, NC 27636
(919) 851-1912
(919) 851-1918 (FAX)
WWW.MULKEY.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	30
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 78 OF 105

REVISIONS



105852 AMR\Hydraulics\Permit\U4763_PFL.dgn
3/8/2008

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	31
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 79 OF 105

REVISIONS



STA 9+91.76 -L-
ELEV = 322.80
SKEW = 75°
6'-0"x6'-0"RCBC W/-BEVELED HEADWALL
LENGTH ALONG -L- = 120'

CULVERT HYDRAULIC DATA

DESIGN DISCHARGE	= 290	CFS
DESIGN FREQUENCY	= 50+	YRS
DESIGN HW ELEVATION	= 314.1	FT
BASE DISCHARGE	= 130	CFS
BASE FREQUENCY	= 100	YRS
BASE HW ELEVATION	= 314.5	FT
OVERTOPPING DISCHARGE	= 760	CFS
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING ELEVATION	= 322.5	FT

I:\5853\3 ΔR\Hydraulics\Permit\U4763_PFL.dgn
3/8/2008

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	32
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

MULKEY
ENGINEERS & CONSULTANTS

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 80 OF 105

REVISIONS

10:58:54 AM N:\Hydraulics\Permit\U4763_FFL.dgn

3/10/2008



MULKEY
ENGINEERS & CONSULTANTS
PO BOX 52157
RALEIGH, N.C. 27612
PH 919.851.1112
FAX 919.851.1119
WWW.MULKEY.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	33
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 81 OF 105

REVISIONS

380
370
360
350
340
330
320
310
300
290

PBL=5-ES=324.00
ES-SEL=0.40 @ 2.0% RT
SEL=320.76
TIRPD-SPAIG164 @ 6.9% RT
PRS-SPIKE IN BASE OF 30" PINE

PBL=5-ES=322.22
ES-SEL=0.40 @ 2.0% RT
SEL=320.62
TIRPD-SPAIG164 @ 6.9% RT
PRS-SPIKE IN BASE OF 8" DAP OAK

PROPOSED GRADE

EXISTING GROUND

PI STA 128+00.00
EL = 300.42'
VC = 1100'
K = 181
DS = 70mph

(P) 37620X

"L" STA 130+72.22
VC = STA 132+22.22
EL = 339.70

(P) 37620X

(P) 37500Z

BEGIN LAT. DITCH
STA 140+00 RT
EL = 308.50

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE STA 135+92

DRAINAGE AREA	= 1.2	AC
DESIGN FREQUENCY	= 50	YRS
DESIGN DISCHARGE	= 191	CFS
DESIGN HW ELEVATION	= 306.3	FT
100 YEAR DISCHARGE	= 191	CFS
100 YEAR HW ELEVATION	= 306.4	FT
OVERTOPPING FREQUENCY	= 100	YRS
OVERTOPPING DISCHARGE	= 50	CFS
OVERTOPPING ELEVATION	= 308.5	FT

-L-

30" RCP CLASS IV
INV.= 296.92

SEE SHEET 6 FOR -L- PLAN

128+00 129+00 130+00 131+00 132+00 133+00 134+00 135+00 136+00 137+00 138+00 139+00 140+00 141+00 142+00

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, NC 27636
(919) 851-1815
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	34
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

Sheet 82 OF 105

REVISIONS

PROJECT REFERENCE NO. U-4763B
SHEET 1 OF 2
RW SHEET NO.
PROPERTY LINES
HYDRAULIC WATERSHED BOUNDARIES
TENSION POWER LINE

PI = 155+80.00
EL = 405.00'
VC = 2200'
K = 283.1
DS = 70mph

(+)3.76207

(-)4.00000%

PROPOSED GRADE

(+)3.76207

(-)1.15000%

EXISTING GROUND

END LEFT DITCH
STA 145+60 RT
EL = 301.00

CULVERT HYDRAULIC DATA

DESIGN DISCHARGE	= 580	CFS
DESIGN FREQUENCY	= 50	YRS
DESIGN HW ELEVATION	= 307.2	FT
BASE DISCHARGE	= 650	CFS
BASE FREQUENCY	= 100	YRS
BASE HW ELEVATION	= 307.7	FT
OVERTOPPING DISCHARGE	= 700	CFS
OVERTOPPING FREQUENCY	= 100+	YRS
OVERTOPPING ELEVATION	= 311.9	FT

℄ STA. 142+53 -L-
INV. ELEV. = 295.09 FT.
SKEW = 15°
2-8'-7"x 8'-7" RCBC

-L-

SEE SHEETS 6 & 7 FOR -L- PLAN

450 440 430 420 410 400 390 380 370 360 350 340 330 320 310 300 290 280 270 260

142+00 143+00 144+00 145+00 146+00 147+00 148+00 149+00 150+00 151+00 152+00 153+00 154+00 155+00 156+00

K:\5855 AMR\Hydraulics\Permit\U4763_PFL.dgn
3/18/2008

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, NC 27636
(919) 851-1112
(919) 851-1119 (FAX)
www.mulkey-inc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	35
R/W SHEET NO.	

ROADWAY DESIGN ENGINEER | HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 83 OF 105

REVISIONS

10/5/05 N:\Hydraulics\Permit\U4763_PFL.dgn
3/8/2006

PI = 155+80.00
EL = 1405.00'
VC = 2200'
K = 283
DS = 70mph

-4.0000%

BM #125 EL = 1383.68
STA 156+04 24.5' RT
BM #126 EL = 1404.63
STA 160+40 30' RT
PK SPIKE IN BASE OF 12" BEECH

EL = STA 160+56.74 =
V/2 = 57.74 27.13/2
EL = 379.41

PROPOSED GRADE

BEGIN LAT V DITCH
EL = STA 160+50
EL = 353.20 RT
EL = 350.51 LT

L=109.180'

L=57.600'

L=128.133'

EXISTING GROUND

END LAT V DITCH
EL = STA 166+50 RT
EL = 325.00

END LAT V DITCH
BEGIN LAT BASE DITCH
EL = STA 166+50 LT
EL = 345.72

END LAT BASE DITCH
EL = STA 169+50 LT
EL = 387.28

SEE SHEET 7 FOR -L- PLAN

156+00 157+00 158+00 159+00 160+00 161+00 162+00 163+00 164+00 165+00 166+00 167+00 168+00 169+00 170+00

410 400 390 380 370 360 350 340 330 320

BM #127 EL = 1373.18
STA 173+66.24 20.0' LT
BM #128 EL = 1404.63
STA 170+40 30' RT
PK SPIKE IN BASE OF 12" BEECH

BM #129 EL = 1383.68
STA 168+04 24.5' RT
BM #130 EL = 1404.63
STA 164+66 30' RT
PK SPIKE IN BASE OF 12" BEECH

PROPOSED GRADE

PI = 176+61.25
EL = 321.75
VC = 548'
K = 182
DS = 70mph

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.178+41

DRAINAGE AREA	= 29	AC
DESIGN FREQUENCY	= 50	YRS
DESIGN DISCHARGE	= 90	CFS
DESIGN HW ELEVATION	= 3089	FT
100 YEAR DISCHARGE	= 95	CFS
100 YEAR HW ELEVATION	= 3091	FT
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING DISCHARGE	= 25	CFS
OVERTOPPING ELEVATION	= 2842	FT

L=0.3000%

L=1.4100000%

L=0.0994%

L=1.3900%

L=1.4030%

L=0.3400%

L=1.0300%

L=1.3400%

L=1.4850%

L=1.3050%

L=1.2000%

EXISTING GROUND

BEGIN LAT BASE DITCH
EL = STA 170+50 RT
EL = 319.00

BEGIN LAT BASE DITCH
EL = STA 172+50 LT
EL = 322.70
EL = 318.40

BEGIN LAT V DITCH
EL = STA 176+00 RT
EL = 304.25

PI = 176+56.06
EL = 304.58

48" RCP
INV = 302.72

END LAT BASE DITCH
EL = STA 178+50 RT
EL = 304.13

BEGIN LATERAL LAT V
EL = STA 178+50 RT
EL = 313.26

END LAT BASE DITCH
BEGIN LAT BASE DITCH
EL = STA 179+00 LT
EL = 300.80

END LATERAL LAT V
BEGIN LAT BASE DITCH
EL = STA 182+00 RT
EL = 302.38

END LAT BASE DITCH
EL = STA 182+50 LT
EL = 302.38

YARPA EL = 3134
L = STA 180+05.00
STA 180+40.00 5.00 RT

PI = L STA 183+00 RT
EL = 300.13

PI = L STA 181+00 LT
EL = 293.79

SEE SHEETS 7 & 8 FOR -L- PLAN

170+00 171+00 172+00 173+00 174+00 175+00 176+00 177+00 178+00 179+00 180+00 181+00 182+00 183+00 184+00

360 350 340 330 320 310 300 290 280

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	36
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 84 OF 105

-L-

RECEIVED
NOV 12 2008
RALEIGH REGULATORY FIELD OFFICE

BM #23 EL = 284.33'
-L- STA.189+96.29 116.02 RT.
RR SPIKE IN BASE OF 8" SWEET GUM

PI = 188+50.00
EL = 309.93'
VC = 300'
K = 506
DS = > 80mph

BM #24 EL = 329.12'
-L- STA.196+43.68 32278 LT.
RR SPIKE IN BASE OF 15" PINE

PROPOSED GRADE
EXISTING GROUND

(-)0.4018%
(-)0.9944%
(-)0.8767%
(-)0.5013%
(-)3.1000%
(-)4.7200%
(+)2.3555%
(-)0.5000%
(-)3.9333 %
(-)1.9667 %

PI -L- STA 184+50 LT
EL = 289.59

END LAT. V DITCH
BEGIN BASE DITCH
-L- STA.186+00 RT
EL = 297.50

PI -L- STA.188+00 RT
EL = 291.30

END BASE DITCH
BEGIN LAT DITCH
-L- STA.188+43 LT
EL = 287.62

PI -L- STA.190+50 RT
EL = 279.50

END LAT DITCH
-L- STA.191+50 RT
EL = 279.00

END LAT DITCH
-L- STA.194+00 LT
EL = 300.74

BEGIN CONC SWALE
-L- STA.195+50 LT
EL = 311.40

PI -L- STA.197+00 LT
EL = 305.50

BM #25 EL = 270.22'
-L- STA.202+76.15 206.57 RT.
RR SPIKE IN BASE OF 13" OAK

BM #26 EL = 268.03'
-L- STA.208+44.04 197.29 RT.
RR SPIKE IN BASE OF 16" SWEET GUM

(-)1.9667 %
(-)0.9000 %
(-)1.0000 %
(-)1.9600 %
(-)1.4667 %
(+)1.0000%
(-)5.7000%
(-)0.9944%
(-)1.1556 %
(-)2.3868%

PI -L- STA 198+50 LT
EL = 302.55

PI -L- STA 200+00 LT
EL = 301.20

PI -L- STA 200+50 LT
EL = 300.70

END CONC SWALE
-L- STA.201+00 LT
EL = 299.72

BEGIN SPEC CUT DITCH
-L- STA.202+00 LT
EL = 293.50

BEGIN DITCH
-L- STA.201+69 RT
EL = 268.90

END DITCH
-L- STA.202+88 RT
EL = 266.60

PI -L- STA.203+50 LT
EL = 291.30

PI -L- STA.204+50 LT
EL = 292.50

PI -L- STA.205+50 LT
EL = 286.60

END SPEC CUT DITCH
-L- STA.207+75 LT
EL = 284.00

ALONG ℄ DITCH

FOR -L- PLAN SEE SHTS.8 THRU 10

I:\XDR-lbd\0530 dwg\pr-cl\u4763_rdy_pf1_36.dgn

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	37
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 85 OF 105

-L-

BRIDGE HYDRAULIC DATA

DRAINAGE STRUCTURE Sta.219+86

DRAINAGE AREA	= 2.9	SQ.MI.
DESIGN FREQUENCY	= 50	YRS
DESIGN DISCHARGE	= 2650	CFS
DESIGN ELEVATION	= 266.7	FT
100 YEAR DISCHARGE	= 2960	CFS
100 YEAR ELEVATION	= 267.2	FT
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING DISCHARGE	= 17000	CFS
OVERTOPPING ELEVATION	= 274.4	FT

BM #27 EL = 260.74'
-L- STA.219+90.34 90.66 LT.
SE BRIDGE BOLT, EAST SIDE RAIL

BM #28 EL = 281.47'
-L- STA.225+88.24 227.96 RT.
RR SPIKE IN BASE OF 16" PINE

(-) 4.68% (-) 0.30% (-)0.9944% (+) 0.9583% (+)1.9200% (+) 1.0271% (+) 5.7848%

PROPOSED GRADE

EXISTING GROUND

BEGIN SPECIAL CUT
-L- STA.212+00 LT
EL = 282.84'

PI -L- STA.212+50 LT
EL = 280.56

END SPECIAL CUT
-L- STA.213+00 LT
EL = 280.65

BEGIN LT. BASE DITCH
-L- STA.220+36 LT
EL = 259.90

PI -L- STA.221+50 LT
EL = 261.05

END LT. BASE DITCH
BEGIN SPECIAL CUT
-L- STA.223+00 LT
EL = 269.33'

PI -L- STA.225+21 LT
EL = 266.28

212+00 213+00 214+00 215+00 216+00 217+00 218+00 219+00 220+00 221+00 222+00 223+00 224+00 225+00 226+00

320 310 300 290 280 270 260 250 240 230

EXISTING GROUND

PROPOSED GRADE

PI = 227+50.00
EL = 271.15'
VC = 600'
K = 199
DS = 73mph

(-)0.9944% (+)2.0225%

END SPECIAL CUT DITCH
-L- STA.226+00 LT
EL = 270.11'

PI = 233+45.00
EL = 283.18'
VC = 450'
K = 277
DS = 72mph

(+)2.0225% (+)0.4000%

PI = 240+10.00
EL = 285.84'
VC = 360'
K = 514
DS = > 80mph

(+)0.4000%

BEGIN SPECIAL CUT
-L- STA.237+65 RT
EL = 278.00'

(-) 2.6324%

END SPECIAL CUT
-L- STA.236+33 RT
EL = 278.91'

(+) 0.5023%

FOR -L- PLAN SEE SHTS.10 THRU 12

226+00 227+00 228+00 229+00 230+00 231+00 232+00 233+00 234+00 235+00 236+00 237+00 238+00 239+00 240+00

320 310 300 290 280 270 260 250 240 230

I:\5\08 hs2hs28
U:\projects\proj\u4763_roadway_prf_37.dgn

MULKEY
ENGINEERS & CONSULTANTS
PO BOX 50177
RALEIGH, NC 27650
(919) 851-1912
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	38
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

Sheet 86 OF 105

REVISIONS

105858 AMR\Hydraulics\Permit\U4763_PFL.dgn
3/9/2009

370 360 350 340 330 320 310 300 290 280 270 260 250 240 230 220 210 200 190

PROPOSED GRADE

℄ STA 241+35.41 =
YARD1 STA 10+00.00, 47.00' RT.
EL = 285.79

℄ STA 242+19.15
YD3 STA 22+51.87
EL = 285.38

PI = 244+00.00
EL = 283.00'
VC = 120'
K = 47.2
DS = 70mph

℄ STA 244+36.83 =
YARD2 STA 10+00.00, 47.00' LT.
EL = 283.31

(+)0.4711%

(-)0.5004%

PI = 248+50.00
EL = 285.42'
VC = 238'
K = 249
DS = 70mph

(+)0.4711%

(-)0.4900%

℄ STA 250+12.00
ENDGRAD ELEV = 284.14

(+)0.5023%

BEGIN SPECIAL CUT
℄ STA 240+50 RT
EL = 277.30'

℄ STA 242+19.91 =
YARD1 STA 22+45.18'
EL = 285.38

(-)0.5004%

PIPE HYDRAULIC DATA

DRAINAGE STRUCTURE	STM246250	
DRAINAGE AREA	= 10.1	AC
DESIGN FREQUENCY	= 50	YRS
DESIGN DISCHARGE	= 140	CFS
DESIGN HW ELEVATION	= 274.15	FT
100 YEAR DISCHARGE	= 150	CFS
100 YEAR HW ELEVATION	= 274.18	FT
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING DISCHARGE	= 215	CFS
OVERTOPPING ELEVATION	= 284.2	FT

60" RCP
INV.=269.19

EXISTING GROUND

-L-

SEE SHEETS 12 & 13 FOR -L- PLAN

240+00 241+00 242+00 243+00 244+00 245+00 246+00 247+00 248+00 249+00 250+00 251+00 252+00 253+00 254+00

MULKEY
ENGINEERS & CONSULTANTS
PO BOX 53127
RALEIGH, NC 27628
(919) 851-1212
(919) 851-1216 (FAX)
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	39
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 87 OF 105

REVISIONS



10258.59 AMR\Hydraulics\Parent\U4763_PFL.dgn
3/28/2008

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	40
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 88 OF 105

REVISIONS



10:59:00 AM R:\Hydraulics\Permit\U4763_PFL.dgn
3/8/2008

MULKEY
ENGINEERS & CONSULTANTS
PO Box 93127
Raleigh, NC 27636
(919) 851-1515
(919) 851-1516 (FAX)
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	41
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 89 OF 105

REVISIONS

10/5/00 A:\R\Hydraulics\Pereit\U4763_PFL.dgn
3/8/2008

-Y5-

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.17+77

DRAINAGE AREA	= 10.8	AC.
DESIGN FREQUENCY	= 25	YRS.
DESIGN DISCHARGE	= 36	CFS
DESIGN HW ELEVATION	= 3097	FT.
100 YEAR DISCHARGE	= 42	CFS
100 YEAR HW ELEVATION	= 3099	FT.
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING DISCHARGE	= 150	CFS
OVERTOPPING ELEVATION	= 3114	FT.

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.30+16

DRAINAGE AREA	= 2.83	AC.
DESIGN FREQUENCY	= 25	YRS
DESIGN DISCHARGE	= 9	CFS
DESIGN HW ELEVATION	= 3351	FT
100 YEAR DISCHARGE	= 9	CFS
100 YEAR HW ELEVATION	= 3355	FT.
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING DISCHARGE	=	
OVERTOPPING ELEVATION	=	

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.32+91

DRAINAGE AREA	= 3.06	AC.
DESIGN FREQUENCY	= 25	YRS
DESIGN DISCHARGE	= 10	CFS
DESIGN HW ELEVATION	= 3427	FT
100 YEAR DISCHARGE	= 12	CFS
100 YEAR HW ELEVATION	= 3429	FT.
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING DISCHARGE	=	
OVERTOPPING ELEVATION	=	

SEE SHEETS 4 & 20 FOR -Y5- PLAN
SEE SHEETS 4 & 21 FOR -Y5- PLAN

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127 Raleigh, N.C. 27636
(919) 851-1212 (FAX) (919) 851-1213
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	42
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 90 OF 105

REVISIONS

10:59:01 AM R:\Hydraulics\Permit\U4763_PFL.dgn
3/18/2008



MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127 Raleigh, NC 27636
(919) 851-1918 (800) 733-1918 FAX
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	43
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 91 OF 105

REVISIONS

10/29/02 AMR:\Hydraulics\Ferrell\U4763_PFL.dgn
3/8/2006

CULVERT HYDRAULIC DATA

DESIGN DISCHARGE	= 410	CFS
DESIGN FREQUENCY	= 50	YRS
DESIGN HW ELEVATION	= 293.4	FT
BASE DISCHARGE	= 750	CFS
BASE FREQUENCY	= 100	YRS
BASE HW ELEVATION	= 293.7	FT
OVERTOPPING DISCHARGE	= 2,200	CFS
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING ELEVATION	= 310.2	FT

PI = 221+75.00
EL = 307.78'
VC = 540'
K = 1359

STA 222+65.00 (U-4026 BY OTHERS)
END GRADE ELEV = 307.96
HW = STA 222+55.00
BEGIN GRADE ELEV = 307.96

PROPOSED GRADE

PI = 226+04.00
EL = 309.88'
VC = 150'
K = 186
DS = 60 mph

PI = 228+62.00
EL = 309.07'
VC = 354'
K = 1369
DS = 60 mph +

STA 229+00.00 LB
EL = 309.58' LB =
PI STA 229+00.00 LA
EL = 309.98' LA

HW = STA 229+22.00
SHR2 = STA 0+00.00

(+)0.9158% (+)0.4962% (+)0.3500% (-)0.3123% (-)2.9800% (+)0.3000% (-)0.3123% (+)0.6481%

EXISTING GROUND

BEGIN SPECIAL CUT
STA 218+50.00 LT
EL = 307.00

END SPECIAL CUT
STA 222+00 LT
EL = 308.06

BEGIN SPECIAL CUT
STA 224+50 LT
EL = 307.91

END SPECIAL DITCH
BEGIN SPECIAL DITCH
STA 227+50 LT
EL = 304.92

END SPECIAL CUT
STA 228+50 LT
EL = 305.22

HW = STA 229+34.00 =
TIPRC = STA 229+42.24

-Y1-

SEE SHEETS 8 & 22 FOR -Y1- PLAN

PI = 233+80.00
EL = 312.83'
VC = 150'
K = 332
DS = 80 mph +

PROPOSED GRADE

Y1 = STA 226+25.00 =
TIPRC = STA 226+07.83
SHR1 = STA 1+00.00

(+)0.6481% (+)1.0995%

Y1 = STA 232+62.24 =
EL = ST A 308.44 LT

EXISTING GROUND

EX 24" RCP
INV = 301.33

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.232+24

DRAINAGE AREA	= 23	AC
DESIGN FREQUENCY	= 50	YRS
DESIGN DISCHARGE	= 12	CFS
DESIGN HW ELEVATION	= 317.3	FT
100 YEAR DISCHARGE	= 13	CFS
100 YEAR HW ELEVATION	= 317.3	FT
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING DISCHARGE	= 30	CFS
OVERTOPPING ELEVATION	= 322	FT

-Y1-

LAT BASE W/
CL B RIPRAP
@ +2.0%

BEG -100 LT
307.00

+50 LT
306.00

END +100 LT
303.80

LAT BASE W/
CL B RIPRAP
@ -4.4%

BY OTHERS

EX 54" RCP
INV = 304.78

PI = 242+50.00
EL = 322.40'
K = 483
VC = 300'
DS = 80 mph +

(+)1.0995% (+)1.7209%

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.241+21

DRAINAGE AREA	= 21.2	AC
DESIGN FREQUENCY	= 50	YRS
DESIGN DISCHARGE	= 138	CFS
DESIGN HW ELEVATION	= 319.9	FT
100 YEAR DISCHARGE	= 141	CFS
100 YEAR HW ELEVATION	= 319.3	FT
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING DISCHARGE	= 350+	CFS
OVERTOPPING ELEVATION	= 324.6	FT

-Y1-

SEE SHEET 6 FOR -Y1- PLAN

217+00 218+00 219+00 220+00 221+00 222+00 223+00 224+00 225+00 226+00 227+00 228+00 229+00 230+00 231+00
231+00 232+00 233+00 234+00 235+00 236+00 237+00 238+00 239+00 240+00 241+00 242+00 243+00 244+00 245+00
360 350 340 330 320 310 300 290 280 270

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	44
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 17 OF 105

REVISIONS

-Y1-

PI = 254+76.00
EL = 345.43'
VC = 280'
K = 452
DS = 80 mph

-L- STA 254+40.00 (U-4026 BY OTHERS)
END GRADE ELEV = 344.15'

-L- STA 254+40.00
BEGIN GRADE ELEV = 343.96'

(+)1.16%

(-)1.16%

(+)1.35%

PROPOSED GRADE

EXISTING GROUND

SEE SHEETS 8 & 25 FOR -Y1- PLAN

-Y1-

PI = 260+55.00
EL = 353.48'
VC = 690'
K = 149
DS = 55 mph

(+)1.35%

(-)2.88%

-L- STA 260+00.93
EL = 347.01

-Y1- STA 260+09.22

-L- STA 263+50.11
EL = 340.08

-Y1- STA 263+50.11
EL = 339.05

-L- STA 265+40.00
EL = 333.05

-Y1- STA 265+40.00
EL = 333.05

(-)1.22%

(-)1.18%

-L- STA 267+82.37
EL = 332.49

-Y1- STA 267+82.37
END GRADE ELEV = 332.49

-L- STA 267+82.37
BEGIN GRADE ELEV = 332.49

(-)2.88%

PROPOSED GRADE

EXISTING GROUND DITCH

BEGIN LATERAL V-DITCH
-Y1- STA 263+50.11
EL = 340.08

END LATERAL V-DITCH
-Y1- STA 265+40.00
EL = 333.05

PI -Y1- STA 266+87.57
EL = 329.96

+00 LT
325.30

150 LT
321.80

200 LT
319.10

63 LT
316.50

30 LT
316.50

LAT V @ +0.37%

BY OTHERS FROM STA 266+87.57 -Y1- TO STA 272+00.00

SEE SHEETS 25 & 27 FOR -Y1- PLAN

380 370 360 350 340 330 320 310 300 290

245+00 246+00 247+00 248+00 249+00 250+00 251+00 252+00 253+00 254+00 255+00 256+00 257+00 258+00 259+00

259+00 260+00 261+00 262+00 263+00 264+00 265+00 266+00 267+00 268+00 269+00 270+00 271+00 272+00 273+00

10/29/03 AMR:\Hydraulics\Permit\U4763_PFL.dgn

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	45
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 93 OF 105

REVISIONS

PI = 13+00.00
EL = 315.10'
VC = 250'
K = 1191
DS = 80+ mph

-YIRPC- STA: 10+00.00 =
-YIPT- STA: 15+77.59 LT
BEGIN GRADE ELEV = 322.02

(-)2.3062%
(-)2.516%
(-)2.516%
(-)0.1303%

PI = 16+20.00
EL = 307.05'
VC = 280'
K = 127
DS = 55 mph

PROPOSED GRADE
EXISTING GROUND
(+)0.5929%
(-)1.0292%
(+)1.6529%
(+)1.8467%

BEGIN LAT. BASE DITCH
-YIRPC- STA: 16+80 LT
EL = 283.00

-YIRPC- STA: 17+45 LT
EL = 286.11

END LAT. BASE DITCH
-YIRPC- STA: 19+44 LT
EL = 299.36

END SPECIAL CUT
BEGIN SPECIAL CUT
-YIRPC- STA: 20+42 RT
EL = 300.01

END SPECIAL CUT
-YIRPC- STA: 20+60 RT
EL = 300.01

SEE SHEETS 5 & 6 FOR -YIRPC- PLAN

-YIRPC-

10+00 11+00 12+00 13+00 14+00 15+00 16+00 17+00 18+00 19+00 20+00 21+00 22+00 23+00

330 320 310 300 290 280 270 260

RDY
YIRPC
1000.000000
250
50

PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.26+74

DRAINAGE AREA	=	15 AC
DESIGN FREQUENCY	=	50 YRS
DESIGN DISCHARGE	=	21 CFS
DESIGN HW ELEVATION	=	290.8 FT
100 YEAR DISCHARGE	=	22 CFS
100 YEAR HW ELEVATION	=	290.8 FT
OVERTOPPING FREQUENCY	=	500+ YRS
OVERTOPPING DISCHARGE	=	88 CFS
OVERTOPPING ELEVATION	=	301.4 FT

PI = 26+25.00
EL = 304.00'
VC = 222'
K = 100
DS = 50 mph

PROPOSED GRADE
EXISTING GROUND
(-)0.3034%
(+)1.907%
(+)1.907%
(+)1.999%
(-)3.0894%
(-)1.900%
(-)1.900%
(-)3.7969%
(+)1.0357%

-YIRPC- STA: 28+49.03 = -YIRPC-
END GRADE ELEV = 309.09

101' RCP
INV.= 288.10

BEGIN SPECIAL CUT
-YIRPC- STA: 23+20 LT
EL = 300.36

BEGIN SPECIAL CUT
-YIRPC- STA: 25+50 RT
EL = 297.60

END SPECIAL CUT
-YIRPC- STA: 25+87 LT
EL = 288.40

BEGIN LAT. BASE DITCH
-YIRPC- STA: 26+00 RT
EL = 290.26

END LAT. BASE DITCH
BEGIN LAT. DITCH
-YIRPC- STA: 26+93 RT
EL = 288.50

END LAT. Y DITCH
-YIRPC- STA: 28+39 RT
EL = 288.00

-YIRPC-

SEE SHEET 6 FOR -YIRPC- PLAN

24+00 25+00 26+00 27+00 28+00 29+00

340 330 320 310 300 290 280 270 260

I:\2503\01 ARR\Hydraulics\Permit\U4763_PFL.dgn
3/8/2008

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	46
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 44 OF 105

REVISIONS

-YIRPD-

PI = 12+00.00
EL = 309.42'
VC = 216'
K = 156
DS = 75 mph

-YIRPD- STA 10+00.00 -L-
-L- STA 12+00.06, 59' LT.
BEGIN GRADE ELEV = 314.06

(-)12.1320%
(-)0.7367%
(+)0.6849%
(+)1.2571%

BEGIN LAT. BASE DITCH -YIRPD- STA 12+77 RT EL = 286.90

-YIRPD- STA 12+50 RT EL = 289.30

END LAT. BASE DITCH -YIRPD- STA 13+47 RT EL = 289.70

PI = 18+00.00
EL = 305.00'
VC = 264'
K = 96
DS = 50 mph

EXISTING GROUND

(-)0.7367%
(+)2.0101%
(+)0.2961%

BEGIN SPECIAL CUT -YIRPD- STA 16+05 RT EL = 306.94

END SPECIAL CUT -YIRPD- STA 17+54 RT EL = 310.25

BEGIN SPECIAL CUT -YIRPD- STA 22+00 LT EL = 310.42

-L- 5.4001%

PROPOSED GRADE

PI -YIRPD- STA 23+50 LT EL = 306.11

SEE SHEETS 5 & 6 FOR -YIRPD- PLAN

-YIRPD-

PI = 25+90.00
EL = 320.88'
VC = 337'
K = 180
DS = 45 mph

EXISTING GROUND

(+)2.0010%
(-)2.9360%
(+)0.0826%
(+)2.2960%

-YIRPD- STA 27+58.57 END GRADE ELEV = 317.16

(-)3.5376%

PROPOSED GRADE

PI -YIRPD- STA 23+50 LT EL = 306.11

-YIRPD- STA 25+62 LT EL = 312.40

END SPECIAL CUT -YIRPD- STA 27+00 LT EL = 315.54

SEE SHEET 6 FOR -YIRPD- PLAN

10:59:04 AM\Hydraulics\Permit\U4763_PFL.dgn
3/26/2008

MULKEY
ENGINEERS & CONSULTANTS

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	47
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 95 OF 105

REVISIONS

PI = 22+00.00
EL = 341.94'
VC = 394'
K = 84
DS = 50 mph

(-)3.3689%

(-)3.9896%

PI = 16+70.00
EL = 310.20'
VC = 634'
K = 96
DS = 50 mph

PROPOSED GRADE

(-)3.7601%

(+)0.6132%

(-)0.6132%

(-)3.9896%

BEGIN LATERAL V DITCH
-SRI- STA 14+80 RT
EL = 305.65'

END LATERAL V DITCH
-SRI- STA 15+95 RT
EL = 298.00'

EXISTING GROUND

-SRI-

SEE SHEETS 8 & 11 FOR -SRI- PLAN

-SRI- STA 30+90.54
Y2 = STA 31+31.40 00' RT
END GRADE ELEV = 355.39'

(+)18.0001%

PROPOSED GRADE

EXISTING GROUND

-SRI-

SEE SHEET 7 FOR -SRI- PLAN

10:55:05 AM\Hydraulics\Permit\U4763_PFL.dgn
3/20/2008

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, NC 27636
(919) 851-1815
(919) 851-1816 (FAX)
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	48
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 96 OF 105

REVISIONS

10/5/05 AMR:\Hydraulics\Permit\U4763_PFL.dgn

3/8/2006



MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1515 (FAX)
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	49
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 97 OF 105



I:\59\h2 AM R:\Hydraulics\Permit\U4763_PFL.dgn
3/18/2008

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33187
Raleigh, N.C. 27636
(919) 851-1918 (FAX)
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	50
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 98 OF 105

REVISIONS

-Y2- STA 40+00.00 = -L- STA 40+00.41 (400 LT) =
-Y2WBL- STA 12+18.34 (400 RT)
-Y2EBL- STA 12+18.34 (400 RT)
BEGIN GRADE, ELEV = 353.41

PI = 43+00.00
EL = 351.95'
VC = 150'
K = 239
DS = 60 mph

(-)0.4621% (-)0.5249%

PROPOSED GRADE

PI = 49+10.00
EL = 348.75'
VC = 150'
K = 138
DS = 60 mph

(-)0.5249% (+)0.5609%

EXISTING GROUND

-Y2-

SEE SHEETS 7 & 24 FOR -Y2- PLAN

39+00 40+00 41+00 42+00 43+00 44+00 45+00 46+00 47+00 48+00 49+00 50+00 51+00 52+00 53+00

-Y2= STA 56+15.23 =
-SR2= STA 32+95.78 =
-Y2RBL= STA 31+44.40

BEGIN LAT. BASE DITCH
-Y2- STA 55+40.40 RT
EL = 336.50'

END LAT. BASE DITCH
-Y2- STA 56+05.85 RT
EL = 346.10'

-Y2= STA 58+35.23 =
-L- STA 60+58.74

-Y2= STA 61+83.23 =
-SR2= STA 34+30.64 =
-Y2RBA= STA 29+57.21

PI = 60+21.00
EL = 354.98'
VC = 150'
K = 200
DS = 60 mph

(+)0.5609% (-)0.1885%

PROPOSED GRADE

PI = 65+41.00
EL = 354.00'
VC = 192
K = 115
DS = 55 mph

(-)0.1885% (-)1.8552%

EXISTING GROUND

(+)0.3000%

BEGIN LAT. DITCH
-SR2- STA 25+60.40 LT
EL = 345.58'

BEGIN LAT. DITCH
-SR2- STA 66+80.40 LT
EL = 345.94'

-Y2-

SEE SHEETS 7 & 25 FOR -Y2- PLAN

53+00 54+00 55+00 56+00 57+00 58+00 59+00 60+00 61+00 62+00 63+00 64+00 65+00 66+00 67+00

10/29/06 AM:\Hydraulics\Permit\U4763_PFL.dgn
3/08/2006

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, NC 27636
(919) 851-1515
(919) 851-1516 (FAX)
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	51
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 99 OF 105

REVISIONS

400
390
380
370
360
350
340
330
320
310

PI = 68+14.00
EL = 348.38'
VC = 138'
K = 64
DS = 50 mph

(-)1.85%

(+)0.00%

-Y2- STA 69+64.41 =
-Y1- EOP DW A 260+45.43
EL = 348.74'

(+)1.35%

-Y2- STA 70+04.82 =
-Y1- STA 260+50.93
EL = 349.52'

(+)0.26%

-Y2- STA 70+45.16 =
-Y1- STA 260+56.20
EL = 348.69'

PI = 71+14.00
EL = 348.39'
VC = 105'
K = 26'
DS = 25 mph

(-)0.30%

(+)3.72%

PROPOSED GRADE

PI = 74+65.00
EL = 360.34'
VC = 29'
K = 84'
DS = 50 mph

(+)3.72%

(+)0.26%

EXISTING GROUND

PI = 78+95.00
EL = 361.47'
VC = 32'
K = 96'
DS = 50 mph

(+)0.26%

(+)3.50%

-Y1- STA 80+69.21
END GRADE
ELEV = 367.58

-Y1- STA 80+95.22
END CONSTRUCTION

-Y2-

SEE SHEETS 25 & 26 FOR -Y2- PLAN

67+00 68+00 69+00 70+00 71+00 72+00 73+00 74+00 75+00 76+00 77+00 78+00 79+00 80+00 81+00

10:59:07 AM R:\Hydraulics\Permit\U4763_PFL.dgn
3/18/2008

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33187
Raleigh, NC 27636
(919) 851-1515 FAX
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	52
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 100 OF 105

REVISIONS



10.5.0.0 AMRs\Hydraulics\Permit\U4763_PFL.dgn
3/10/2008

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1982
(919) 851-1983 FAX
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	53
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 101 OF 105

REVISIONS



I:\5908 SR\Hydraulics\Permit\U4763_PFL.dgn
3/6/2008

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33137
Raleigh, NC 27636
(919) 851-1818
(919) 851-1819 (FAX)
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	54
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 102 OF 105

REVISIONS

-Y3-

BLEND TO EXIST.
-Y3- STA 14+47.09
BEGIN CONSTRUCTION
-Y3- STA 14+47.09
BEGIN RESURFACING
ELEV. = 291.59
-Y3- STA 15+50.00
BEGIN GRADE, END OVERLAY
ELEV. = 293.36

PI = 17+30.00
EL = 297.32'
VC = 260'
K = 136
DS = 60mph

(+)2.5846%
(+)4.4029%
PROPOSED GRADE
EXISTING GROUND

PI = 21+50.00
EL = 316.19'
VC = 500'
K = 96
DS = 50mph

(+)4.4929%
(-)1.3100%
(-)1.3100%
(+)0.4000%

PI = 24+50.00
EL = 312.26'
VC = 100'
K = 110
DS = 60mph

-Y3- STA 22+51.67
-Y3- STA 24+21.19
-Y3- STA 25+50.00
END GRADE
ELEV. = 311.86

CULVERT HYDRAULIC DATA

DESIGN DISCHARGE	= 1337	CFS
DESIGN FREQUENCY	= 50	YRS
DESIGN HW ELEVATION	= 2800	FT
BASE DISCHARGE	= 1523	CFS
BASE FREQUENCY	= 100	YRS
BASE HW ELEVATION	= 2822	FT
OVERTOPPING DISCHARGE	= 2100	CFS
OVERTOPPING FREQUENCY	= 500+	YRS
OVERTOPPING ELEVATION	= 2865	FT

SKEW = 65.38°
REMAIN 2 @ 7'x8' RCBC &
EXTEND 2 @ 7'x8' RCBC

BLEND TO EXIST.
-Y3- STA 28+00.49
END RESURFACING
ELEV. = 312.30
-Y3- STA 28+51.09
END CONSTRUCTION

SEE SHEETS 12 & 28 FOR -Y3- PLAN

-Y4RPC-

-Y4RPC- STA 10+00.00 -L-
-L- STA 24+56.83, 59' RT.
BEGIN GRADE ELEV. = 286.19

PI = 10+80.00
EL = 286.48'
VC = 160'
K = 154
DS = 60 mph

(+)0.3611%
(+)0.5732%

PI = 13+00.00
EL = 287.74
VC = 170'
K = 187
DS = 60mph

(+)0.5732%
(-)0.3360%

PI = 15+50.00
EL = 286.90'
VC = 285'
K = 156
DS = 60mph

(-)0.3360%
(+)1.7565%

PROPOSED GROUND
EXISTING GRADE

CULVERT HYDRAULIC DATA

DESIGN DISCHARGE	= 1317	CFS
DESIGN FREQUENCY	= 50	YRS
DESIGN HW ELEVATION	= 2849	FT
BASE DISCHARGE	= 1523	CFS
BASE FREQUENCY	= 100	YRS
BASE HW ELEVATION	= 2849	FT
OVERTOPPING DISCHARGE	= 1000	CFS
OVERTOPPING FREQUENCY	= 10+	YRS
OVERTOPPING ELEVATION	= 2830	FT

SKEW = 33°
REMAIN 2 @ 6'x6' RCBC &
EXTEND 2 @ 6'x6' RCBC

BEGIN LAT. BASE DITCH
-Y4RPC- STA 13+75.29
ELEV. = 269.76

(+) 2.2850%
(+) 2.2867%

BEGIN SPECIAL BASE CUT
END LAT. BASE DITCH
-Y4RPC- STA 16+00.61
EL = 274.57'

END SPECIAL BASE CUT
-Y4RPC- STA 17+55.00
EL = 278.00'

SEE SHEETS 13 & 29 FOR -Y4RPC- PLAN

3/18/2008 10:59:09 AM R:\Hydraulics\Permit\U4763_PFL.dgn

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, N.C. 27636
(919) 851-1815
(919) 851-1834 (FAX)
WWW.MULKEYINC.COM

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	55
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 103 OF 105

REVISIONS



PIPE HYDRAULIC DATA
DRAINAGE STRUCTURE Sta.14+53

DRAINAGE AREA	= 181	AC
DESIGN FREQUENCY	= 25	YRS
DESIGN DISCHARGE	= 85	CFS
DESIGN HW ELEVATION	= 276.2	FT.
100 YEAR DISCHARGE	= 100	CFS
100 YEAR HW ELEVATION	= 276.8	FT.
OVERTOPPING FREQUENCY	= 100+	YRS
OVERTOPPING DISCHARGE	= 150	CFS
OVERTOPPING ELEVATION	= 279.6	FT.

ID:55:0 AU R:\Hydraulics\Permit\U4763_PFL.dgn
2/18/2008

MULKEY
ENGINEERS & CONSULTANTS
NC Firm P0187
SC Firm 3767
(919) 851-1886 RALEIGH
(919) 851-1918 FAX
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	56
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 104 OF 105



10:59:01 AM - R:\Hydraulics\Permit\U4763_PFL.dgn
3/18/2008

MULKEY
ENGINEERS & CONSULTANTS
PO Box 33127
Raleigh, NC 27636
(919) 851-1312
(919) 851-1918 (FAX)
www.mulkeyinc.com

PROJECT REFERENCE NO.	SHEET NO.
U-4763B	57
R/W. SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION

PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SHEET 105 OF 105



10/5/2018 4:44 R:\Hydraulics\Permit\U4763_PFL.dgn

2/18/2008